





HELINUT MEDIZINTECHN

Content

ZEPF IK GMBH



02 Diagnostic

03 Periodontology

04 Conservation

0.5 Extraction

06 Oral Surgery

07 Implantology

08 Microsurgery

09 Crown Instruments

10 Maintenance

11 Index








Professor Ferdinand Sauerbruch became famous for a special surgical technique that he had developed. As a surgeon, he had rather clear-cut ideas regarding the characteristics and quality of the surgical instruments he used. It was not easy to meet his high standards.

The well-known surgeon turned to Zepf, an instrument manufacturer in Seitingen that back then was still a rather young company, to produce the surgical instruments he wanted, as well as special prototype arm and leg prostheses.

Isidor Zepf, who had founded the company in 1921, and his wife Rosa, who was surely one of the first female surgical instrument makers, were able to produce the Berlin professor's products the way he wanted. Their - back in those days - somewhat unusual collaboration built the foundation for Zepf's successful development effort and demonstrated what is even today Zepf's hallmark: rapidly implementing innovations in the field of medical instruments, working in collaboration with well-known physicians and developing these innovations into exemplary solutions. What had been a manufacturing plant with modest beginnings began to grow due to the growing demand for medical instruments.

Helmut Zepf senior and Helmut Zepf junior developed the company in the following decades to a leading manufacturer of dental instruments in Germany.


















Today we are still a family company, managed in the fourth generation by Patrick Zepf. Our decisions are still based on the strict maintaining of basic standards and Zepf's quality criteria and high innovation. A family needs a home. The home of the Zepf family of course is Seitingen-Oberflacht where we reside since 1921.



Here we can count on the extensive technical know-how of our employees, many of them proving their loyalty to us for decades, since it is well known that this particular region of Baden-Württemberg is a hotbed of inventiveness and creativity. Last, but not least, Tuttlingen and the surrounding area has managed to remain the center of the world's medical-equipment industry, thanks to its abundance of well-trained skilled workers. It is companies like Helmut Zepf, to mention just one example, that have been standing for that reputation in the field for more than three-quarters of a century.



Loyal customers who appreciate our innovations are our reward.

Thank you for your confidence!



DBGM



The Z'SHAPE Relax handles were designed according to ergonomic knowledge for the optimal working process during the curettage. The handles are coated with the new **ZEPF** nanapac coating. The black-coated **ZEPF** very hard surface which is very aggressive and sharp-edged, due to their crystalline nanostructure.

> With the unique coating, the surface hardness is increased to an unprecedented 4500 Vickers.

The black, scratch-resistant surface is easy to clean and prevents unpleasant light reflections.

As usual, the instrument tips are interchangeable due to the M4 x 0.5 mm $\,$ thread. QUICKFIX





Handle colors **HELMUT ZEPF**

Z'SHAPE Relax

handles:

26.010.010X yellow

26.010.02OX brown

26.010.03OX violet

26.010.04OX signal purple

26.010.05OX champagne

26.010.06OX turquoise

26.010.07OX cobalt-blue

26.010.08OX yellow-green

26.010.09OX mint

26.010.100X black

These handles are light, manufactured from top-quality plastic with a satin surface finish, available in ten colors. Suited for all threaded tips, such as dental probes, PA-probes, brush holders, mirrors, etc. Desinfectable and sterilizable by using any standard procedure.

See page 03-02 and 03-03 for all ЫОПН Handles available!



Handle colors of **HELMUT ZEPF ЫО∩І**Н Universal Handles:



See page 03-02 and 03-03 for the article numbers of all **ЫО∩I**H Handles available.













24.062.24

24.062.24.

QTY 5

QTY 1

Mouth Mirrors

Due to the standardized thread dimensions, all mirrors available from **HELMUT ZEPF** are compatible with any handle supplied by **HELMUT ZEPF** and can of course be desinfected and sterilized by all usual methods. For fitting handles, please refer to pages **02-03**, **02-05** and for the fitting **ZEPF** Handle, please refer to page **03-03**.

Lipcare Mouth Mirror acc. to Dr. Preusse

The Lipcare Mouth Mirror / Retractor Combination is distinguished by the following features:

- optimal ergonomic working for the user
- patient-friendly, atraumatic, extensive retraction of
- Titanium Mirror, Ø 24 mm, for best visibility
- possibility of preparation with all usual cleaning methods

MEGAduo, QTY 6

24.072.22

24.072.24


Ø 22 mm

Ø 24 mm

■ sterilizable up to 273° F / 134° C









Cheek Holding Mirror - open shape

The brightest and sharpest mirror in the world with optimized cheek holding. The quality features are:

- highest reflection for brilliant brightness
- superior color accuracy, without any color distortion
- precisely sharp mirror image
- scratch-resistant
- optimized cheek holding




Back Surface

These mirrors have their reflective coatings on their rear surfaces.



These mirrors have their reflective coating on their front surface, yielding undistorted imaging with no disturbing double images.



Retractor acc. to Hilger

37.445.01

This retractor's ergonomically curved surface allows retracting cheeks and tongue under all kinds of working conditions and is also very comfortable for patients, thanks to its convex rear surface and rounded edges.


Interchangeable Probe Tips

QTY 1

Probe Tips, interchangeable. Compatible with any standard handle with an M2.5 metric thread.

The two **ZEPF** Safety Keys to exchange tool ends are illustrated on page **03-05**.

For fitting handles, please refer to pages **02-03**, **02-05** and for the **ZEPF** Handle, please refer to page **03-03**.



ZEPF Retractor and Mouth Mirror acc. to Dentist Beck

The **ZEPF** SIONIN Retractor and Mouth Mirror is available in two sizes, featuring a heart-shaped, ergonomic and highly polished design.

The instrument is available in size 24 and 27 mm.

It is universally applicable as:

- Mouth mirror, cheek or tongue retractor, mucoperiosteal flap retractor.
- Its innovative heart shape allows ergonomic adaption in all quadrants.
- Due to its reflective surface, the retractor allows an optimal illumination of the surgical site.
- The large contact surfaces make the retractor very patient-friendly.











24.062.30

ZEPF IONIH Retractor and Mouth Mirror, size 1, 24 mm, **ZEPF GOODE** Universal Handle, PEEK, single-ended, signal orange



ZEPF 6001 Retractor and Mouth Mirror, size 2, 27 mm, **ZEPF 600** Universal Handle, PEEK, single-ended, signal purple







ZEPF Photography and Cheek Retractor, in the Onyx Version or stainless steel

HELMUT ZEPF Cheek Retractors are frequently used in intraoral photography, in extensive cheek retraction, in dental diagnostics and in surgery.

Conventional retractors are also available in plastic material. However, depending on the used plastic, these are not always entirely harmless when being prepared in the hygiene chain. Our retractors are made of stainless medical steel and fulfill all the requirements of the RKI guidelines.

The ergonomic design of the retractors guarantees an optimal handling and is well accepted by patients.



ZEPF Dental Tweezers

All **HELMUT ZEPF** Dental Tweezers have guide pins that prevent their tips from crossing.

The broader version with its shorter tips allow an application with more pressure compared to common tweezers.









ZEPF Ergonomic Dental Tweezers

Our extra comfortable **HELMUT ZEPF** Ergonomic Dental Tweezers are pleasant to hold and have been specially designed for use in extended, otherwise tiring, applications.

The broader version with its shorter tips allow an application with more pressure compared to common tweezers.










22.024.04 London College Cotton & Dressing Pliers, modif., 15 cm, approx. 20°

ZEPF Medical Probes

Those **HELMUT ZEPF** Probes shown in figures **8**, **9**, **17** and **23** are available in octagonal and cylindrical versions, both of which are pleasantly lightweight. Our ergonomically designed octagonal handles are comfortable to hold, and provide precision fingertip control.

Their thin, unbreakable, yet flexible tips manufactured from special alloy steel have an extremely long service life.







24.112.05

#5, cylindrical handle

24.124.06

Probe, Cow Horn, cylindrical handle



ZEPF Periodontal Probes

The perio-diagnostics should be done regularly to have a permanent record to make sure that gingival and especially periodontal inflammations are diagnosed at an early stage.

The benefit for the patient is that either the periodontal health can be confirmed or infection is detected early. Like that suitable dental treatments can be initiated to cure the infection or to stop the progression. With the new Contrast PA Probe Inserts an even easier visualisation is guaranteed during the examination.

The graduation (3 mm) of the probe is visible at the deepest point of the sulcus of all measuring points. Calculus or defective restoration margins cannot be detected, the gingiva is healthy, no bleeding after (careful) probing = no treatment necessary, further preventive care.

Deeper measurements (> 3 mm) indicate a gingivitis. According to the depth further evaluation and documentation must take place according to the rules of the PSI.

See page 03-08 for article numbers of the different **ZEPF** Contrast Probes.







ЫОПН Universal Handle made of PEEK high-tech plastic material – guarantees an ideal power transmission with formerly unknown sensitivity. The handle is available in 10 different, fresh basic colors.






All QUICKFIX Handles have a metric thread M4 x 0.5 and are therefore compatible with the most common exchangeable inserts.



ЫОПЫ ID Plug for an individual color coding of the handle series. Material: PEEK high-tech plastic.

Optional, the handle is available with a different colored ID Plug. When placing an order of ЫО∩Ж Handles please indicate the desired ID-Plug separately according to the listing below.





26.195.07
26.195.08
26.195.09

26.195.10





26.193.01
26.193.02
26.193.03
26.193.04
26.193.05
26.193.06
26.193.07
26.193.08
26.193.09
26.193.10

PIOUIK

Universal Handle single-ended

QUICKFIX for all common curette and scaler tips including 1 end cap



26.193.12

26.193.13

26.193.14

26.193.15

26.193.16

26.193.17

26.193.18

26.193.19

26.193.20

PIOUIK

Universal Handle single-ended for

exchangeable inserts M2.5, for all common probes and mouth mirrors including 1 end cap and 1 reduction insert

26.194.01

26.194.02

26.194.03

26.194.04

26.194.05

26.194.06

26.194.07

26.194.08

26.194.09

26.194.10

PIOUIK

Reduction Insert

to reduce thread from M4 x 0.5 to M2.5, which enables the use of a double-ended handle for probes and mouth mirrors.

FIOUIK

Universal Handle double-ended

for exchangeable tips, M2.5, incl. 2 reduction inserts

26.194.11

26.194.12

26.194.13

26.194.14

26.194.15

26.194.16

26.194.17

26.194.18

26.194.19

26.194.20

Ы○○IH End Cap (Length 25 mm) for using the handles as single-ended handle variants.



Comparison of the handles with exchangeable working tips M4 x 0.5 mm





ZEPF Safety Keys with and without side wings

The Safety Key holds the tips firmly in place. The side wings (only 24.755.02) protect from potential injuries due to the extremly sharp cutting edges of the tips.



Gracey M5 Prophylaxis Set in 2 SHAPE or 600H handle with ZEPF nanapal coating

Small Instrument Set optimally compiled for Deep Scaling, consisting of M5 Gracey Curettes figures 1/2, 7/8, 11/12, 13/14 and a Sickle Scaler # 204S for application in all quadrants.



in ZSHAPE or SOOK handle with ZEPF DODG coating

For the Gracey M5 Prophylaxis Set.

Sickle Scaler # 204 SD and

Sickle Curette (Molar Scaler) # M 23A






ZEPF Prophylaxis Set 'M5 Deep Scaling' in **SHAPE** RELAX handle, complete with nanapau* coating

24.990.55OX

ZEPF Prophylaxis Set 'M5 Deep Scaling' in **ZEPF** HONH handle, inserts with nanopal coating



HELMUT ZEPF M5 Curettes have a 1st shaft which is about 3 mm longer. The sharpened instrument tip is shortened as to allow a special subgingival curettage for tight and deep pockets as well as narrow root surfaces.



Contrast PA Probe Inserts

The new **ZEPF** Contrast PA Probes are made of plastic material and have a flexible working tip which adapts optimally to the anatomy of the pocket depth when measuring.

Color-stable, black markings on the white basic material guarantee a very good contrast for reading.

The sterilizable, exchangeable tips are available in different common graduations.

They are suited to determine the parodontal status and especially to be used on implants. Scratching of implant surfaces is avoided with these probes.

The tips are reusable until they bend, the color fades or the graduation is not readable any more.





24.451.00 # 1

graduation 3/6/8/11 mm M4 x 0.5 mm, PU 12 pieces



24.451.01 # CPG 12

graduation 3/6/9/12 mm M4 x 0.5 mm, PU 12 pieces



24.451.02 # CPNG 22

graduation 2/4/6/8/10/12 mm M4 x 0.5 mm, PU 12 pieces



24.451.03 # PCPG 11.5

graduation 3.5/5.5/8.5/11.5 mm M4 x 0.5 mm, PU 12 pieces



24.451.06 # CNC

graduation 1-15 in mm steps, North Carolina M4 x 0.5 mm, PU 12 pieces









24.451.02 # CPNG 22

Periodontal Probe exchangeable graduation 2/4/6/8/10/12 mm M4 x 0.5 mm, PU 12 pieces QUICKFIX, lightred-magenta, incl. 1 end cap
The handle is available in 10 different colors.
See page 03-02 and 03-03 for the article numbers of all



24.455.06 CNC North Carolina

Periodontal Probe exchangeable graduation 1-15 in mm steps M4 x 0.5 mm QUICKFIX, black, incl. 1 end cap
The handle is available in 10 different colors.
See page 03-02 and 03-03 for the article numbers of all





24.453.15 Furcation Probe by Nabers

with graduation, double-ended, rolled, 5.5 mm

Universal Handle Endo-Control

acc. to Dr. Carsten Franke

Due to its laser-marked measuring scale, the **HELMUT ZEPF** Endo-Control Mouth Mirror Handle allows a simple determination of the required working length. The measuring precision can be adjusted to 0.5 mm. The sandblasted surface reduces surface reflections.





24.454.03 CPG 11.5 (WHO)

26.180.07 Universal Handle

Periodontal Probe exchangeable, M2.5 graduation 3.5/5.5 /8.5/11.5 mm

ZEPF Design, single-ended, M2.5 with endo calibration

Periodontal Probes

All **HELMUT ZEPF** Periodontal Probes are high-speed machined. Their tips are thus very fine and dimensionally accurate to within very high tolerances. All our PA-Probes have markings that are suitable for ultrasonic cleaning. Our WHO Periodontal Probes have spherical tips.

They are particularly ideal for:

- determining papillary
- bleeding indices, and their "stops" (the balls on their tips) prevent injuries when measuring the depths of pockets, i.e., they are more atraumatic than other types of PA Probes.











Periodontal Screening Index, PSI

For using the periodontal screening index, it is necessary to use the WHO probe. The steel ball at the distal end of the probe features a diameter of 0.5 mm.

The steel ball avoids not only injuries but allows to discover rough surfaces and edges of dental fillings. The first measurement area of the probe is a black 2 mm band, which shows the depth from 3.5 mm up to 5.5 mm. For further information, please check the relevant description of the periodontal screening index (PSI).



graduation 3/6/9/12 mm

The **ZEPF** IONIH Handle is available in 10 different colors.

See page **03-02** and **03-03** for the article numbers of all **SOUTH** Handles available.



24.454.02 CPNG 22

graduation 2/4/6/8/10/12 mm





24.454.03 CPG 11.5

graduation 3.5/5.5/8.5/11.5 mm



24.454.05 Williams

graduation 1/2/3/5/7/8/9/10 mm




24.454.06 CNC

graduation 1-15 in mm steps, North Carolina



24.454.06TI CNC

graduation 1 - 15 in mm steps, North Carolina, titanium



ZEPF GOOR Prophylaxis-Set 'Gracey'

The four most common Gracey Curettes and one Universal Scaler are all you need for the prophylaxis in all quadrants.

All inserts are exchangeable. QUICKFIX

24.990.50

ZEPF 600H

Prophylaxis Set 'Gracey', consisting of Gracey 5/6, 7/8, 11/12, 13/14, Scaler 204S and 1/3 Washtray

The set 'Gracey' consists of the following instruments:





24.203.05G



24.751.105G

GRA 5/6 Special Curette for front teeth/premolars, more sharply angled, red-purple

24.751.106G



24.205.07G



24.751.107G

GRA 7/8 Special Curette for premolars/molars, more sharply angled, lightred-magenta

24.751.108G



24.204.11G



24.751.111G

GRA 11/12 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple 24.751.112G



24.207.13G



24.751.113G

GRA 13/14 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue 24.751.114G



24.208.04S



24.751.204L

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green 24.751.204R

ZEPF SONH Prophylaxis Set 'M5 Deep Scaling'

HELMUT ZEPF M5 Curettes have a 1st shaft which is about 3 mm longer. The sharpened instrument tip is shortened as to allow a special subgingival curettage for tight and deep pockets as well as narrow root surfaces. All inserts are exchangeable. *QUICKFIX*

24.990.55

ZEPF 500H

Prophylaxis Set 'M5 Deep Scaling', consisting of Gracey 1/2 M5, 7/8 M5, 11/12 M5, 13/14 M5, Scaler 204S and 1/3 Washtray

The set 'M5 Deep Scaling' consists of following instruments:







3-1 1-3

24.201.01GM5GRA 1/2 M5 Special Curette for front teeth,

slightly angled, yellow



24.751.102GM5



24.205.07GM5



24.751.107GM5

24.751.101GM5

GRA 7/8 M5 Special Curette for premolars/molars, more sharply angled, lightred-magenta

24.751.108GM5



24.204.11GM5



24.751.111GM5

GRA 11/12 M5 M5 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple

24.751.112GM5



24.207.13GM5



24.751.113GM5

GRA 13/14 M5 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue

24.751.114GM5



8-6 | 6-8 8-6 | 6-8 **24.208.04S**



24.751.204L

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green

24.751.204R

03-14 Periodontology



ZEPF GOOR Prophylaxis Set 'Universal'

Unlike Gracey Curettes, **HELMUT ZEPF** Universal Curettes have two working surfaces or cutting edges. The Universal Set allows a quick and efficient prophylaxis treatment.

24.990.60

ZEPF 600H

Prophylaxis Set 'Universal', consisting of Langer 1/2, 3/4, 5/6, M23, Universal Curette 204S and 1/3 Washtray. QUICKFIX

The 'Universal' Set consists of the following instruments:









Langer, # L 1/2,

Universal Curette for use on lower molars and premolars, black







24.751.103L

24.751.101L

Langer, # L 3/4,

Universal Curette for use on upper molars and premolars, yellow-green







24.751.105L

Langer, # L 5/6,

Universal Curette for use on upper and lower front teeth, yellow



24.207.23



24.751.123L

M 23 Universal Curette for use on upper and lower side teeth and supragingival dental plaque. Slim version, cobalt blue



24.751.204L

24.208.04S

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green 24.751.204R

24.751.102L

ZEPF SONH Prophylaxis Set 'Bionik'

ZEPF 600H

Prophylaxis Set 'Bionik', consisting of Gracey 5/6, 7/8, 11/12, 13/14, Hygienist 6/7, Scaler 204S, PA Probe CPG 12 with FIONH Universal Handle and 1/2 Washtray. QUICKFIX

The 'Bionik' Set consists of the following instruments:



24.454.01 CPG 12

graduation 3/6/9/12 mm

26.194.06 Local Universal Handle, PEEK, for exchangeable inserts, single-ended, turquoise-brightblue







8-4 | 4-8 8-4 | 4-8 **24.205.07G**

GRA 5/6 Special Curette for front teeth/premolars,



24.751.108G

24.751.106G

24.751.107G

GRA 7/8 Special Curette for premolars/molars, more sharply angled, lightred-magenta



24.751.111G

24.751.105G

GRA 11/12 Special Curette for use on all mesial surfaces of premolars/molars. Skewed to allow optimal placement, signal purple





24.207.13G



24.751.113G

GRA 13/14 Special Curette for use on all distal surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue

24.751.114G



5-1 | 1-5 5-1 | 1-5 **24.208.06H**



24.751.107H

Hygienist, # H 6/7, Sickle Scaler, with opposed tips, for front teeth and premolars, yellow-green

24.751.106H



8-6 | 6-8 8-6 | 6-8 **24.208.04S**



24.751.204L

Sickle Scaler, # 204 S, for removing dental plaque from interdental spaces in the molar area, yellow-green

24.751.204R



ZEPF Special Curettes

HELMUT ZEPF Gracey Curettes are special Curettes that have just a single working surface or cutting edge, and are thus suitable for removing concrementations or dental plaque only.

The **ZEPF** | O | Handles are available in 10 different colors.

See page ${\bf 03\text{-}02}$ and ${\bf 03\text{-}03}$ for article numbers of the different color and handle versions. QUICKFIX





24.751.112G

24.204.11G

24.751.114G

24.207.13G



24.751.116G

24.204.15G

24.751.118G

24.207.17G





reddot design award winner 2010

24.207.02C


24.207.13C

ZEPF SOUR Universal Curettes

Unlike Gracey Curettes, **HELMUT ZEPF** Universal Curettes have two working surfaces or cutting edges, and thus allow using the same instrument on mesial and distal surfaces. All inserts are exchangeable.

The **ZEPF** | O | Handles are available in 10 different colors.

See page 03-02 and 03-03 for the article numbers of all blockers. Handles available.



24.207.04C

24.207.13MC

24.207.17MC



24.207.17MC M 23 Scaler for use on upper and lower side teeth and supragingival dental plaque. Slim version, cobalt blue








ZEPF SIONIH Universal Titanium Curettes Ti

Universal Curettes with exchangeable, very delicate titanium inserts from **HELMUT ZEPF**, to remove the accumulated plague film on the implant necks.

The titanium inserts are exchangeable.

The **ZEPF** | O | Handles are available in 10 different colors.

See page **03-02** and **03-03** for article numbers of the different color and







for front teeth, slightly angled, yellow GRA 1/2 M5 Special Curette,

24.751.102GM5-TI

24.201.01GM5-TI

24.751.108GM5-TI

24.205.07GM5-TI



ZEPF SOURCE M5 Titanium Curettes Tir

HELMUT ZEPF M5 Curettes have a 1st shaft which is about 3 mm longer.

To remove the accumulated plaque film on the implant necks.

The titanium inserts are exchangeable.

The **ZEPF** | O | Handles are available in 10 different colors.

See page 03-02 and 03-03 for article numbers of the different color and

handle versions. QUICKFIX







24.204.11GM5-TI

surfaces of premolars/molars. Skewed to allow optimal placement, cobalt blue GRA 13/14 M5 Special Curette, for use on all distal

24.207.13GM5-TI





reddot design award winner 2010

ZEPF Scaler

HELMUT ZEPF Sickle Scalers have ultrafine tips for supragingival use. Unlike Jacquette scalers, they have curved facial surfaces. With blunt tips, for general use.

All inserts are exchangeable.

The **ZEPF** | O | Handles are available in 10 different colors.

See page **03-02** and **03-03** for article numbers of the different color and handle versions. *QUICKFIX*





matched to tooth contours for use in all interdental spaces, yellow-green

Taylor, #T2/3, medium-sized Scaler with facial surfaces

24.751.103TA

24.208.02T



from interdental spaces in the molar area, yellow-green

Sickle Scaler, # 204 S, for removing dental plaque

24.751.204R

24.208.04S







24.208.23A

24.208.04SD









⁰³⁻²⁶ Periodontology

Universal Curettes





24.553.01




24.553.03



24.553.05



8-6 | 6-8 8-6 | 6-8







24.551.24\$







Hirschfeld Periodontic Files

For removing very hard dental plaque, concrementations, and deposits on root surfaces and for smoothing.



Gingivectomy Knives




24.437.01

Kirkland type. The concave sections of their contoured blades are particularly ideal for use in retromolar areas, while their tips are particularly ideal for use in interdental spaces in molar areas



24.437.02

Goldman-Fox, for long, diagonal, cutting paths. Their drop-shaped tips







24.437.03





24.437.07




Periodontal Chisels












03-32 Periodontology

24.926.10

Magnetic Sticks

Once the first shaft is fixed in a right angle (use a vise with "Rounded Swing Head" for this purpose) the magnet stick is placed onto the facial surface. This will be carried out automatically. In so doing, you achieve the sharpening angle simply and accurately. As such you can now sharpen the curettes with precision.

Best results can be obtained with Natural Stone (Original Arkansas) and wetting slightly with Sharpening Oil 24.950.00.









24.926.75

Test Probe, Acryl Glass 76 x 6 mm, PU = 6 pieces

24.950.00

Sharpening Oil 100 ml, for Original **ZEPF** and Arkansas Stones

24.951.01

Vise

Vise on a ball socket, revolving in all directions, for installing on table with screw.

Original Arkansas Sharpening Stones

Original Arkansas Stone

The diameter of the Original Arkansas Stone is designed to fit the contour of the working ends of our luxation elevator 17.006.01 to 04 and those of our **ZEPF** Xtool-Elevator 17.007.01 to 07.

So do sharpen your luxation elevators regularly! The best results can be obtained in combination with our Sharpening Oil 24.950.00.










24.919.15 'India' multiform 125 x 40 x 10-2 mm, conical, fine



ZEPF SOURCE Endo Set

The **HELMUT ZEPF** Endo Set contains extremely fine working tips to ensure a safe access to the delicate root apex.

The **ZEPF** | O | Handle is available in 10 different colors. See page 03-02 and 03-03 for article numbers of the different color and handle versions. QUICKFIX

24.725.00

ZEPF 600H

Complete Kit for the retrograde microsurgical technique in the endodontic field, incl. washtray

The 'Endo' Set consists of the following instruments:





24.725.05



Columbia, Universal Curette 13/14

24.751.114C



24.725.07



24.751.110

24.751.113C

Scaler, double-ended, tip 45 $^{\circ}$ / 90 $^{\circ}$

24.751.111



24.725.08



24.751.112L

Excavator surgical, double-ended, angled 1.4 mm, flat

24.751.112R



24.725.09



24.751.113L

Excavator surgical, double-ended, angled 1.2 mm, round

24.751.113R



24.725.20



24.751.105

Explorer, double-ended, # 16 and # 9

24.751.104



Anatomical Plate Forceps for all Endo purposes



Anatomical Plate Forceps acc. to Dr. Dirk Brozio

The full area contact generated by compressing the tweezers, ensures a safe support in each gripping angle. The Plate Forceps are featuring a much higher safety when gripping, holding and positioning fine and delicate objects. This problem has been solved by the patented design of the Plate Forceps as their working tips have circular surfaces with additional serrations inside. Easy and relaxed handling due to low holding forces to allow a safe and fast treatment.











19.561.13

Nerve-Canal Pliers

Nerve-Canal Pliers for grasping fractured root-canal instruments or silver pins. The very fine, concave cutout on the working tip allows to remove even deep-lying fractured files.

19.649.60

Surgical Aspirator

with Luer Connector, curved, optimal for Endo-Tips, 175 mm long, Ø 4.2 mm



Micro Mirrors

Micro Mirror with rhodium front surface coating, for a distortion-free mirror image, without double reflection.

The Micro Mirrors are excellent aids in microsurgery and endodontics. Suitable for usage with enlarging glasses or OP-Microscopes.

All mirrors fit into commercially available mouth mirror handles with a diameter of M2.5 mm (see page 02-02).








19.509.20 **Endo Plugger 7/10,** blue color marking = 7°, grey color marking = 10°, length of the tips 28 mm, Ø 0.5 mm and Ø 0.9 mm

length of the tips 28 mm, Ø 0.3 mm and Ø 0.4 mm

Peet Splinter Forceps

The Peet Splinter Forceps is a clamp with perfect grip due to diamond coating. The universal S-curve, as known from La Grange Scissors, makes it particularly flexible in usage. The Peet Splinter Forceps 22.523.90D has a stronger curve (90°), which increases accessibility into the molar






Root Canal Instruments

All figures are very flexible.





Root Canal Spreader



Root Canal Plugger



Root Canal Plugger

 65° , graduation 5/10/15/20 mm







The **ZEPF SOURCE** Composite Sets












Re-creating the original tooth as faithfully as possible is a challenging task for the material, the dental technician and the dentist. In case of direct composite restorations, the complete esthetic responsibility lies in the hands of the practitioner. Optimal instruments are the key to success.



19.201.11



19.201.31



Soft Application Inserts for layering technique for handle 19.200.00 QTY 12 pieces



19.202.00

CompoSMOOTH Complete Set in the box incl. Washtray 1/3, with Brush Holder, 3 x 12 Soft Application Inserts and 4 Composite Instruments





















Brush Holder **ZEPF**-Line with push-out function

26.120.10Ti

26.120.12Ti

26.120.25Ti

26.120.32Ti

The new CompoSMOOTH, a special silicone brush, allows an effortless adaptation and modelling of the composite surface before polymerization. Even "sticky" composites can be adapted in an optimal way. The perfect surface morphology is created almost automatically by light pressure. The tooth shape is modeled in a way that reduces the subsequent polishing work to a minimum... and the result - optimal!





Brush Holder 30° Optionally available

HELMUT ZEPF developed this brush holder which is bent by 30° to get an optimal result in difficultto-reach places. This instrument is not included in the set, but it can optionally complete the set in a profitable way.





Brush Holder curved 30° ZEPF-Line with push-out function



ATTIN Compo Knives

to remove composite residues in filling treatment



With the ATTIN Compo Knives in the ZEPF SIONIH Handle, instruments have been specially developed for removing composite filling residues. Coated with nanapal these instruments have a surface hardness of 4500 Vickers. Every dentist removes composite filling residues in different ways. Some use curettes, others excavators and sometimes scalpel blades are used. Curettes and scalers are usually too weak, i.e. there is a high risk of breakage. Scalpel blades have a high level of hardness, are correspondingly sharp and are good to use. But there are only a few angles available, so they do not allow ergonomic working.

The new ATTIN Compo Knives have addressed this requirement, i.e. strong blades manufactured at the correct angles, so all quadrants can be optimally reached.

With the new **ZEPF** nanapace coating, the surface has a hitherto unknown hardness.

The cutting performance is therefore guaranteed for a long period. Should an insert ever become blunt, it is easy to replace only this instrument insert.

Advantages:

- Only two instruments for all quadrants
- performance and lifetime
- Instrument inserts are exchangeable
- Glare-free surface



ATTIN Compo Knife for mesial and distal surfaces, in **ZEPF Ы○∩⊪**Handle yellow greer exchangeable inserts with nanapar coating







Micro Composite Spatulas superfine spatulas with **ZEPF** nanapace coating



In the case of direct composite restorations, the entire aesthetic responsibility lies in the hands of the practitioner.

With the new micro-composite spatulas in 1.1 mm and 1.6 mm, the practitioner is provided with highly flexible ultra-fine spatulas for precise modeling of delicate structures.





The new ZEPF nanapac coating offers you a very good contrast to the used material. The polished surface is easy to clean and extremely scratch-resistant.





Ы○○Ⅲ Universal Handle made of PEEK high-tech plastic material – guarantees an ideal power transmission with formerly unknown sensitivity. The handle is available in 10 different, fresh basic colors.

The exchangeable working tips inserted in the ergonomic Ы○○IH handle offer highest economy and best tactile handling.

















Spatula



fine version, 1.6 mm

Condenser

HELMUT ZEPF Filling Instruments are well-balanced, i.e., the offsets of their blades are symmetric about the longitudinal axes of their handle, which keeps their blades from twisting under load.







Excavators

Excavators in different angles to remove softened dentine during cavity preparation.







2.0 mm

2.5 mm


24.709.39 # 139/140

Ø 2.5



24.709.35 # 135/136

Ø 2.5



Anatomic Ehricke for Upper Jaw

The choice of the impression tray and the impression technique will influence the final result significantly.

If polyethers are used, we are recommending non-perforated impression trays.

Regulars (BO)



28.631.00

 $a = 55 \, \text{mm}$ $b = 39 \, \text{mm},$ SUP B0

28.631.03

a = 73 mm, $b = 63 \, \text{mm},$ SUP B3

28.631.01

 $a = 65 \, \text{mm}$ b = 52 mm,SUP B1

28.631.04

a = 80 mm,b = 73 mm,SUPB4

28.631.02

a = 71 mm, b = 60 mmSUP B2

Edentulous (UO)



28.634.01

 $a = 65 \, \text{mm}$ $b = 56 \, \text{mm},$ SUP U1

28.634.02

a = 68 mm, b = 61 mm,SUP U2

28.634.03

a = 72 mm $b = 65 \, \text{mm},$ SUP U3

Partials, depressed centers (PO)



28.632.01

a = 62 mm,b = 51 mm,SUP P1

28.632.02

a = 72 mm,b = 54 mm,SUPP2

28.632.03

a = 73 mm,b = 60 mm,SUP P3

Functional impressions (FO)



28.633.01


a = 61 mm,b = 50 mm,SUP F1

28.633.02

 $a = 67 \, \text{mm}$ b = 55 mm,SUP F2

28.633.03

 $a = 77 \, \text{mm}$ b = 63 mm,SUPF3



Anatomic Ehricke for Lower Jaw

The choice of the impression tray and the impression technique will influence the final result significantly.

If polyethers are used, we are recommending non-perforated impression trays.

Regulars (BU)



28.636.00

a = 61 mm, b = 44 mm, INF B0

28.636.03

a = 82 mm, b = 58 mm, INF B3

28.636.01

a = 72 mm, b = 51 mm, INF B1

28.636.04

a = 83 mm, b = 65 mm, INF B4

28,636,02

a = 78 mm, b = 54 mm, INF B2

Edentulous (UU)



28,638,01

a = 71 mm, b = 58 mm, INFU1

28,638.02

a = 70 mm, b = 58 mm, INF U2

28,638,03

a = 74 mm, b = 59 mm, INFU3



Partials, depressed centers (PU)



28.637.01

a = 64 mm, b = 53 mm, INF P1

28.637.02

a = 71 mm, b = 59 mm, INF P2


28.637.03

a = 80 mm, b = 59 mm, INF P3

Modeling Knife for Impressions

Silicone Knife with cutting loop.





Perforated Anatomic Ehricke for Upper Jaw

A-Silicone putties can be applied in perforated impression trays, as the perforation intensifies the rotation of the material in the impression tray.

Regulars (BO)



28.601.00

a = 55 mm, $b = 39 \, \text{mm},$ SUP B0

28.601.03

a = 73 mm, $b = 63 \, \text{mm},$ SUP B3

28.601.01

 $a = 65 \, \text{mm}$ b = 52 mm,SUP B1

28.601.04

a = 80 mm,b = 73 mm,SUPB4

28.601.02

a = 71 mm, b = 60 mm,SUP B2

Edentulous (UO)



28.604.01

 $a = 65 \, \text{mm}$ $b = 56 \, \text{mm},$ SUP U1

28.604.02

a = 68 mm,b = 61 mm,SUP U2

28.604.03

a = 72 mm, $b = 65 \, \text{mm},$ SUP U3

Partials, depressed centers (PO)



28.602.01

a = 62 mm,b = 51 mm,SUPP1

28.602.02

a = 72 mm,b = 54 mm,SUPP2

28.602.03

a = 73 mm,b = 60 mmSUP P3

Functional impressions (FO)



28.603.01


a = 61 mm,b = 50 mm,SUP F1

28.603.02

a = 67 mm,b = 55 mm,SUP F2

28.603.03

a = 77 mm,b = 63 mm,SUP F3



Perforated Anatomic Ehricke for Lower Jaw

A-Silicone putties can be applied in perforated impression trays, as the perforation intensifies the rotation of the material in the impression tray.

Regulars (BU)



28.606.00

a = 61 mm,b = 44 mm,INF B0

28.606.03

a = 82 mm,b = 58 mm,INFB3

28.606.01

a = 72 mm,b = 51 mm,INFB1

28.606.02

a = 78 mm,b = 54 mm,INFB2

28.606.04

a = 83 mm,b = 65 mm,INFB4

Edentulous (UU)



28.608.01

a = 71 mm, $b = 58 \, \text{mm},$ INFU1

28.608.02

 $a = 70 \, \text{mm},$ b = 58 mm,INFU2

28.608.03

a = 74 mm, $b = 59 \, \text{mm},$ INFU3

Partials, depressed centers (PU)



28.607.01

a = 64 mm, $b = 53 \, \text{mm},$ INFP1

28.607.02

a = 71 mm, $b = 59 \, \text{mm},$ INFP2

28.607.03

 $a = 80 \, \text{mm},$ $b = 59 \, \text{mm},$ INFP3



Impression Trays for Implantology acc. to Helfgen

- simple handling
- open and closed implant impression
- putty-wash impression possible
- precision enhancement
- also universally usable in case of special indications
- only one impression session required
- sterilizable
- different sizes
- time and cost efficient







SUP 4

Functionality of the Impression Trays for Implantology acc. to Helfgen



1. In the area of the prepared teeth, retraction cords are placed. Smooth, retention free screws are twisted into the implants.



2. On its lateral sides the covered tray is coated with adhesive. Then the tray is charged with putty material.



3. For the primary impression, the charged tray will be pressed until the cover rests on the smooth implant screws.



4. After the removal of the primary impression, the smooth screws will be exchanged for the complete impression





5. The tray cover is removed and the impressed screw channel is extended with the perforator.



6. For undisturbed repositioning, the perforated channel may be extended further using a super-coarse mill.



7. After the impression areas have been surrounded by ligth-body material, the repositioned impression may be filled additionally via the perforations of the cap channels, if required.



8. Once the material has cured, the positioning screws are loosened, and the finished impression can be removed.

Impression Tray for Partial Impressions

28.663.02 28.664.02

L2, A = 50 mm # R2, A = 50 mm

28.663.03 28.664.03

L3, A = 55 mm # R3, A = 55 mm 28.661.01

L1, A = 46 mm

28.661.02

L2, A = 50 mm

28.661.03

L3, A = 55 mm

28.662.01

R1, A = 46 mm


28.662.02


R2, A = 50 mm

28.662.03

R3, A = 55 mm







28.671.00 28.672.00




Stolley with bolt

28.681.00

28.682.00





Brush Holder DBGM

Its most important features...

Our ZEPF Brush Holder is used for applying liquid treatment agents (enamel or dentine adhesion agents, acids, lacquers, or fluoridation agents) to dental surfaces or cavities.



1 Reverse-angle instrument







Its features at a glance

- Includes a dual brush receptacle and an original **ZEPF** scaled handle.
- Universal use on both upper and lower jaws and on all dental surfaces and
- No need for plastic applicators (reduces waste).
- May be desinfected and sterilized by using any standard procedure.
- Virtually unlimited service life.
- Designed for optimal ergonomy and general-purpose use.
- Suitable for all regular brush inserts (single use).
- Used in all areas of dentistry, especially adhesive restoration work.





Tofflemire Matrix Retainer

Manufactured from stainless steel.



Tofflemire Matrix Bands for 19.060.00

Manufactured from top-quality, 0.035 mm gauge, stainless steel, packaging unit: 12 ea. of each size.



Articulating Paper Forceps



ЫОПІН Retraction-Thread Plugger

Retraction threads are placed to repress or retract the gingiva from the tooth neck.

Prior to taking an impression for the preparation of crowns, the thread is adapted around the prepared tooth and the gingiva.

The **ZEPF** SIONIN Instruments feature specially adapted shapes, helping the dentist to place the threads in a time-saving way; this is useful as threads are tending to get thinner.



reddot design award

ЫОПН Universal Handle made of PEEK high-tech plastic material – guarantees an ideal power transmission with formerly unknown sensitivity. The handle is available in 10 different, fresh basic colors.

The exchangeable working tips inserted in the ergonomic Ы○○IH handle offer highest economy and best tactile handling.



24.548.01

Universal Thread Plugger with angled working tips, microserrated



24.548.02

Suture Applicator for distal / mesial use, microserrated and specially adapted to anatomy



24.548.03

Suture Applicator for buccal / lingual use, microserrated and specially adapted to anatomy



24.548.04 Universal Thread Plugger with round tips, microserrated







EASY CONTACT POINT Instruments by HELMUT ZEPF



Composites are not easy to process. The modeling of clinically ideal contact points in particular is a big challenge for the practitioner. The Easy Contact Point Instruments will help to simplify this work step.

These instruments are available in two sizes as pliers for MOD filling, i.e. as premolar and as molar pliers.

To be used as hand instruments for MO or DO fillings. Also available in two sizes for premolars and molars.

The treatment period for a composite filling can therefore be considerably reduced.

The related economic benefit is evident.



04-26 Conservation

Universal Finishing Clamp "Work smart not hard"





The **ZEPF** Finishing Clamp is an innovative holding instrument for finishing strips of all kinds. The instrument has been designed with ergonomics and functionality uppermost and contributes significantly to easing work involving finishing strips.

The treatment is pleasant for the patient because the tongue area is not restricted by the dentist's fingers and does not aggravate choking. Its main application is in the area of approximate composite fillings; apart from this the instrument is well suited for separation, the correction of filling surpluses in approximal area as well as the application of dental floss.



Fields of Application:

- 1) Completion of approximal composite fillings.
- 2) Separating by means of steel-carbon strips or diamond skived steel strips.
- 3) Correction of filling over-hangs in the approximal area.
- 4) Removal of matrix strips after laying fillings.
- 5) Clamping dental floss for interdental plaque removal, especially in difficult access spots in the lateral tooth area.
- 6) Clamping dental floss for removal of cement residues from the interdental area after cementing crowns / bridges.



23.120.12

ZEPF Finishing Clamp, QTY 2 pieces DBGM acc. to Dr. Peter Müller, Ebersbach

Universal Forceps & Universal Tweezers

No treatment unit should lack these Universal **HELMUT ZEPF** Pliers and Tweezers.

They are used for securely grasping provisional plastic items, bridges, nerve instruments, impacted matrices, attaching inlays, setting interdental wedges, etc.

Usable on both upper and lower teeth. Their TC-jaws provide a secure grip.








19.281.15TC All-Purpose Pliers, with TC insert, 14.5 cm

Peet Splinter Forceps





zepf-dental.com







Picture 1 Longitudinal extraction with Benex*II step by step: Pivot tooth extracted due to root fracture



Picture 2 Longitudinal extraction with Benex*II step by step: Axial removal



Picture 3 Longitudinal extraction with Benex II step by step: Soft and hard tissues preserved



Picture 4 Longitudinal extraction with Benex* $I\!I$ step by step: Soft tissue, 12 weeks after extraction




Picture 5 Longitudinal extraction with Benex® II step by step: Alveolar ridge, 12 weeks after extraction

Extraction System


Benex® II

acc. to Dr. med., med. dent. Benno Syfrig



In modern dental treatment, implantology following extraction is increasingly favoured. Consistent with the principle of minimal invasion, conserving soft and hard tissue structures is a must. Starting with extraction. The modified Benex*II guarantees a gentle and simple extraction of roots in the whole mouth. It is nearly impossible to harm the soft tissue and the surrounding bone. Due to the longitudinal extraction, Benex IIis an optimal basis for direct implantation. It is also a valuable help for retarded implantation after the extraction with the Benex^*II system. Studies made after the use of \mathbf{Benex}^*II prove that the reossification of the extraction alveole is advancing optimally. This is a great advantage for the retarded implantation.

The new $\operatorname{Benex}^* II$ is now available in a washbasket complying with the RKI guidelines. That way, the requirements of optimal cleanability and sterilization were taken into account. You will find further information, application examples and the Benex* user forum at: www.benex-dent.com



12.302.00 Benex*II Extraction System



12.303.00 Benex*II Basic Kit

Alveolar Ridge Preservation with Benex*II

What does it mean?

Alveolar Ridge Preservation means the treatment of the dental alveolus after extraction. 3 months after the **Benex*** extraction you find a considerably better ridge relation than with conventional gentle extractions.

The **Benex*** finds its successful application in both, private practices and universities. The **Benex*** has achieved an excellent status worldwide as basis for a subsequently successful implantation.

The new support for the dismounted **Benex*** System in a washbasket guarantees an optimal cleanability of **Benex*** in a washing machine or in an ultrasonic bath. All components can be fixed safely in the support.

Upon cleaning, the system can be sterilized in assembled condition.

In addition to the **Benex*** components, an optional periotome, an Xtool and an optional **Benex*** Pole Extractor can be placed in the support.










Illustration	Article Description	Order Quantity
	Benex*II Extraction System, consisting of: Benex*II Extractor, 2 Pullropes 48 mm, Driver Guide, Screw short 1.6 mm + 2.1 mm, Screw long 1.6 mm + 2.1 mm, 1 Drill ea. for 1.6 mm, 2.1 mm Screws, Quadrant Support, 85.195.10 Washbasket with Lid, 12.302.01 Tray/Rack for Benex*II	1 piece
Cooppose	12.302.01 Ben ex ° <i>II</i> Tray / Rack	1 piece
	85.195.00 Washbasket 1/1 with Lid and Press Button Lock	1 piece
	Benex° II Basic Kit, consisting of: Extractor, 2 Pullropes 48 mm, Driver Guide, Screw short 1.6 mm + 2.1 mm, Screw long 1.6 mm + 2.1 mm, 1 Drill ea. for 1.6 mm + 2.1 mm Screws, Quadrant Support, 85.194.10 Washbasket with Lid	1 piece
	85.194.10 Washbasket 1/2 with Lid and Press Button Lock	1 piece
♦	12.300.08 Ben ex ° <i>II</i> Extractor	1 piece
	12.300.15 Replacement Support Disc, 8 mm (PTFE), optional	1 piece
	12.300.16 Support Disc, diagonally right, optional	1 piece
	12.300.17 Support Disc, diagonally left, optional	1 piece
**	12.300.20 Pullrope, 48 mm	2 pieces













Application of the Extraction System

- 1. Anaesthesia. Cutting periodontal fibres (Sharpey fibres) in the sulcus by using the Periotome or the **HELMUT ZEPF** Xod.
- 2. Strong, large roots must be loosened / luxated by axial movements within 30 sec., using a slim elevator / twister (X/Od from **HELMUT ZEPF**). Without using transversal movements. In case of multi-rooted teeth, the roots are divided and extracted separately.
- 3. Drilling with the diamond coated twist drill should be in the axis and center of the root fragment. It should be approx. 7 mm in the hard tissue, deeper drilling will not be necessary. Drilling is performed with water-cooling. In order to remove drilling chips more easily, an inward and outward movement is recommended for deep drilling.

Recommended rpm:

500 - 700 rpm

REF 12.300.30 max. 3000 rpm

III 12.300.35 max. 2200 rpm

- 4. According to circumstances, the short or long extraction screw with screwing support **REF 12.300.47** is inserted.
- 5. The extractor is positioned on the adjacent crowns: The opening of the round, revolvable segment plate is adjusted in vestibular direction ensuring a good view of the extraction screw. After the pullrope has been hooked into the extraction screw, it is guided over the reverse roller and fixed to the hook of the extraction slide. Under slight traction – so that the rope does not hang out - the instrument is placed on the adjacent teeth by turning the hand screw. During positioning it is important to see that both the screw and the rope do have the same axial
- **6.** Once the extractor is positioned properly, the extraction is carried out by turning the hand screw. In case of strong, long roots the periodontal fibres have to be pre-stretched for 30 seconds by applying a sub-maximum traction.







The exclusive design and 25% reduced weight make the **EPF***XCISION-Instrument-Line light as a feather.

The ergonomic handle design enables uniform power transmission during pressing, pulling and rotary movements and is equally suited for both right handed as well as left handed practitioners. The unique tip design adapts exactly to the tooth and is beyond comparison to other instruments.

The smooth handle with circular openings makes the zepf Xision-Instrument-Line extraordinarily easy to be cleaned since there are no more hygiene-critical zones as with instruments with serrated handles.

The ideal handling and tactual sensation is guaranteed.

From design to functionality, this product line answers all your concerns.

The **EPF***XCISION** Handle is a registered model of **HELMUT ZEPF**, which has been developed with Dr. Maty.





Extracting Forceps



Pattern

All figures from **HELMUT ZEPF** are available in the Xision Pattern



Diamond-Coating

All extracting forceps are available with diamond-coating for better grip. For ordering etc. just add to the item number the letter **D**.




Teflon Disc

The wear-resistant Teflon Disc eliminates wear and tear in the joints and provides a light action at all times.



Grooved Gripping Surfaces

Grooved gripping surfaces provide a secure grip and prevent slipping.
































The slim, compact design of these **EPF **Cision Extraction Forceps allows easy accessing molar areas, even when mouth openings are restricted.









73A



12.051.01**Z**



13











05-12 Extraction

















Secure-Line

Our special **HELMUT ZEPF** Extracting Forceps in our modern **ZEPF** XiSign Design have tapered jaw tips. Their fine, sharp tips which have been anatomically shaped to match perfectly the teeth and allow to reach deep and large contact areas, which in turn provides better mechanical advantages and a more secure grip. Since these special **HELMUT ZEPF** Extracting Forceps have been designed for performing luxations, they have longitudinal grooves only on their jaws' gripping surfaces. The easy handling and superior "feel" of all our zept Xision Lines of Extracting Forceps are of prime importance for this product line!




Rescue-Line


No reason to panic! These forceps will allow you to carry out any extraction and work more efficiently even under complicated circumstances. If teeth break during extraction, these are the tools you need to rapidly, safely, solve your problems.

These forceps have special all-purpose jaws designed to cover a broad range of applications and have sharp pointed tips that allow separating the tips of roots from surrounding tissue by slightly twisting them and then securely trapping the extracted roots in the gaps between their jaws. The article numbers of extracting forceps with serrated edges are amended by 'ZS'.











12.051.15Z


12.051.15ZS

Witzel All-Purpose Root-Splinter Forceps diamond-tipped

Our special forceps for extracting root splinters from both upper and lower jaw have diamond-tipped jaws for the best possible grip, and are the ideal complement to our

If their diamond tips should ever become worn, simply contact our retipping service, who will put new diamond tips on them for a fixed charge.
















12.059.00Z



14.700.10Z



14.701.10Z

















12.036.00Z

Twist Ex 3 Extracting Forceps for lower front teeth, deep-grip



5.4.3.2.1. 1.2.3.4.5.

12.036.01Z

Twist Ex 4 Extracting Forceps for lower front teeth and incisors, deep-grip



8. 8.

12.079.95Z

Twist Ex 5 Extracting Forceps for lower molars, deep-grip



12.067.95Z

Twist Ex 6 Extracting Forceps for upper molars, deep-grip



Extracting Forceps, American Pattern




Diamond Version

All forceps are also available in the diamond version. For ordering etc., just add a **D** to the article number






Extracting Forceps, American Pattern





Extracting Forceps, American Pattern






Extraction 05-23

Extracting Forceps, American Pattern



Extracting Forceps, American Pattern




Extracting Forceps, American Pattern



Pedodontic Extracting Forceps

These pedodontic extracting forceps have been designed to be as small as possible in order to avoid frightening younger patients with large, aggressive-looking instruments, thereby providing relaxed working conditions.

Further RoBa-Design Pedodontic Extracting Forceps are illustrated on page 05-32!



ZEPF COC ON DESIGN DESI

ZEPF RoBa-Edition

by dentist Beck

Dedicated to the long-standing employees Mr. Horst Roos and Mr. Reinhold Bacher, who worked for Helmut Zepf for more than 50 years since their time as trainee.

The **ZEPF** RoBa-Edition completes the innovative advancement of the famous zepf xisian Extracting Forceps. It has been developed under the aspects of a secure and gentle appliance.

The problem of tooth fractures during extraction is considerably reduced due to the innovative geometry of the beaks.

The new ONYX coating makes the impact-resistant surface of these extracting forceps almost indestructible.

Compared with other methods, in ONYX coating the carrier material is applied in a more gentle way, as ONYX coating in comparison to other coatings is performed with significantly less influence of heat.

The surface shows excellent sliding features to reliably counteract contamination. An incrustation of proteins etc. is not possible.

The matt-finished black surface not only prevents reflection of the OT light, but also guarantees an optimal contrast in the OR environment during extraction.







With the patented RoBa-Edition HELMUT ZEPF introduces a new generation of extracting forceps. Deduced from the **rep*** **isign** Instruments the RoBa-Edition has been especially developed in consideration of easy and gentle extraction.


The patented RoBa-Edition according to Dentist Beck is the consequential advancement of conventional extracting forceps with the advantages of the tapered deep-grip extracting forceps. The modified beaks according to Dentist Beck fit exactly on the teeth which ensures a maximum grip in the appliance. These new beaks are available for all figures in upper and lower jaw (incisors, premolars, molars and wisdom teeth).

Due to the fact that all teeth show a convex crown contour (upper jaw: labial, buccal, palatal and in lower jaw: labial, buccal, lingual), the beaks have been developed under this anatomical conditions The handle is a protected design from **HELMUT ZEPF**, which was developed in cooperation with Dr. Maty, Germany.











(2) Concavely elaborated inner contours of the forceps beak fit in the convex tooth contour. With deep grip in the alveolus on the neck of the tooth or on the crown, the RoBa Edition ensures a parallel and maximum grip in any situation. Root fracture almost can be excluded.



(3) The different deeply elaborated inner contours ensure maximal adaptation on the teeth in different actualities. No tilting of the teeth while rotary and/or lifting movement.



(4) Tapered outside contour of the beak affords deep grip even subgingival.



Black Finish Coating

Design meets functionality.

Users with highest demands will appreciate the elegant, black finish providing the instrument with a non-reflecting, extremely smooth and scratch-resistant surface. The article number is complemented by **TI**.



Diamond Version

All RoBa-Edition extracting forceps in the classic satin-metallic finished surface are available with diamond coating for a better grip.

The lower part of the **EPF** Lision** Handle is gold-plated. For ordering etc., just add a **D** to the article number.







12.234.07ZD



05-30 Extraction



3.2.1. 1.2.3.

12.234.07**Z**

12.234.07**Z**D

12.234.07**Z**TI



3.2.1. 1.2.3.

12.234.08**Z**

12.234.08ZD

12.234.08ZTI



5.4. 4.5.

12.235.07**Z**

12.235.07**Z**D

12.235.07**ZT**I





12.279.90**Z**

12.279.90ZD

12.279.90ZTI



3.2.1 1.2.3.

12.236.07Z

12.236.07ZD 12.236.07ZTI



3.2.1. 1.2.3.

12.236.08**Z**

12.236.08ZD

12.236.08ZTI



5.4. 4.5.

12.213.00Z

12.213.00ZD

12.213.00ZTI



5.4. 4.5.

12.235.08**Z**

12.235.08ZD

12.235.08ZTI



7.6. 6.7.

12.222.00**Z**

12.222.00ZD

12.222.00ZTI



7.6.

12.217.00Z

12.217.00ZD

12.217.00ZTI



7.6. 6.7.

12.221.90Z

12.221.90**Z**D

12.221.90ZTI



6.7.

12.218.00**Z**

12.218.00ZD

12.218.00ZTI



12.045.15**Z**S

12.045.15ZSTI



12.267.01**Z**

12.267.01ZD

12.267.01ZTI







12.051.15**Z**S

12.051.15ZSTI

Children Forceps RoBa-Edition


Extracting Forceps modif. by Dentist Beck

These deciduous teeth extraction forceps have been designed to be as small as possible in order to avoid frightening younger patients with large, aggressive-looking instruments, thereby providing relaxed working conditions.

The patented Deciduous Teeth RoBa-Edition Forceps according to Dentist Beck are the consequential advancement of conventional extracting forceps with the advantages of the tapered deep-grip extracting forceps. The modified beaks according to Dentist Beck fit exactly onto the teeth which ensures a maximum grip during the appliance.









exic Extracting Forceps




















15.035.01

The **exigs** Forceps offer an excellent anatomic fit and only need enough pressure so they do not slip out of the hand. The forceps guarantee a balanced axial luxation, better periodontal fibre dilatability and increased sense of touch. They reduce traumata of surrounding tissue.

The assimilated handles allow an individual and equal power transmission for left- and right-handed surgeons during pressing, pulling and turning movements.

Due to the smooth handles and the possibility of dismantling, the **exics** Forceps can be cleaned extremely well. So there are no hygiene-critical areas any more like they are known from forceps with conventional lock. Especially with automatic reprocessing in a washtray the disassembly is a great advantage as they need less space.









ZEPF EXLOG RoBa Edition Extracting Forceps

With the new **exics** RoBa Edition **ZEPF** introduces a new generation of patented extraction forceps. Two patented extraction forceps are combined into one.

The EXLOG Forceps characterized by the fact that it's easy to disassemble and the RoBa characterized by its patented jaws.

It made sense to combine both patents as the combination results in a type of forceps which is easier to clean than ever before and additionally offers the dentist a functional extraction tool which leaves no desire unfulfilled.

These patented forceps are the consequent development of conventional forceps with the advantage of tapered and deep grip extraction forceps. The modified jaws exactly match the tooth and guarantee a maximum grip during the application.







ZEPF EXLOG RoBa Edition Extracting Forceps













15.234.07D

34N









15.217.00 15.217.00D # 17



15.218.00 15.218.00D # 18



15.267.01 15.267.01D # 67A



8. 8. 15.279.90 15.279.90D # 79A





15.236.07

15.236.07D

36N











ZEPF EXLOG RoBa Edition Extracting Forceps

This new development involves all figures for maxilla and mandible (incisors, premolars, molars and wisdom teeth).

As every tooth shows a convex crown shape (maxilla: labial, buccal, palatal - in the mandible: labial, buccal, lingual), the jaw was developed according to these anatomical conditions.

- excellent anatomical adaption on the neck of the tooth surface
- tapered jaws for less traumatization and for conservation of the
- better fibre dilatability and increased sense of touch
- optimal cleaning due to the possibility to disassemble the forceps into two pieces (RKI compliant)
- long life time, patented, high precision joint for radial and axial pressure
- produced from one piece (5-axis CNC milling) and therefore ultra precise
- no maintenance of the joint





The following problems might occur if the extraction forceps are not suitable:

- root fracture
- crown fracture
- damage of the soft tissue caused by bruising
- damage of the alveolar ridge and the buccal bone lamella



Advantages of deep-grip extraction forceps:

- due to the specially shaped jaws it is easy to place the forceps subgingivally directly on the root (below the gingival margin)
- parallel contact on the root
- atraumatic, as the soft tissue is not bruised
- root fractures are avoided
- slim jaw design for subgingival grip without bruise of the soft tissues

THE ORIGINAL

Xtod Instruments



41.855.01Z









17.007.01

In the illustrations an extraction under use of the **X**tod Instruments is shown.

IMPORTANT: Complete removal of all inflammable and convective tissue structures.


- (1) Initial loosening of the desmodontal fibres. Apply the X-Desmo-Tool first approximally then buccally and palatinally (pencil handle).
- 2 Then progressive luxation with the X-Luxa-Tool (first narrow then wide). Ideal positions: Approximal (mesial or distal) to the tooth which should be extracted!
- (3) Complete luxation of an upper right molar with support of a wide X-Luxa-Tool. Gentle extraction without root fractures!
- 4 Inspection of the empty tooth socket and curettage with support of the X-Spoon.















Xtod Instruments

Acc. to Dr. Detlef Hildebrand


THE ORIGINAL


The implantology with immediate insertion after the tooth extraction is more and more a focus of interest in modern dentistry. It appears to be more than necessary to protect soft and hard tissue structures already during the extraction phase and to follow the principles of minimal invasiveness. Here is an ideal complement for this:


The Xtod Instruments! In contrast to existing instruments this clearly arranged and universal Xtool Set supports you during the gentle and uncomplicated extraction of teeth which cannot be preserved.


Modern therapy methods require modern instruments!


- Color coding for clear handling.
- Universal and complete extraction instruments in one tray.
- Ergonomic handle design (pencildesign) prevents unintended slipping during usage.
- Direct and controlled power transmission to prevent tooth and root fractures.
- Non-traumatic tooth extraction without injuring surrounding structures.













green metallic

jaw,

for front teeth

X-Luxa-Tool, straight, 2.5 mm,











Design meets functionality.

Users with highest demands will appreciate the elegant, black finish providing the instrument with a non-reflecting, extremely smooth and scratch-resistant surface. The article number is complemented by TI.

straight

17.007.01

17.007.01TI

straight

17.007.02


17.007.02TI

curved

17.007.03

17.007.03TI


4.0








































17.008.05TI

17.008.06

17.008.06TI


17.008.02TI

curved

X-Approximal Root Elevator, curved, 2.5 mm, # 77RS, mesial elevator, purple metallic

17.008.03TI

17.008.04TI







Content: H-Tool Set

Illustration	Article Description	Description
	H-Tool Set acc. to Dr. Hildebrand organized in a washbasket, including a Ferrozell hammer and H-Tools, consisting of:	Complete set
	41.503.01 Hammer, Ferrozell head Ø 35 mm, 100 g, total weight 180 g, 250 mm long, fitting washbasket	1 piece
S 3 (60) 1901 17 175 00	17.009.01 H-Tool #1, straight, tip 3.5 mm, green ball	1 piece
S 2500 160 11 100 =02	17.009.02 H-Tool #2, straight, tip 2.5 mm, green ball	1 piece
S There was a sun and	17.009.05 H-Tool #5, straight, tip 3.0 mm, gold colored ball	1 piece
	85.195.00 Washbasket 1/1 as rack for the remaining components	1 piece
	85.181.04 Profile, high, universal 130 mm / for 8 instruments	2 pieces
18881	85.181.05	2 pieces

Profile, high, universal 81 mm / for 5 instruments







The X-Desmo-Tool easily penetrates into the periodontal gap with its pointed tip and initially loosens the Sharpey's Fibres. The modified pencil handle and the handy shaft shape offer a depth sensibility like never experienced before without destroying related structures.

■ X-Luxa-Tool-3 (blue):

bent + narrow for tooth loosening

■ X-Luxa-Tool-1 (green):

straight + narrow:

A delicate and controlled power transmission guarantees a specific loosening and luxation of the tooth without any risk of crown or root fractures. Ideal position: approximal (mesial or distal) to the tooth which is to be extracted.

■ X-Luxa-Tool-2 (green):

straight + wide:

Complete, non-traumatic luxation of upper molars (e.g. tooth 16). The ergonomic instrument shape ensures a gentle extraction without tooth fractures or any damage to the alveolar wall.

■ X-Luxa-Tool-4 (blue):

bent + wide: for tooth luxation

■ Lucas Schaber **ZEPF**-Line:


Inspection and curettage of the empty dental alveolus. Complete removal of all inflamed and connective tissue fibres.

ZEPF-Xtod-Tray

DBGM acc. to Dr. Detlef Hildebrand

"Extraction in its most pleasant way"

The **ZEPF-X**10d-Tray offers a universal instrument set for medical tooth extraction. The **X**od instrumentation includes six different instruments:







41.855.012 Lucas Scraper, 2.5 mm, double-ended, 17.5 cm

ZEPF FLEX-EX Power Periotome




While using new materials, we were successful in the development of the **ZEPF FLEX-EX** Power Periotome, a symbiosis of Power Periotome, Elevator and Xtool.

The flexible working tip will enable you to build up a phenomenal pressure for the luxation in a radial direction and a perfect match to the contour of the tooth at the same time without bending. The name stands for the excellent product features united in this instrument.

ZEPF Power Periotome

The Power Periotomes allow a gentle loosening of ligaments in the sulcus.

The handle allows optimal power transmission and controlled luxation.



Ergonomical and heavy


Heavy, ergonomic handle design with exchangeable tips, for optimal access to all quadrants.





Periotome Handle

26.182.00





Hemingway Sharp Spoon, double-ended, exchangeable, stainless steel, ZEPF-Line

ZEPF-Line 2 in 1 Periotomes

The 2 in 1 Periotomes acc. to Dr. Karl-Ludwig Ackermann are saving time as they are reducing the annoying exchange of instruments.





26.182.24 Periotome P4 / straight Sharp Spoon Ø 3.0 mm **ZEPF**-Line, double-ended, exchangeable inserts

ZEPF-Line Periotomes

For the Separation of the Sharpey's Fibers in the Sulcus

Before the usage of any root elevator or extraction forceps it is necessary to separate the Sharpey's Fibers in the sulcus with a periotome in order to do an atraumatic tooth extraction. To do so, the periotome is to be pulled through the sulcus.

The correct application saves the gingiva and the periosteum. The special design in the grip area guarantees a pleasant grip and extremely easy handling.





Root Elevators

Root elevators are used for the surgical tooth extractions. They are used to luxate the tooth in the osseous alveolus and to expand the alveolus walls. They are also used to open the gingival sulcus prior to the tooth extraction.

Straight instruments are used in the anterior region and in the maxillary area. Curved root elevators are ideal for the back teeth in the mandible.

The Workmanship

The shafts of **HELMUT ZEPF** Root Elevators are welded onto their hollow handles, and each and every one is checked for leakage at their welded joints.

This manufacturing method virtually eliminates the leakage compared to cheap root elevators with pressed-in shafts.






The Handle Versions

Except for the Xtool-Series, the Elevators from **HELMUT ZEPF** mainly differ in their 5 different handle designs such as: 'Bein', 'Carpal', 'Standard', 'Flohr', 'Mini'.

These are handle versions which can be assigned easily





Modified Root Elevator Beck









The elevator works during the luxation step with 5-7 supporting points (Hypomochlion), which avoids slipping through because of the different surfaces around the radius, instead of a common round-edged instrument, which works with 1-2 supporting points only.

This makes the Beck Root Elevator much more effective.









- (1) Because of the elliptical shape of the instrument tip, it is easy to penetrate the interdental space with this instrument.
- 2 Due to the shape, by turning the instrument through 180° it is possible to luxate in four directions: 2 x mesially and 2 x distally.
- (3) Attention! These instruments must not be used as a lever, as shown e.g. in picture 3. Due to the special shape, an over-strengthening of the tip can cause breakage. We cannot be held responsible for damages caused by improper use.







Heidbrink Root-Splinter Elevators

All-purpose instruments for gently extracting root splinters.

Straight (without picture):

17.051.01 (M) 17.052.01 (S)

Angled:





17.052.02 **(S)**



17.051.03 (M)

(S)

17.052.03

ZEPF-Line Heidbrink Root-Splinter Elevators

The fine working tips of the Heidbrink Root-Splinter Elevators allow


Example for serrations:





Root Flevator No. 195

The drop-shaped, blunt working end makes the new ZEPF Root Elevator No. 195 ideal for the separation and luxation of roots. The tapered working end allows its special use in the molar region in all quadrants. It can also be used for initial loosening of the desmodontal connection.



Due to its geometry and smooth luxation and rotary motion, the root fragment to be removed will be moved very easily in "crestal direction" (in relative terms!). The luxated fragment can therefore be grasped easily with deep-gripping forceps or with Luer

bone rongeur forceps.




Picture: Courtesy of Dr. Florian Steck



Lindo-Levien Root Flevators

The LINDO-LEVIEN Root Elevators are pushed into the periodontal gap in apical direction until the serrations will grip on the roots. The root is extracted via a barb effect by straight pulling without leverage.





Elevators for axial luxation

These elevators for axial luxation have been developed as an alternative to classic elevators. The instrument must not be used as a lever.

Furthermore the gentle removal of the teeth should be reached by axial luxation and cutting the Sharpey's fibres.




























B Bein C Carpal S Standard F Flohr M Mini

Gärtner and Hylin Root Elevators









(B) 17.014.00














word doubol com

Root Elevators Cryer and Winter


Claw elevators are ideal to extract molars in the mandible after separation of the roots.



The bend of the working ends, combined with the shortened tips, allows a gentle lifting of the opposite root without contact to the neighboring crown.

The special claw elevators are ideal to luxate roots if an apical access is possible from the neighboring alveolus, e.g. if a root has already been removed and if the empty alveolus can be used as access. It is recommended first to remove the root which is bent less.















06-02 Oral Surgery

The **ZEPF** Forceps












Atraumatic Tissue Forceps acc. to Dentist Beck





22.824.17 17.5 cm

Due to their specially shaped working tips, the Tissue Forceps allow an easy and gentle grip and fixation of the tissue flap. There is no additional traumatism of the soft tissue. The Atraumatic Tissue Forceps can be used in all fields of dentistry and odontology (in surgery, parodontology and implantology).







Tissue Forceps, fine, 1 x 2 teeth








Tissue Forceps, standard, 1 x 2 teeth























22.486.15


15 cm











The **ZEPF** Retractor

pat. pend. by Dr. Peter Müller, Ebersbach



Clear, non-tiring retraction in every situation

Retraction of the cheek, lips, tongue and mucoperiosteal flap. The **ZEPF** Retractor is a "quality product from Tuttlingen" and bears the name **HELMUT ZEPF** as seal of quality.

- ergonomic handle
- low-weight, very well-focused instrument
- innovative design
- multipurpose usage
- good view
- smooth surface, manufactured from one piece
- all common disinfection and sterilization methods possible









37.445.01 Hilger

Retractor, for all Mouth Mirror Handles Ø 2.5 mm

24.089.02 Mouth Mirror Handle, ergonomic, hollow, stainless steel



Vestibulum Retractor acc. to Dr. Müller, Tuttlingen

Working end made of stainless steel, handle M4.5 mm, Dr. Ti, made of titanium.

The Vestibulum Retractor acc. to Dr. Müller, Tuttlingen can be used in the dental field for all activities for which it is necessary to have a very good view as well as the best possible dryness.



The application in periodontology as well as in oral surgery is possible as the Vestibulum enables you to retract a complete quadrant. This offers a very good view on your field of work. The instrument can also be used to model the edges in the acrylic technique. The relative drying is possible with one hand which offers a better moulding.

The instrument can be used in many ways and is very easy to apply. This makes it very economical.

37.444.01



Special features of the **Maty Cheek and Lip Rectractors:**

- suitable for a wide variety of applications
- lightweight
- easy to use
- patient-friendly
- no traumatization of the oral cavity
- usable on upper or lower jaws
- ergonomically designed, saves time, thereby cutting costs
- does not need to be removed when work is interrupted since design prevents the dropping out

Maty Cheek and Lip Retractor


The light weight, versatility and anatomically shaped jaws of this instrument makes it suitable for use in a wide variety of applications in all areas of dentistry.

In prosthodontics, for safe impression technique, determining upper/lower jaw mismatches, fitting crowns, bridges, inlays, etc





Maty Cheek and Lip Rectractor, 17.5 cm



- In general dentistry, for filling teeth, root-canal work,
- In oral surgery, for outpatient surgery (apicoectomy, osteotomy, tumor and bone surgery, etc.), preprosthodontic surgery, traumatology, implantology (enossal implants, sinus lifting, GBR techniques, etc.)






Quality MADE IN GERMANY.

Our all-purpose cheek and lip retractor is yet another top-quality, high-precision, all-purpose instrument "Made by **HELMUT ZEPF** Medizintechnik GmbH".





Kim Retractor

The Kim Retractor is very useful to retract the soft tissue flap in a wisdom tooth extraction. The working end is roun-

ded, angled by 45° and serrated in the support region, thus allowing an optimal access to this area under excellent support on the bone.







37.261.11

Pedo Prop, 11.2 cm

37.261.14

19.270.50

Replacement Inserts for

Denhart Mouth Retractor (1 pair)

Adult Prop, 14 cm



Denhart Mouth Retractor

37.271.00

11 cm, with exchangeable silicone inserts



Retractor acc. to Kim, flat, 45° angled, 10.5 mm wide









Obwegeser Retractor for mouth, jaw and face surgery, flexible, 16 cm 38.467.08 8 mm



Wieder Tongue Depressor

37.426.01 # 1, small

Freman SEVSO DE AN A.


37.426.02 # 2, big





Kocher-Langenbeck

Retractor, 21.5 cm



Langenbeck

Retractor, 21 cm


Combined Retractor and Cheek Retractor by Schäfer

1 instrument - 2 functions!

The combined retractor is suited for an optimized retraction of laps and the cheek during surgery like implantations and root-tip resections.

Schäfer Retractor and Cheek Retractor

37.440.00 23 cm











Laster Special Retractor

Special retractor for upper impacted wisdom teeth

The shape of the handle allows to retract the cheek and the mucoperiosteum and to hold another instrument in the same hand simultaneously.



37.438.15

Laster special retractor for upper impacted wisdom teeth, sandblasted handle, polished working tip and micro serration, 100 mm

ZEPF Vestibulum Retractor



The **HELMUT ZEPF** Vestibulum Retractor according to Kapogianni is mainly used for the region of the lateral teeth in the upper jaw.



It is meant for the atraumatic holding of the prepared mucoperiosteal flap which is usually retracted in the area of the crista zygomaticoalveolaris. The crista often develops a distinctive osseous bow which makes it impossible to hold it away with a straight retractor.

This instrument is of great advantage especially during operations like the direct sinus lift, big augmentative interventions or other operations in the area from the cuspid to the rear lateral teeth.

Because of the three-dimensional arrangement of both retracting elements of this Vestibulum Retractor, the mucosa is retracted safely and a trauma due to continuous slipping is excluded. Of course, this retractor can be used for anatomically similar bone structures for safe and atraumatic working.

38.448.50

Vestibulum Retractor

by Kapogianni, to retract the prepared mucoperiosteal flap







06-20 Oral Surgery



ZEPF-Raspatories

Perfectly done.

HELMUT ZEPF Periosteal Elevators have a well-balanced design. The lame-design handles have a very handy shape. They are extremely easy to rotate, and due to the smooth surface, hygiene problems known from conventional handles are avoided.







Prichard

An arrester and raspatory, all in one.

Usable in all types of periodontic surgery, osteotomy, or root-tip resections. Its sharp, rounded tip is used for preparing papilla / loose tissue for excision. In periodontic treatments, its blunt tip allows arresting several flaps of loose tissue simultaneously. The curvature of its blunt tip makes it also a popular choice for osteotomies in the molar area (8-area), as well as for mirror raspas, since its contacting surfaces are highly polished. Lingual surfaces may be very easily reached.



Glickmann


Periosteal Elevator and Flap Knife in one instrument.

The flap knife is as sharp as a scalpel. (It has to be resharpened regularly!). Small additional cuts can be made in the interdental area. You do not have to switch to a standard scalpel. The delicate, round and sharp working tip is used to peel off / to cut the flap.

Combination-Instruments

Spiculum Raspatory and round Periosteal Elevator, 17.5 cm










Micro Friedmann

Micro Bone Rongeur Forceps



Micro Friedmann



Bone Rongeur Forceps




Bone Rongeur Forceps, 15.5 cm



Bone Rongeur Forceps, 15 cm

42.650.18

Bone Rongeur Forceps




Mini FriedmannBone Rongeur Forceps



Beyer 18 cm Bone Rongeur Forceps, double action








Zaufal-Jansen 18 cm Bone Rongeur Forceps, double action

Bone Cutting Forceps













Controlled dropping of the blade

ZEPF Blade Holder ■ Drop-Control ►

The **ZEPF** Drop-Control® Blade Holder combines the design of the regular blade holder 46.007.00 with a new and revolutionary function. With reference to the mechanism of a ball pen, the blade will be dropped off by pushing the button at the end.

The object of this development was a simplified application with the same diameter of the blade holder. Therefore there is no need to adapt to a new application / ergonomics for our regular blade holder! The **ZEPF** 'Drop-Control®' Blade Holder perfectly fits into our **ZEPF** Design product range for surgery, implantology and microsurgery thanks to its diameter, design and ergonomics.

By pressing the button at the end of the blade holder the mechanism which lifts the blade is triggered off. The blade is pushed forward so that it falls safely and controlled in a tray or cup.

Afterwards the one-hand ejection function moves back in its initial position. After cleaning and sterilization you can insert a new blade – as usual.

The advantage lies in the fact that the used blade can be removed in a safe and controllable way in order to prevent a contaminated injury or infection.





Scalpel Blades

Supplied in packs of 100 pieces, sterile







46.014.15*

46.014.12D* # 12d





This practical tool allows safe replacing of scalpel blades.



Place the blade remover



Press the blade remover




Lever the blade upwards




Pull the blade forward and throw it in a











46.007.45




Klingex

46.005.70

Safety Blade Remover



Place the blade




Lift the blade by pressing



Pull the blade forward

Micro Surgical Scalpel Blades

Supplied in packs of 25 pieces, sterile













06-30 Oral Surgery

ZEPF-Line Instruments acc. to PD Dr. Weng, 17.5 cm





Papilla Elevator for preparation of fine soft tissue structures, inserts, exchangeable

46.035.00

INU H.ZEPF 41.864.20

Made in Germany CE 03/14 888

Gingiva Retractor

41.864.20

ZEPF 3D-Blade Holder



3D-Blade Holder

Our **HELMUT ZEPF** 3D-Blade Holder will allow you to position blades easier than ever before!

In designing this blade holder, particular attention was devoted to make it easy to use, clean and sterilize.

46.007.05

3D-Blade Holder Handle **ZEPF**-Line, 12.5 cm

46.007.50

Pivoted Head for 3D-Blade Holder, exchangeable, incl. Allen Key, AF 2.0



46.007.10

3D-Blade Holder Handle with Pivoted Head, 12.5 cm

46.007.11

Allen Key, AF 2.0



Attachments acc. to Dr. Hildebrand, Berlin

Blade Holder



46.007.20

for standard blades # 10-15

Gingiva Retractor



46.007.31



46.007.30







Titanium CE 12/14 區級

46.035.05




What is \$\sigma_2^2 ?

SC stands for "Supercut" and means that scissors with that designation have been specially ground, not only to make them sharper than ordinary scissors, but to yield a much better cutting angle (cf. the accompanying illustrations). One ring is golden.


What is \(\frac{76}{2} ? \)

TC stands for "Tungsten Carbide", a material whose superior strength wear resistance and hardness are its major properties that distinguish it from conventional materials. Both rings are golden.



Scissors

serrated edge



serrated edge

serrated edge



Fine Preparation Scissors

The curved blunt Preparation Scissors are used for preparation in the least traumatic way of separating tissue into connective tissue layers.

The surgeon pushes the scissor parallel to the skin or to the level of the layers which should be separated (picture 2), opens the scissor and pulls it back in an opened position.

The tissue layers are separated by spreading movements of the scissor blades and the required layer is opened (picture 3). The tip of the scissor is usually facing the less sensitive structures.

In the second instance the scissor is used for cutting.

















1, blunt/blunt, curved, 14 cm

46.431.14 46.431.14SC

serrated edge serrated edge



46.431.14TISC

serrated edge



06-36 Oral Surgery





Lichtenberg

The inside of the blades of our Lichtenberg Needle Holders is especially constructed with a scooped-out design to reduce weight to a miniumum. This also improves the balance.

Lichtenberg-Ryder 3/0 - 4/0

17 cm:

straight, with detent and latching mechanism



41.318.17TC

17 cm:

41.317.17TC



Mathieu 2/0 - 4/0 straight with TC

14 cm: **41.310.14TC**

17 cm: **41.310.17TC**

14 cm:

41.262.14

straight without TC

17 cm: **41.262.17**

14 cm:

41.264.14

17 cm: **41.264.17**



Needle Holder

Swedish Model

A very fine needle holder which can also be used as micro needle holder. The flexible grip ends increase tactile feeling and reduce the "cracking" of the

three-step lock.




15 cm:

41.246.15TC













Surgical Aspirators

Curved, with slot against sucking in, 17.5 cm

19.649.15 Ø 1.5 mm

19.649.30

Ø 3.0 mm

19.649.50

Ø 5.0 mm

/INUS-line

The specially bent Sinus-Line Aspirators with titanium tip were developed by Dr. Maty.

19.651.15

Surgical Aspirator, titanium tip, Ø 1.5 mm

19.651.30

Surgical Aspirator, titanium tip, Ø 3.0 mm

and 41.ZEPF 19.651.14 Made in Germany C€105/07

19.651.13

Surgical Aspirator, with slot, titanium tip, Ø 1.5 mm

19.651.14

Surgical Aspirator, with slot, titanium tip, \emptyset 3.0 mm

and H.ZEPF 19.651.15M Made in Germany C€ 105/07

19.651.15M Surgical Micro Aspirator, titanium tip, \varnothing 1.5 x 15 mm, modified tip by Dr. Shakibaie-M.





Retraction-Thread Plugger

The ergonomic shape of the instrument tips allows plugging of the thread even in difficult spots.

The notch at the tips make it substantially easier to tie the thread around the tooth, the thread remains in the pocket and does not stick to the instrument.

The plugger is made of stainless steel and has the new **ZEPF IONIH** Handle.



24.548.01

Retraction-Thread Plugger, exchangeable



Probes Antrum Probe

19.576.13 Ø 1.5 mm, 13 cm

19.574.14 Ø 1.0 mm, 14.5 cm

19.576.14 Ø 1.5 mm, 14.5 cm


19.574.16 Ø 1.0 mm, 16 cm

19.576.16 Ø 2.0 mm, 16 cm

Luniatschek



19.600.18 Cotton Plugger, 1.8 mm, fine, 17.5 cm



19.600.25 Cotton Plugger, 2.5 mm, wide, 17.5 cm



Miller Bone- & Alveolotomy File

Parallel cut, 17.5 cm





Wire Seizing / Ligature Pliers and Fracture Splint





Mirrors for Interoral Photography

Titanium-coated front surface for very clear picture.

24.058.01 Mirror for adults, palatal pictures,

24.058.02

Mirror for children, palatinal pictures, width 5.5 cm

stainless steel, polished

width 6.8 cm





24.058.03

Mirror for lateral pictures, width 3.5 cm

Big Mirror, 6.8 cm



Small Mirror, 5.5 cm

ZEPF Bone Holding Forceps

acc. to Dr. Howard Gluckman



23.105.50

ZEPF Bone Holding Forceps acc. to Dr. Howard Gluckman













Specialist in Periodontics, Implantology and Oral Medicine Director of Implant & Aesthetic Academy, Cape Town, South Africa

"Bone holding forceps that I have tried so far are always very difficult to handle and some require 2 hands to use them effectively. A big problem for me was that the forceps usually got in the way and made screwing the bone blocks into position difficult. This inspired me to create a bone holding forceps that allowed one to effectively hold the bone plate or the bone block and at the same time having adequate space for the bone screws and driver.

The holder is easy to use with one hand due to the ratchet design and firmly grips either the bone plate or block on its own, thereby allowing fixation of the plate at the desired distance from the bone; if you utilise the Khoury technique; or to hold both bone block and recipient site thereby enabling easy bone fixation. The bone vice is designed to work with both large and small blocks."






Hammer, Ferrozell


The big hammer lies perfectly in the hand. Due to its (woodlike) material consistency, it offers a superior feeling in osteotomizing. No feel of metal, no loosening of plastic inserts – You always have the feeling of hitting perfectly and of regulating the pressure and the speed...

A true miracle of dental surgery and a must for each OT Set - not only for "big" surgeons!










Content: **ZEPF** ECO ImplaTool Set

24.961.05 24.961.06 The **ZEPF** ECO ImplaTool Set in cobalt-blue or lightred-magenta

Out of his own experience Dr. Hildebrand came up with a complete instrument set for the whole oral surgery and the treatment in the implantology and periodontalogy. No matter if classical or new conceptions, like sinus elevation or microsurgical interventions, all demands can be covered.

Special raspatories, elevators and dissecting instruments enable and simplify surgical procedures and mainly non-traumatic operations. The exchangeable working tips inserted in the ergonomic blonk handle offer highest economy and best tactile handling.

Clearly organized in a washbasket – so everything is always easily at hand for the practitioner.







24.072.22.

MEGAduo Mouth Mirror Insert, **26.194.07**

26.194.05 GIONN Universal Handle single-ended



24.751.155 Sinus Elevator, double-ended, acc. to Ho-Hi 24.751.156

41.854.13

41.854.23

24.751.107HF Hygienist, very fine version # H6 | # H7 24.751.106HF

24.207.06HF

24.205.06HF



24.853.14

24.853.24

protected inner spring,

SpinLock, stainless

steel, 17.5 cm, TC

ergonomic,

15 cm

Content: **ZEPF** ECO ImplaTool Set



Holder, Ø 9.5 mm

suture plate,

15 cm

micro serrated,

SuperCut,

14 cm

Bone Scraper

Collecting autologous bone material.

In oral surgery bone replacements and bone structures are often combined with autologous bone pieces during augmentations in order to use their osteoinductive effect. The Bone Scraper is the perfect instrument for an easy and quick collection of autologous bone structures. It enables you to scrape, collect and transplant the patients' own bone. Everything can be done without the usage of bone filter, trephine bur, saw or bone mill.

The blade makes a collection of cortical and spongious bone possible.

The bone is collected in a chamber during the scraping and at the same time the bone is being mixed with blood. The bone material can be implanted directly out of the Bone Scraper which has been sterilized before.



47.957.01 Spare blade for 47.957.00

ZEPF Bone Scraper II







By using the Bone Scraper, instruments like bone filters, trephines, saws and bone mills are no longer necessary. Its blades allow a fast harvesting of cortical and cancellous bone. The cost-efficient disposable blade offers the practitioner an always sharp and economical instrument.

Spare Blade

replacements, available in quantities of:

47.957.30

PU 3 pieces

47.957.50

PU 5 pieces

Sleeve

47.957.70

Bone Scraper II

ZEPF-Design, with sleeve and disposable blade

47.957.10

straight version

47.957.15

angled version

Bone Scraper II Handle

47.957.60

straight version

47.957.65

angled version

Essential advantages:

- ergonomic
- easy cleaning
- quickly replaceable
- simple application
- cost-efficient





Content: New Osteotome Kit





Screw-Osteotome Inserts
RA-Hex connection with shock absorption



New Osteotome Inserts RA-Hex connection with shock absorption, graduation 7/10/13/15/18/20 mm



47.502.10

Screwdriver Handle with extension, RA-Hex connection with shock absorption, for screwing and hammering application

Without illustration

85.182.50 1/3 Washtray System **47.937.01** Tray for New Osteotome Kit

Optional Accessories






85.255.02

Storage Box for 10 titanium pins





Bone Splitting System acc. to Dr. Vollmer & Dr. Valentin

A successful implantation primarily depends on sufficient bone in the region of the alveolar process and especially on the quality of the bone. Only a stable bone structure can guarantee a safe anchorage of the implant.

In addition to modern augmentation methods, the bone splitting technique is becoming more and more important.

The principle is based on the creation of a similar alveolar cavity in the maxillary crest with a good potential of regeneration. For this indication, the experienced implantologists Dr. Vollmer and Dr. Valentin have developed exactly adapted system components for different anatomical situations in co-operation with the company.














At first, the maxillary crest which has become too small due to atrophy is being separated in its longitudinal direction by diamond discs. Thereafter, it is split carefully by means of chisels. In doing so, the lateral cortical bone lamellae are preferably displaced in labial direction.








After these preparatory steps, small wedges are inserted in the gap. In each case, two wedges are used as placeholders for the drilling of the implant bed and the insertion of the implant.

While drilling, the bone lamellae are reliably prevented from springing back. Upon insertion of the implants and removal of the inter-implantatory wedges, the remaining gaps can be filled with augmentation material in order to allow an augmentation and, in opportune cases, an immediate and simultaneous implantation.

Content: Bone Splitting System







Separating Discs







Separating Disc Ø 10 mm



Wedge Applicator



Inter-Implantatory Wedges



Wedge 2 mm / 2.2 mm, green



Wedge 2 mm / 3.5 mm, red



Wedge 3 mm / 2.2 mm, yellow



Wedge 3 mm / 3.5 mm, blue

Back Action Chisel

Modified as Bone Scraper in different widths, to gain autologous bone during operation.





Bone Fitting Set acc. to Dr. Hohl & Dr. Hildebrand


47.949.95


Bone chisels are used to gain bone chips, to shape bone structures and to widen bones from the cranial side. The pointed chisels are used for the first widening of the maxillary crest. The flat chisels smoothen and shape bone structures.



Bone Fitting Set







(8.0 mm)



marking (working end / width)




07-12 Implantology





Hollow Cylinder Osteotomes acc. to Dr. Vollmer & Dr. Valentin

With the ejector, which will positioned at the distal end, the gained bone material can be implanted efficiently in another place. Comparable with solid osteotomes it comes to a condensing of the bone in order to get a better primary stability for the implant in a cancellous bone.













•

zepf-dental.com


Advantages of the VGO Osteotomes

- ZERO HEAT PRODUCED!
- ALWAYS PASSIVE ENTRANCE!
- DECREASED CRESTAL STRESS!
- FULL CONTROL OF RATE OF DILATION! since hand-piece is not used at constant speed
- REVOLUTIONARY FLEXIBILITY OF USE
 All Osteotomes on the market may look alike, but they
 are **not!** We offer a unique stepped formula for tip
 escalation and a revolutionary flexibility of use like no
 other system on the market.

3 MAIN MODES OF USE!

ZEPF VGO MODE: PASSIVE ENGAGEMENT (Stepped Escalation) ZEPF HYBRID MODE: PASSIVE ENGAGEMENT (Linear Escalation)

ZEPF STANDARD MODE: PASSIVE ACTIVE ENGAGEMENT / NON ENGAGEMENT not recommended





Bone is Gold: PASSIVE WAVE DILATION SYSTEM acc. to Pavel Krastev DDS

How do we manage the osteotomy ATRAUMATICALLY? How do we manage the osteotomy for greater implant success? Bone is Gold, so how do we hurt the bone less? How do we mallet less, as to make procedure less unpleasant for our patients?

Let us control the bone as opposed to having the bone control us.

Because of the overlapping diameters of the **VGO**Osteotomes, you are able to passively engage the previously made intrabony cavity, even when you didn't use the full length of the tip.

PASSIVE ENGAGEMENT – successive osteotome fits freely into the previous intrabony cavity and becomes active at a point deeper than crestal bone, as is currently done by the new **ZEPF VGO** way.

PASSIVE ACTIVE ENGAGEMENT – when a traditional Summers Osteotome is used to full working depth of tool, the next tip will engage previously made intrabony cavity passively and will start being active immediately as it progresses further into cavity.

NON ENGAGEMENT – when next osteotome is used, it simply does NOT fit the intrabony cavity created by previous osteotome. This is what occurs when traditional Summers Osteotomes are used to partial depth of tip.

07-16 Implantology



● ○ ○ 3 BM H.ZEPF 47.990.10

<u>S2</u>

<u>လ်</u>

S2

SIIS

က္ေ

•4

₩

• 0

Ø 2

ØЗ

ØЗ

Ø 4

Ø 4

Ø 5

Ø 5

•o• ∑

Ø 1

Ø 1

Ø 2

Ø 2

ØЗ

Ø3

 α

Ø 4

 $\neg mm \Box$

ANTERIOR VGO OST-Set

with 7 straight screw osteotome inserts, numbered from 0-6

- Tips have first 8 mm threaded
- To produce micro cuts in bone
- Increased bleeding and better angiogenesis
- No malleting needed
- Tip-0 is unique in straight kit (Ø 1 Ø 2 mm)
- Tip-0 to accommodate thin anterior ridges
- Provides precision marking tips for immediate placement





47.990.10 Screw Osteotome Insert straight, size 0, tapered Ø 1 - 2 mm, convex shank Ø 2 mm, scale 8/10/13/16 mm

Straight Screw Osteotomes in the VGO OST-Set

47.990.20 Screw Osteotome Insert straight, size 1, tapered Ø 1 - 3 mm, convex shank Ø 3 mm, scale 8/10/13/16 mm

47.990.30 Screw Osteotome Insert straight, size 2, tapered Ø 2 - 3 mm, convex shank Ø 3 mm, scale 8/10/13/16 mm

47.990.40 Screw Osteotome Insert straight, size 3, tapered Ø 2 - 4 mm, convex shank Ø 4 mm, scale 8/10/13/16 mm

47.990.50 Screw Osteotome Insert straight, size 4, tapered Ø 3 - 4 mm, convex shank Ø 4 mm, scale 8/10/13/16 mm

47.990.60 Screw Osteotome Insert straight, size 5, tapered Ø 3 - 5 mm, convex shank Ø 5 mm, scale 8/10/13/16 mm


47.990.70 Screw Osteotome Insert straight, size 6, tapered Ø 4 - 5 mm, convex shank Ø 5 mm, scale 8/10/13/16 mm



POSTERIOR VGO OST-Set


with 8 angulated osteotome inserts, numbered from 1-8

- No threads since turning motion limited
- 5 mm mark placed on all tips to mark threshold for crestal lift
- 5 mm is minimum available bone recommended for crestal lift
- Tips have same taper as tips 1-6 for straight kit
- Two additional tips (7 and 8) to accommodate wider ridges typically found in posterior area
- Provides precision marking tips for immediate placement



Application of the Precision Marking Tips

To be used during immediate placement surgery to initiate osteotomy offset towards palatal. Rotary drills usually slide down bone due to angle at which the osteotomy is initiated.



Angulated Osteotomes in the VGO OST-Set

Exchangeable with Hex Connection for Z-Shape Universal handle

47.991.10 Osteotome Insert angulated, size 1, tapered Ø 1 - 3 mm, convex shank Ø 3 mm, scale 5/8/10/13/16 mm

47.991.20 Osteotome Insert angulated, size 2, tapered Ø 2 - 3 mm, convex shank Ø 3 mm, scale 5/8/10/13/16 mm

47.991.30 Osteotome Insert angulated, size 3, tapered Ø 2 - 4 mm, convex shank Ø 4 mm, scale 5/8/10/13/16 mm

47.991.40 Osteotome Insert angulated, size 4, tapered Ø 3 - 4 mm, convex shank Ø 4 mm, scale 5/8/10/13/16 mm

47.991.50 Osteotome Insert angulated, size 5, tapered Ø 3 - 5 mm, convex shank Ø 5 mm, scale 5/8/10/13/16 mm

47.991.60 Osteotome Insert angulated, size 6, tapered Ø 4 - 5 mm, convex shank Ø 5 mm, scale 5/8/10/13/16 mm

47.991.70 Osteotome Insert angulated, size 7, tapered Ø 4 - 6 mm, convex shank Ø 6 mm, scale 5/8/10/13/16 mm

47.991.80 Osteotome Insert angulated, size 8, tapered Ø 5 - 6 mm, convex shank Ø 6 mm, scale 5/8/10/13/16 mm




07-18 Implantology

3D One Step Augmentation & Implantation acc. to Dr. Bernd Giesenhagen

In co-operation with Dr.Giesenhagen, the company **HELMUT ZEPF** has developed a new set for the One Step Vertical Augmentation with ring-shaped bone transplants.

The aim of this development is an accelerated implant treatment. Thereby, the safety of the implantological success as well as the convincing result for the patient and the user have priority. In many cases, this new augmentation method can be used to build up the bone base for the insertion of one or more implants.

Particularly suitable for the vertical augmentation of the highly atrophied and distal mandible (pic. 2). With this newly introduced technique, perfectly fitting ringshaped bone transplants are removed from the chin-, retro-molar region or from the palatal area (pic. 1) by means of trephines and fixed immediately in the receiving area (pic.3) with a screw implant.




47.500.31

Complete Set with washbasket 85.184.18 and instruments; without optional accessories









Dr. Bernd Giesenhagen, the inventor of this procedure, and **HELMUT ZEPF** have selected a special range of instrumentation for precise and time-saving steps of treatment in order to ensure an optimal function.

Application

The local cortical bone structure with spongious parts of vital cells guarantees a safe fixation with short healing time.

The filling of possibly existing cavities is usually made by spongious chips taken from the donor area or by bone substitutes.

For an additional coverage of the augmented area with a barrier membrane we recommend our **HELMUT ZEPF** Augmentation Kit 47.966.00.

3D One Step Augmentation & Implantation acc. to Dr. Bernd Giesenhagen



H 5599 47 120,23 Marie in Germany (1)03/07

47.520.23 Adenoid Curette Ø 3 mm



47.520.25

Ring Breaker, small/large, double-ended



Trephines, short

08.910.13S inner Ø 5 mm

08.910.08S inner Ø 6 mm

08.910.09S inner Ø 7 mm

08.910.10S inner Ø 8 mm

08.910.11S inner Ø 9 mm



Trephines, with fixation support

08.910.13F inner Ø 5 mm

08.910.08F inner Ø 6 mm

08.910.09F inner Ø 7 mm

08.910.10F inner Ø 8 mm

08.910.11F inner Ø 9 mm



Plain Milling Cutter Ø 6 mm



85.251.04

Mixing Cup, stainless, with POM Lid, Ø 4 cm



not included in set



47.099.25

Ring Applicator for rings with Ø 5 mm and Ø 7 mm, extendable to Ø 9 mm by means of a metal ring – see article 47.099.26



47.099.26

Metal Ring for Ring Applicator 47.099.25 – for holding bigger bone rings with Ø 9 mm



07-20 Implantology

Trephines

Trephines are used for a gentle and precise removal of an implant. They are used to win bone texture and to excavate implants accurately. The trephines are manufactured of stainless steel.

The grading is visibly laser-marked onto the burs and guarantees a secure depth orientation.

The windows in the body offer a better view for the excavation of the implants and make it easier to reject fragments. The bur stand offers a safe and perfectly clean storing and easy positioning through a snap-in system.

The marking of the rack allows a fast and uncomplicated identification of the trephines.



Bur Stand for Trephines



85.070.01 8.5 x 5.0 cm

for 6 burs, shaft Ø 2.35 mm

85.070.05 8.5 x 4.5 cm

for 6 short burs, shaft Ø 2.35 mm



	Ø Inside	Ø Outside	Teeth	Body Length	Grading
08.910.01	1.7 mm	2.3 mm	7	22 mm	7/10/13/16
08.910.02	2.3 mm	2.8 mm	7	22 mm	7/10/13/16
08.910.03	2.8 mm	3.3 mm	9	22 mm	7/10/13/16
08.910.04	3.3 mm	3.8 mm	9	22 mm	7/10/13/16
08.910.05	4.0 mm	4.5 mm	11	22 mm	7/10/13/16
08.910.06	4.3 mm	4.8 mm	11	22 mm	7/10/13/16
08.910.07	4.8 mm	5.8 mm	9	22 mm	7/10/13/16
08.910.13	5.0 mm	6.0 mm	11	22 mm	7/10/13/16
08.910.08	6.0 mm	7.0 mm	12	22 mm	7/10/13/16
08.910.09	7.0 mm	8.0 mm	18	22 mm	7/10/13/16
08.910.10	8.0 mm	9.0 mm	18	22 mm	7/10/13/16
08.910.11	9.0 mm	10.0 mm	18	22 mm	7/10/13/16
08.910.12	10.0 mm	11.0 mm	19	22 mm	7/10/13/16



	Ø Inside	Shaft	Description
08.911.30	3.0 mm	2.35 x 15 mm	Trephine short
08.912.50	5.0 mm	2.35 x 15 mm	Trephine short
08.912.75	7.5 mm	2.35 x 15 mm	Trephine short
08.912.10	10.0 mm	2.35 x 15 mm	Trephine short

Mucosa Membrane Punches suitable for hand piece (Dimensions are the inner diameter)



85.070.05 Suitable Bur Stand for 6 Mucosa Membrane Punches



08.920.03 Ø 3.0 mm	08.920.06 Ø 6.0 mm
08.920.04 Ø 4.0 mm	08.920.13 Ø 3.5 mm
08.920.05 Ø 5.0 mm	08.920.16 Ø 6.5 mm

ZEPF Bone Crusher

With this Bone Crusher we introduce a proven alternative to the more complex bone mill. Insert the bone piece into the crusher and use the Pusher in order to crush the bone. If necessary, you may additionally use the hammer 41.509.00.

Bone Mill Forceps

For gaining autogenic bone material.

In order to correct bone defects, an intraoral harvesting of bone is often necessary. Pieces of bone may be gained with trephines or chisels. It is the aim of the Bone Mill Forceps to cut bone material into small pieces so that a maximum volume of bone chips can be achieved. The "grainy" consistency of bone chips created will ensure that it is adapted most favourably to osseous embedding.



47.955.00

Bone Crusher, Body, Sleeve, Pusher, Baseplate Ø 20 mm, stainless steel



47.955.10

Teflon Support for Bone Crusher After using the hammer, turn the Pusher 90° and crush again. With this movement the cutting edge is turned on the bone. After that, the desired result should be achieved.



Advantages of the **Bone Mill Forceps:**

- Titanium Bone Mill Inserts
- Mill Inserts are detachable and exchangeable
- no loss of bone material
- conform to the RKI guidelines because of easy cleaning
- specially designed new forceps, which allow parallel closing of the working parts, which allows a maximum milling result
- stop screw avoids direct contact of the milling parts, due to this protection the milling parts will last longer



Extension Bar for the rotary handle 47.954.50, to increase the lever

effect







Helical toothed Milling Part

for Bone Mill 47.954.01 and to be mounted in 47.954.00 / 47.954.01 (This new milling part can be ordered and subsequently be mounted in an older type of Bone Mill by the user himself).



ZEPF Bone Mill

Bone Mill, to crush autologous bones. In order to correct bone defects, bone harvesting is necessary elsewhere. Bigger bone pieces or boneblocks can be removed by using trephines.

The **ZEPF** Bone Mill allows to crush bone in order to produce the greatest possible volume of bone graft. The grainy consistence of the produced bone graft guarantees an optimal adaption on the bone.

The extension bar which can be adapted on the rotary handle facilitates an optimized power transmission and torque. The new Bone Mill with helical toothed milling part makes milling easier.

Advantages of the **HELMUT ZEPF Bone Mill:**

- easy handling
- quick assemby / disassembly without additional tools
- no loss of bone material (even in the case of small quantities)
- easy cleaning

Sinus Elevators

acc. to Dr. Meiselbach

The 3 Sinus Elevators acc. to Dr. Meiselbach enable a gentle and atraumatic sinus floor elevation in all areas.

Due to their special shaping the Elevators are an ideal addition to the Universal Sinus Instruments.



41.848.52 Sinus Elevator 2 acc. to Dr. Meiselbach, 3.0 mm / 2.3 mm, blunt



41.848.53 Sinus Elevator 3 acc. to Dr. Meiselbach, 2.3 mm, blunt



Universal Sinus Instruments

For implantological treatment in the maxilla, in case of missing vertical bone in the direction of sinus maxillaris.

Advantages:

- angled instruments ergonomically and anatomically optimised
- atraumatic preparation and lifting of the sinus mucosa
- effective working due to a wide range of different angles





For microscopically guided elevation of the sinus bottom acc. to Dr. Behnam Shakibaie-M.



the sinus bottom acc. to Dr. Shakibaie-M. incl. 1 x washbasket 85,195,00 and instruments illustrated on page 07-26/27







For the development of the new microsurgical sinus lift instruments acc. to Dr. Shakibaie-M., we resorted to the approved conventional shapes of sinus lift instruments.

The new instruments are approx. 60% smaller, they were sharpened and the surface was abraded. Under appropriate optical magnification and illumination of the operation field (operation microscope or magnifying glass), those features offer the following essential advantages:

- The reduction of the instrument size allows the preparation of a minimalized antral window without restricting the qualities of elevation or augmentation.
- The sharpening of the instruments allows a precise initial fracture of the bone layer which is as thin as parchment. The initial fracture is possible as soon as the window is prepared by rotating the instrument, without injuring the Schneider's membrane.
- The delicate coarseness of the surface of the instruments prevents the unpleasant reflection of light from the operating microscope or the magnifying glass.

In addition, the working tips of the instruments were bent in accordance with the reduced sinus lift window.

Finally, the instruments were also numbered and colorcoded to allow an easy, chronological use.

Thus, the surgeon is able to increase the safety during elevation of the sinus bottom and to apply this technique in a minimally invasive way for the patient.

Pictures by Dr. Behnam Shakibaie-M.



Microsurgical Sinus Lift Instruments acc. to Dr. Shakibaie-M.

41.847.00

Sinus Lift Instrument Set for microscopically guided elevation of the sinus bottom double-ended, acc. to Dr. Shakibaie-M. contains following components:

IN H. ZEPF 41.847.08 Made in Germany C6107/07 by Dr. Shakibaie-M.

41.847.08 Sinus Lift Instrument # 1, sharp, 2.9 / 2.4 mm, green

Made in Germany C€107/07 by Dr. Shakibaie-M.

41.847.01 Sinus Lift Instrument # 2, sharp, 2.9 / 2.9 mm, black

INAL H. ZEPF 41.847.05 Made in Germany CE107/07 by Dr. Shakibaie-M.

41.847.05 Sinus Lift Instrument # 3, sharp, 2.8 / 2.9 mm, 45° curved, blue

INI H. ZEPF 41.847.02 Made in Germany C€107/07 by Dr. Shakibaie-M.

41.847.02 Sinus Lift Instrument # 4, sharp, 2.8 / 3.8 mm, white

IN H.ZEPF 41.847.03 Made in Germany CE107/07 by Dr. Shakibaie-M.

41.847.03 Sinus Lift Instrument # 5, sharp, 3.6 / 4.2 mm, orange

Made in Germany CE107/07 by Dr. Shakibaie-M.

41.847.10 Sinus Lift Instrument # 6, sharp, 2.3 / 2.3 mm, red

IN H. ZEPF 41.847.09 Made in Germany CE107/07 by Dr. Shakibaie-M.

41.847.09 Sinus Lift Instrument #7, sharp, 2.1 / 2.1 mm, yellow





Diamond, 014C, round, Ø 1.4 mm

08.906.016C

Diamond, 016C, round, Ø 1.6 mm

08.906.018C

Diamond, 018C, round, Ø 1.8 mm





acc. to Dr. Shakibaie-M.

double-ended, 17.5 cm,

acc. to Dr. Shakibaie-M.

double-ended, 17.5 cm,

Sinus-Line, titanium tip modified acc. to Dr. Shakibaie-M.



⁰⁷⁻²⁸ Implantology

+49(0)7464/98880







24.995.01

Complete Set incl. 1 x washbasket with lid 85.195.00 and partition for Sinus Instrument Set acc. to **Prof. Dr. Dr. Stiller**



Sinus Instrument Set acc. to Prof. Dr. Dr. Stiller

Immediate sinus floor elevation with or without bone cover

The Sinus Instrument Set has been developed together with Prof. Dr. Dr. Stiller and is particulary suited for difficult maxillary sinus structure (septa, maxillary pillars, scarred mutations in change with intact maxillary sinus mucosa).





Advantages of the system:

- Instruments which are adapted and adjusted perfectly to the anatomical conditions in the maxillary sinus.
- Flexible working ends. Instruments are pre-bended for the normal enantral anatomy.
- Two different kinds of instruments with blunt and sharp edges for dissecting mucosa on plane and rough internal surface of the maxillary sinus.

41.822.01 Stiller Sinus Elevator, blunt, 4.0 mm, bendable, Titanium ZEPF-Line, green, double-ended, 19.5 cm MIN H.ZEPF 41.822.01 Made in Germany C (104/04

Stiller Sinus Elevator, blunt, 2.5 mm, bendable, Titanium ZEPF-Line, green, double-ended, 19.5 cm

41.822.02

MI M.ZEPF 41.822.02 Made in Germany C 6104/04

Stiller Sinus Elevator, blunt, 3.0 mm, bendable, Titanium ZEPF-Line, green, double-ended, 19.5 cm 41.822.03

MINI H.ZEPF 41.822.03 Made in Germany C6104/04

Stiller Sinus Elevator, universal, 3.0 mm, Titanium ZEPF-Line, yellow, double-ended, 19.5 cm

MRINIZER 41.822.04 Made in Germany CC 104/04 nach Dr.Stiller

41.822.04









and 41.2277 19.651.14 Made in Germany C€ 105/07

Surgical Aspirator

Sinus-Line, slotted, titanium tip, acc. to Dr. Maty

19.651.13

Ø 1.5 mm

19.651.14

Ø 3.0 mm





Mixing Cup, stainless steel, with plastic lid, Ø 40 mm

85.251.14

Mixing Cup without plastic lid, stainless steel, Ø 40 mm



08.906.029C

Diamond, 029C, round, Ø 2.9 mm

08.906.023C

Diamond, 023C, round, Ø 2.3 mm

08.902.031HF

HB Drill, 031HF, round



Stiller Sinus Elevator, sharp, 4.0 mm, bendable, Titanium ZEPF-Line, red, double-ended, 19.5 cm

41.822.11

Stiller Sinus Elevator, universal, 6.0 mm, Titanium ZEPF-Line, blue, double-ended, 19.5 cm

41.822.05

Stiller Sinus Elevator, sharp, 2.5 mm, bendable, Titanium ZEPF-Line, red, double-ended, 19.5 cm

41.822.22

Stiller Sinus Elevator, sharp, 3.0 mm, bendable, Titanium ZEPF-Line, red, double-ended, 19.5 cm

41.822.33

Kirsch, Sinus 7, Plugger Ø 5.0 mm, Spoon 8 x 10 mm,

41.868.07

Titanium ZEPF-Line Handle, double-ended, 17.5 cm









⁰⁷⁻³⁰ Implantology





41.868.05

85.251.04

Mixing Cup, stainless steel, with plastic lid, Ø 40 mm


85.251.14

Mixing Cup without plastic lid, stainless steel, Ø 40 mm



Kirsch, Sinus 5, Elevator 90°/90°/60°, Titanium ZEPF-Line Handle, double-ended

41.868.06





41.868.08

Kirsch, Sinus 7, Plugger Ø 5.0 mm, Spoon 8 x 10 mm,

41.868.07

Titanium ZEPF-Line Handle, double-ended







⁰⁷⁻³² Implantology

+49 (0) 74 64 / 98 88 0



Out of esthetic reasons alone, in visible areas, these defects need to be reconstructed.

The augmentation is carried out with autologous bone and titanium foil. The bone implants are covered with a titanium foil after application. To avoid dislocation of the augmentation material below the membrane, the membrane is fixed with at least 2 pins.

The titanium pins with 3 mm or 5 mm length are taken out of the storage box by means of the applicators and pressed into the bone through the foil or membrane.





if a compact solution is requested

ZEPF Augmentation Material Applicator



The Augmentation Material Applicator supports the fractional filling of the subantral area with particulate augmentation material. To compact the augmentation material you use a sinus plugger.


The instrument with diameter of 5 mm is loaded laterally.



The augmentation material can be applicated precisely with the injecting mechanism.

The instrument can be taken apart for optimal cleaning.







ZEPF Flag Holder

Flag Holder for easy and rapid control of parallelism of implant drillings.



08.917.05 5 mm

for front teeth and premolars





08.917.07

7 mm

for molars



08.917.13 13 mm

for checking a bridge; 2 piles as implant and bridge link, premolar



08.917.20 20 mm

for checking a rack supply in the lower front with a minimal distance of 20 mm for both implants



08.917.00

Flag Holder Kit consisting of 08.917.05 - .20 in bur stand



Krekeler Sliding Caliper

Acc. to Prof. Dr. med. dent. Gisbert Krekeler Modif. Dr. med. dent. Sven Marcus Beschnidt

The Sliding Caliper combines a variety of functions in one instrument, thus facilitating the positioning of implants and enlarging the precision.

The measuring rods have a thickness of exactly 1.5 mm and allow immediate control of the maximum diameter of the implant which has to be inserted. (In order to assure maximum stability, please chose the largest diameter). Scientific examinations proved that the wall of the bone should have a thickness of at least 1.5 mm in order to avoid bone resorption after implantation. If the sliding caliper with its two measuring rods is inserted in the interproximal gap and opened in such a way that the measuring rods touch the respective root of the neighbor teeth, the maximum possible diameter of the future implant is shown on the marking IN. The upper marking OUT shows the determined outside dimension.

The new locating screw, at the end of the caliper, allows a fixation of the measured result. This practice-oriented development represents a significant relief with regard to a more precise, quick and and secure work.



31.693.10

Sliding Caliper acc. to Prof. Dr. med. dent. Gisbert Krekeler for measuring of implants with locating screw



OUT shows the determined outside dimension (Ø 1.5 mm), IN shows the inner diameter.



Locating screw for a safe fixation of the measured result.



The hole serves as drilling gauge and drilling guide. The marking allows the determination of the ridge.

Metal Ruler

48.666.20 Metal Ruler, 200 mm

48.286.08 Metal Ruler, 100 mm

Bone Caliper



31.691.13

Bone Caliper for measuring the maxillary bone, radial scaling on the shanks of the ring handles, 13 cm





Palatal Knife

acc. to Dr. med. dent. Iman Mizani, MS

The novel Palatal Knife offers an innovative alternative to the conventional scalpel for the preparation of connective tissue graft.

The special design of the instrument promotes faster and safer graft removal. At the same time, the risk of injury to the palatine artery and perforation of the palatal flap is minimized.

Special features:

- angled cutting edge, perpendicular to the palatal bone
- ergonomic, angled instrument neck / shaft
- depth gauge (graduation) for precise dimensioning

Advantages over conventional removal methods:

- enhanced safety through reduced risk of injury to the palatine artery and perforation of the palatal mucosa
- simple and ergonomic handling
- fast, precise preparation of the graft
- consistently uniform thickness of the connective tissue graft
- abrading work and cutting in difficult-to-reach places



46.040.15

Palatal Knife

acc. to Dr. med. dent. Iman Mizani, MS

Application:



(1) Singular palatal incision and formation of a flap



(2) Preparation to gain connective tissue, using the instrument



(3) Dissection of the prepared connective tissue below the flap, removal of connective tissue as soon as the base is detached from the palatal bone



Implant Guide

for the posterior tooth region, according to Wiedemann

This method quickly and effectively finds the optimal position for the implants in the posterior region.

Here, a standard tooth width is assumed.

Premolars 8 mm, molars 10 mm, so 1/2 premolar = 4 mm, 1/2 molar = 5 mm

The standard tooth widths used are neither scientifically nor individually 100% correct, but these values deliver highly usable implant positions particularly on edentulous jaws.














Distance between drilled holes


- 8 mm: From the center of one premolar to the center of the next premolar (1 x 4 mm + 1 x 4 mm), e.g. center of number 4 to center of number 5.
- 9 mm: From the center of one premolar to the center of a molar (1 x 4 mm + 1 x 5 mm), e.g. center of number 5 to center of number 6.
- 10 mm: From the center of one molar to the center of the next molar (1 x 5 mm + 1 x 5 mm), e.g. center of number 6 to center of number 7.

If no premolar is available as a starting point then a canine can also be used. For this, a distance between the mesial end of the working part and the first hole of exactly 4 mm was chosen (1/2 premolar width).

31.683.00

Drilling Template acc. to Wiedemann







zepf-dental.com

Microsurgery 08-01





2 NEW **ZEPF** Tunneling Instruments!

Tunneling Instruments with a new angle

By request of several users, the modified bloom Tunneling Instruments from **HELMUT ZEPF** have now been supplemented with two new instruments. The instruments curved beyond the working tip allow even better access, especially in the posterior tooth region. Available in two sizes, depending on the extent of tunneling, the user can now select the ideal instrument for his / her purposes.





Set for tunneling technique,

consisting of: 1/3 Washtray, Tunneling Instruments # 1 upper jaw 46.040.01, # 2 lower jaw 46.040.02, #3 upper/lower jaw combination 46.035.20
















Tunneling Instrument # 3, 1.8 mm, 45° angled















46.040.04

Set for tunneling technique

46.040.30

with 3 Tunneling Instruments like Set 46.040.00, Micro Surgical Scalpel Handle 46.013.00Z and Periosteal Elevator 41.864.30 (ZEPF-Line, round-tip 2.8 mm, lance-tip 2.4 mm)

ZEPF Tunneling Instruments


In microsurgery, **HELMUT ZEPF 600** Tunneling Instruments find their application in the preparation of flaps or subsequent reconstructions of the alveolar ridge or for root coverings with a connective tissue graft. The instruments allow a minimally invasive tunneling preparation to avoid large openings. Due to the fine shape delicate tunneling incisions in the tissue are possible.












22.830.17 Double-Action Micro Forceps, transmitted, **ZEPF**-Line,

7.5 cm, 1 x 2 teeth, thread plate 10 mm, jaw width 0.6 mm, SpinLock









What is the **ZEPF** SpinLock?

The parallel lock known from standard needle holders has been replaced with the new SpinLock technology. This avoids that the suture material gets caught up on the needle holder.



The **HELMUT ZEPF** Double-Action Instruments are consisting of a Micro Needle Holder and a pair of Micro Forceps.

The instruments were technically modified in the region of the instrument lock. The usual parallel screw lock has been replaced by a new axially turned lock to reliably prevent the suture material from sticking to the needle holder during knotting.

Advantages of the Double-Action Instruments

- double transmission to allow tactile handling
- made of special stainless steel
- needle holder with tungsten carbide insert to guarantee a long service life
- due to the round shape, the rotation is considerably facilitated, in particular during suturing, contrary to usual flat micro needle holders
- the turned design prevents threads from getting stuck



ZEPF Micro Scissors

Onyx-coated scissors offer a 3-5 times higher surface hardness. In combination with the "Supercut" grinding, this guarantees an extremely long product life and application as well as a very high precision and wear resistance. The extraordinary surface smoothness is leading to an easy slide of the scissor blades even under highest strain.

Furthermore, the anti-glare surface avoids disturbing light deflections. The extremely smooth surface prevents adhesion of proteins.





Suture Removal Scissors acc. to Dentist Beck



The newly developed **HELMUT ZEPF** Suture Removal Scissors are combining two functions in one instrument.

Sectioning and Retaining

The curved micro scissors won recognition for periodontal microsurgery.

They are qualified for controlled cuts in the soft tissue and their main task is the sectioning of the suture (ill. 1).

They are curved for an ideal access to all oral regions. One blade of the scissors is micro-serrated to prevent the soft tissue and the thread from slipping off (ill. 2).

The new trademarked gripping function allows the scissors to be used for the sectioning of the suture and subsequent thread removal without requiring a second instrument (ill. 2).







46.319.17N

Suture Removal Scissors with retaining function for suture removal by Dentist Beck, micro-serrations, sharp/sharp, **ZEPF**-Line, curved, SpinLock, 17.5 cm

Needle Holder acc. to Dr. Kirsch



Needle Holder by Dr. Kirsch, lock, double spring, SpinLock, 17.5 cm, TC



41.200.17TC-K straight



41.201.17TC-K curved



Macro / Micro Needle Holder





41.010.17TC-M Macro Needle Holder 18 cm, TC macro bit 11 x 2.0 mm, straight, ZEPF-Line, lock



What is TC?

TC stands for "Tungsten Carbide", a material whose superior strength wear resistance and hardness are its major properties that distinguish it from conventional materials.



ZEPF-Line, with lock and protected inner spring, SpinLock, TC



41.200.15TC stainless steel, 16 cm

41.200.17TC stainless steel, 17.5 cm



41.201.15TC stainless steel, 16 cm

41.201.17TC stainless steel, 17.5 cm



Micro Needle Holder



41.010.17TC Micro Needle Holder

TC, straight, **ZEPF**-Line, lock, SpinLock, 17.5 cm



41.011.17TC Micro Needle Holder

TC, curved, ZEPF-Line, lock, SpinLock, 18 cm



41.015.17 Micro Needle Holder

Hold'n'Cut by PD Dr. Weng, combined with scissors, SpinLock, TC



The front part of the Hold'n'Cut Micro Needle Holder holds the end of the needle when entering the flap.



The front part of the needle holder, together with the micro surgical tweezers, holds the thread ends when knotting.



The back part of the Hold'n'Cut Micro Needle Holder offers scissors for the cutting of the thread without changing the instrument or needing any additional scissors.



Micro Forceps with Diamond Coating

Some forceps can also be ordered with diamond coated tips for better grip.





Micro Forceps with Diamond Coating

Some forceps can also be ordered with diamond coated tips for better grip.



ImpacTray

acc. to PD Dr. Weng, Starnberg

The ImpacTray acc. to PD Dr. Weng makes micro as well as macro surgical operations possible in implantology, periodontology and augmentation surgery.

The amount of necessary instruments is reduced to a minimum by developing and putting together an efficient, mainly double-ended and partially exchangeable instrument set.

The set composition is illustrated on the following two pages.






ImpacTray complete set

ImpacTray acc. to PD Dr. Weng, Starnberg

24.971.00 incl. washtray consists of: The ImpacTray Set



46.035.05

PapillEx Papilla Elevator acc. to PD Dr. Weng, Starnberg



The blunt working end of the PapillEx has a lenticular shape and allows gentle elevation of the tip of the papilla by turning the instrument while positioned adjacently to the cervical part of the tooth.

The sharp working end, which is slightly bigger, is used to remove the periosteum from the bone along the sulcular or vertical incision.

Both working ends are exchangeable and can be removed from the instrument shank if necessary.





Hold'n'Cut acc. to PD Dr. Weng, Starnberg, combined with scissors, SpinLock

The ImpacTray consists of:

Illustration	Article Description	included in the Set
	24.971.00 ImpacTray acc. to PD Dr. Weng , Starnberg consisting of:	1 set
	24.210.01L Grand Universal Curette, Langer # L1/2, black, exchangeable	1 piece
Olan-	24.208.03L LOOK Universal Curette, Langer # L3/4, yellow green, exchangeable	1 piece
Mark Strand	24.201.05L Longer # L5/6, yellow, exchangeable	1 piece
	41.848.08 Sinus Elevator, double-ended 4.2 mm / 3.6 mm, blunt	1 piece
	26.183.00 Desmotome for cutting the desmodontal fibres, titanium	1 piece

Illustration	Article Description	included in the Set
Section 1	46.035.05 PapillEx acc. to PD Dr. Weng to loosen delicate periodontal structures	1 piece
	24.747.04 Prichard Raspatory for extensive flap elevations and to retract hinged flap parts	2 pieces
	24.114.00 Probe Combination acc. to PD Dr. Weng	1 piece
	24.747.06 Kirkland , ZEPF -Line, to prepare angled split flaps, exchangeable	1 piece
- Hartonian - Home II	46.013.00Z Micro Surgical Scalpel Handle, ZEPF -Line, light weight, 13 cm, Titanium	1 piece
0	24.087.02 Mouth Mirror Handle with Mirror 24.071.22, Titanium	2 pieces
	46.007.00 Scalpel Handle ZEPF -Line, straight, for blades No. 10 - 15	2 pieces
	22.810.17 Micro Tissue Forceps ZEPF -Line, 1 x 2 teeth, 17.5 cm	2 pieces
000	22.489.00M Micro-Adson 1 mm, with suture disc, 15 cm, 1 x 2 teeth	1 piece
.00000	22.025.03 Tweezers with Stop-Pin, ergonomic, 15 cm, serrated tip	1 piece
	41.252.15TC Crile-Wood Needle Holder, straight, 15 cm, with TC beak	1 piece
	46.081.16SC Joseph-Scissors, curved, 16 cm, SuperCut, micro serrated 0.25 mm	1 piece
	41.015.17 Micro Needle Holder Hold'n'Cut, acc. to PD Dr. Weng, combined with Scissors, SpinLock	1 piece
	85.251.04 Mixing Cup, stainless, with POM Lid, Ø 4 cm	1 piece



Papilla Elevators



46.035.05

PapillEx Papilla Elevator by PD Dr. Weng, Starnberg



The blunt working end of the PapillEx is lentiform and allows gentle elevation of the tip of the papilla by turning the instrument while positioned adjacently to the the cervical part of the tooth.

The sharp working end, which is slightly bigger, is used to remove the periosteum from the bone along the sulcular or vertical incision.

Both working ends are exchangeable and can be removed from the instrument shank if necessary.



46.035.00

Papilla Elevater to prepare fine soft tissue structures, **ZEPF**-Line, exchangeable inserts, 17.5 cm

Micro Scalpel Handles **ZEPF**-Line, 13 cm



Micro Scalpel Blades for Micro Blade Holders, supplied in packs of 25 pieces





ZEPF Soft Tissue Micro Instrument Basic Set

85.180.00

Incl. washtray 1/1, with 2 instrument supports and 1 longitudal instrument retainer, dimensions: 275 x 178 x 24 mm

containing:

22.810.17

Tissue Forceps, straight, stainless steel, **ZEPF**-Line, with guide pin, 1 x 2 teeth, 17.5 cm

(2) 41.200.17TC-K

Needle Holder by Dr. Kirsch, straight, TC, lock, double spring, SpinLock, 17.5 cm

(3) 41.864.13

Raspatory, **ZEPF**-Line


46.319.17

Suture Removal Scissors with micro-serrations, sharp/sharp, curved, **ZEPF**-Line, stainless steel, 17 cm

(5) 46.013.00Z

Micro Surgical Scalpel Handle, **ZEPF**- Line, light version, titanium, 13 cm







Universal Forceps

These **HELMUT ZEPF** All-purpose Pliers should be on hand at any treatment unit. They may be used for securely grasping temporary plastic crowns, bridges, nerve instruments, stuck matrices, fixing inlays, setting interdental wedges, etc., and may be used on both upper and lower jaws.

Their tungsten carbide steel jaws provide a secure grip.




ZEPF Tele-Grip

Easy and thus precise adjustment!

There is always a demand for a precise and above all a sensitive adjustment of a Tele-Grip, to avoid a high tension (damage caused by deformation) in critical situations.

The previous function was only partly given, especially in bigger spreading ranges it was only possible under restrictive conditions. Thus, the durability was affected due to the resulting thread damages.

The **HELMUT ZEPF** Tele-Grip has a movable threaded bearing. As a result, the adjusting screw can be aligned easily and in a most sensitive way throughout the setting range.





Crown-Tractor Crown-Extraction Pliers with interchangeable plastic tips



Adjust the screw on the pliers so that it fits nicely over the crown to be removed

19.274.00

"Exclusive"

CROWN-TRACTOR Set with thumbscrew detent and retaining spring, 15 cm, 20 Plastic Polymer Tips and 10 g DIATRAC adhesive powder



Replacement Kit: 10 g DIATRAC adhesive powder, gamma irradiated and 40 Plastic Polymer Tips



After adjusting the pliers, tips should be moistened with diamond powder



The crown can now be removed in a safe way


19.274.15

CROWN-TRACTOR "Exclusive" with thumbscrew detent and retaining spring, 15 cm.

Included in set "Exclusive" REF 19.274.00



09-04 Crown Instruments









Telecrown-Grip

These Telescoping-Jaw Pliers offer three variation possi-

Their adjustable and rigid tips have a first-class, anatomically correct friction coefficient.

The design of the contacting surfaces of their diamondtipped jaws significantly extends jaw service life.

The choice of configurations allows adapting them to suit patients' anatomies.



Spare Parts

31.185.10 1 pair of diamond-tipped jaws, adjustable, 2.35 mm

31.185.12 1 pair of diamond-tipped jaws, rigid, 2.35 mm

31.184.01 Allen Key, SW 1.5

Modeling Instruments – Precision in Perfection

Quality MADE IN GERMANY for the quality-conscious technician.





28.161.13

Wax Carver, Fahnenstock, stainless steel, 12 cm

Prosthetic Kit





Prosthetic Kit

Every day, you have to loosen all kinds of implant abutments in the practice / in the laboratory? In order to facilitate your work, **HELMUT ZEPF** has created a prosthetic set allowing you to loosen more than 90% of all screws available on the market.

All instruments are numbered and dispose of a RA-HEX connection. This means that these instruments can be used either in a contra-angle handpiece or in a ratchet.

Advantages Prosthetic Kit



In the RA-Hex-Adapter the inserts will be picked up.

Optionally, the finger ratchet can be used with an extension piece. The set can also be completed by a torque wrench which is adjustable from 10-40 Ncm and has a fixation function to deactivate the torque.



RA-Hex Adapter inserted in ratchet. Shown with demounted handle for use as finger ratchet. Information: The RA-Hex-Adapter has a rotating finger rest available (see red arrow).

contains a description of each individual screwdriver in order to facilitate the identification of the tools required for the respective screw.

The storage tray is made of stainless steel and



Among the recessi for two RA-Hex-Adapters a socket for a comfortable removal of the screwdriver inserts from the RA-Hex-Adapter is located.

The tray fits into a basket and can be reprocessed reliably according to the RKI guidelines.

47.830.00

(5)

Complete Prosthetic Kit consisting of:


Shape	Screwdrivers with dental lock	short, 21 mm	long, 26 mm
₹\$	TORX T6, Straumann, Aesthura	47.832.01	47.833.01
	Universal flat 1.6 mm, narrow	47.832.02	47.833.02
	Universal flat 2.0 mm, wide	47.832.03	47.833.03
\bigcirc	Allen Key SW HEX 0.03'', Camlog	47.832.04	47.833.04
\bigcirc	Allen Key SW HEX 0.05", Camlog, Sulzer (Zimmer), Semados, Biomet 3I	47.832.05	47.833.05
\bigcirc	Allen Key SW 0.9 mm, IMPLA, TIOLOX, BREDENT, XIVE	47.832.06	47.833.06
\bigcirc	Allen Key SW 1.0 mm, Ankylos	47.832.07	47.833.07
\bigcirc	Allen Key SW 1.2 mm, IMPLA, Nobel Biocare, Frialit, XIVE, IMZ, Biomet 3I	47.832.08	47.833.08
\bigcirc	Allen Key SW 1.8 mm, Ankylos	47.832.09	47.833.09
1	1/3 Washbasket with Lid	85.1	92.50
2	Rack for Prosthetic Kit		30.01
3	Driver Guide		25.51
4	Ratchet with demountable handle for Prosthetic Kit		25.55
(5)	Optional Accessory: Torque Wrench (not included in the set)		03.02*

ALL THE TRADEMARKS ARE THE PROPERTY OF THE RESPECTIVE COMPANIES.

We assume no liability for deviations due to tolerances of implants.



09-10 Crown Instruments





The Modular Hygiene System

Flexible, efficient and approved safe. The ZEPF-Care Universal Silicone Profile allows an easy placement of the instruments after a surgery. For sterilization and cleaning, the instruments are inserted in the profile according to their diameter and are immediately secured.

Additionally, we have equipped the **ZEPF**-Tray and Basket-System with silicone base. Therefore the tray guarantees an anti-slip position and the stacking stability is improved at the same time.

Suitable for standardized sterilization containers, it's available in four different sizes for an ideal working potential. Placesaving, secure and very practical and with a removable lid.















10-02 Maintenance





The **ZEPF**-Care-System increases your efficiency, as you can assemble your trays in a process-oriented way and work accordingly.

You will meet the requirements of the RKI and the accident prevention regulation.

It doesn't matter whether you are cleaning your instruments manually or automatically.

Washtrays

























Advantages

- The meshes of the bottom and the lid are designed in a broad shape. Consequently dead zones are minimized.
- The diagonal profile of the mesh simplifies the identification of the parallel arranged instruments in the profile.
- The meshes on the edge of the tray are designed in a narrow shape and thus enhance the stability of the tray.
- The risk of injury is reduced.























85.195.00







Profile, high, universal







intelligent



flexible



modular



Arranged in a practice-

As a result of the high and low configuration of the profile sections, the instruments can be placed in a space-saving way and can be removed easily.

It is possible to place two instruments above each other in one profile section. Contact of the instruments should be avoided in order to prevent contact corrosion.

Tip:

The following instrument combinations are possible should they contact each other:

- plastic / plastic
- plastic / metal 🗸
- titanium / titanium ✔
- titanium / metal

In case of contact, the following instrument combination is not possible:


■ metal / metal X

The modular concept of the three different lengths can be tailored according to your request.

The 'universal profile' is compatible with the 'low profile' in order to ensure a secure hold of different instrument diameters and variations.

For special cases, we recommend the assembly of our press pad in the lid.

There are no limits set regarding design of your personalized tray.













Example: equipped wash basket 1/1











Aluminium Sterilization Container in 5 Sizes

Through the integrated filter in the lid and the base the Sterilization Containers are suitable for all steam sterilization methods:

- fractionized vacuum method
- fractionized steam method
- gravitation method
- pre-vacuum method

Different dimensions and stackability allow easy handling and optimal organization. The containers can be used for storing sterile goods and also for disposing contaminated instruments.

The newly developed latch system prevents accidental opening of the container and assures a simplified handling for the sterilization preparation.


The optimized sealing system assures a safe fixing of the filter.

Accessories



Paper Filter with indicator 235 x 118 mm PU 100 pieces

Teflon® permanent Filter 215 x 95 mm PU 2 pieces



85.327.70

Latch Seal for sterilization containers, plastic, blue, PU 100 pieces

85.312.XX

Labelling Tags from aluminium in 9 different colors

Bottom and lid is perforated, optimized latch system, incl. 2 long-term textile filters Dimensions in mm:

Outside:

Width 310 / Depth 190 / Height X

Inside:

Width 280 / Depth 182 / Height X


















85.142.10

Norm-Tray-Bottom **1/2**, perforated, 180 x 140 x 19 mm

85.145.00

Norm-Tray-Cover **1/1**, non perforated, 280 x 180 x 25 mm

85.150.00

Norm-Tray-Bottom **1/1**, perforated, 284 x 183 x 17 mm

85.140.00

Norm-Tray-Bottom **1/1**, non perforated, 284 x 183 x 19 mm



Brushes with nylon bristles

PROBLEM: Metal brushes

They destroy the passive layer of the instrument surface!

SOLUTION: Brushes with nylon bristles



85.903.04 for aspirator Ø 3 mm and Ø 5 mm

for aspirator Ø 1.5 mm

85.903.03 fc

ZEPF Medicine Cups

85.252.25

Medicine Cup, stainless steel, Ø 60 mm x 27 mm high, 25 ccm





Medicine Cup, stainless steel, with plastic lid, Ø 40 mm x 30 mm high. usable on both sides



Medicine Cup, stainless steel, with plastic lid, Ø 40 mm x 25 mm high, usable on both sides







in a dispensing bottle and in an oil pen





24.950.10

Dispensing bottle, 50 ml

Universal Toolbox for the **ZEPF CMF**SYSTEM

The universal tool box is used for storing the tools for the sets CMS + ARCS. The tool box offers enough space for the following items:

- Screwdriver handle, big and small, each with dental connection, in the new optimized **ZEPF**-Design. They have a socket for exchangeable blades of all different diameters. The use of the handles is easy and intuitive while changing the blades.
- The blade holder allows an extra secure fixing of the screw heads on the blade insert.
- The pilot drills and the slide hole drill both have a graduation to allow a safe depth orientation.
- The inserting assistant is used for areas with tight space conditions.
- The Pin Applicator 47.950.02 which fits in the screwdriver handles completes the set for fastening foils and membranes.



Pin Applicator with dental connection

Screw Rack for the Universal Toolbox


The Screw Racks are available in the following configurations:

- 85.540.60 Screw Rack Ø 1.0 / 1.2 mm each 4 rows + 2 rows Ø 1.5 mm to accommodate 5 screws
- **85.540.65** Screw Rack Ø 1.2 / 1.5 mm each 5 rows to accommodate 5 screws

The packing unit for the screws is 5 pieces.

An easy identification of the screws is guaranteed by using the length markers in the tray.

The colored pin with length marking is assigned to the respective screw diameter, thus allowing the determination of the screw length and a clear lot traceability in the box.




85.540.65

Screw Rack Ø 1.2 / 1.5 mm each 5 rows to accommodate 5 screws



CMF-Box for Screw Systems Ø 1.0 mm, Ø 1.2 mm and Ø 1.5 mm



85.540.60

Screw Rack Ø 1.0 / 1.2 mm each 4 rows + 2 rows Ø 1.5 mm to accommodate 5 screws

Washbasket for the **ZEPF CMF**SYSTEM

Following the Zepf-Care Series, the modularly composable components for the **ZEPF** CMF SYSTEM were developed, offering a washbasket with appropriate combination options.

The actual tools can be organized depending on the desired diameter.

This guarantees an RKI compliant reprocessing of the CMF SYSTEM.



85.195.00

Washbasket 1/1 as rack for the remaining components

Accessories for the Washbasket



47.503.53


Screw and Pin Box for 2 x 5 screws Ø 1.2. 1 x 5 screws Ø 1.5, 10 membrane pins and a small storage space for instruments, membranes, bone plates etc.

47.503.50

Screw and Pin Box for 3 x 5 screws Ø 1.0. 10 membrane pins and a small storage space for instruments, membranes, bone plates etc.



Box for receiving e.g. titanium plates






85.251.04

Mixing Cup with lid, stainless steel, Ø 4 cm

Profile for instruments with individual water jet cutting

10-12 Maintenance



Alphabetical Index Pages 11-02 to 11-06

Numerical Index Pages 11-07 to 11-19

Terms of Delivery and Payment Page **11-20**






















11-02 Alphabetical Index

Bone Splitting System by Vollmer Valentin 07-08 - 07-09

Bowdler-Henry's Rake

06-06, 08-10

10-08

Α		Bowl		06-41
Adenoid Curette	07-1	9 Bridges and Crowns Removing Pliers		09-05
Adson Forceps	06-0			03-36
Adson Micro Forceps	06-0	4 Brush		10-08
Allen Key	06-30, 09-0	9 Brush Holder		04-22
Allis Tissue Forceps	06-0	6 Brush Holder CompoSMOOTH	04-04 -	04-05
All-purpose Forceps	09-0	2 Bur Stand		07-20
All-purpose Handles M2.5	02-0			
All-purpose Pliers	04-2			
Alveolar Ridge Measuring Caliper	07-3			06-41
Amalgam Gun	04-0			06-41
Anatomic Forceps	03-36, 06-0			09-07
Anatomical Plate Forceps	03-3			06-09
Anterior VGO Ost-Set	07-1			04-11
Antrum Probe	06-4		06-10 -	
Apical Root Elevator	05-5			02-07
Approximal Desmotome	05-5		06-09,	
Arkansas, Original Sharpening Stone				02-07
Articulating Forceps	04-2		07-09,	
Aspirator	06-40 , 07-27, 07-2			05-58
Aspirator with Luer Connector	03-3			06-26
Atraumatic Surgical Forceps	06-0			06-25
Atraumatic Tissue Forceps	06-03, 08-1		10-10 -	
ATTIN Compo Knife	04-0			10-10
Augmentation Kit	07-32 - 07-3		03-18 -	
Augmentation Material Applicator	07-3			04-06
_		Composite Instrument	04-02 -	
В		Composite Set		04-01
Back Action Chisel	03-31 , 07-1		, 04-04 -	
Backhaus Towel Clamp	06-0			04-10
Ball-shaped Plugger	04-0			08-09
Bauer Crown-Spreading Pliers	09-0			06-42
Beck Atraumatic Forceps	06-0			02-10
Beck Extracting Forceps	05-27 - 05-3			06-39
Beck Root Elevator Beck Suture Removal Scissors	05-5			09-04
	08-0 06-3			09-02
Beebee Crown Scissors Bein Elevator	05-5			09-05
Benex Extraction	05-01 - 05-0			09-03
Benex Pole Extractor	05-01 - 05-0			09-04
Beyer Bone Rongeur Forceps	03-03, 03-0		06-36,	
bionik	03-0		00-30,	09-03
bionik End Cap	03-0			09-01
bionik Gracey M5 Prophylaxis Set	03-06 - 03-0			09-03
	02-02, 03-02 - 03-0			05-61
bionik Mouth Mirror Handle	03-02 - 03-0		, 03-16 -	
bionik Reduction Insert	03-0		03-06 -	
bionik Sickle Curette	03-06 - 03-0		03-06 -	
bionik Sickle Scaler	03-06 - 03-0		03-20	
	06-27 - 06-30, 08-1			
Blade Holder 3D	06-3		00 20,	03-26
Blade Holder Drop-Control	06-2			00 20
Blumenthal Bone Rongeur Forceps	06-2			
Böhler Bone Rongeur Forceps	06-2			06-02
Bone- & Alveolotomy File	06-4			06-33
Bone Caliper	07-3		03-06 -	
Bone Crusher	07-2			06-11
Bone Cutting Forceps	06-2			10-08
Bone Fitting Set	07-1			06-39
Bone Holding Forceps	06-4		05-44 -	
Bone Mill	07-2			07-29
Bone Mill Forceps	07-2		,	09-06
Bone Rongeur Forceps	06-24 - 06-2			09-03
Bone Scraper	07-0			06-11
Bone Scraper II	07-0			08-04

Dressing Forceps

Drill Rack



Drilling Template		07-39
Drop-Control® Blade Holder		06-27
_		
E		04.05
Easy Contact Point Instrument	07.01	04-25
ECO ImplaTool Set	07-01 -	
Elevator		06-23
Elevator for axial luxation	00.10	05-57
Elevators	06-19,	
Endo Handle		03-09
Endo Plugger	00.04	03-37
Endo Set	03-34 -	
Endodontic Mirror	04.40	03-37
Excavator	04-12 -	
Exlog Extracting Forceps	05-33 -	
Exlog RoBa Extracting Forceps	05-37 -	
Extracting Forceps	05-07 -	
Extracting Forceps, American Pattern	05-20 -	
Extraction System Benex	05-01 -	05-06
_		
F		00.07
Fahnenstock		09-07
Fedi Periodontal File		03-30
Ferrozell Hammer		06-47
Filling Instrument Composite	04-02 -	
Finger Protector		06-08
Finishing Clamp		04-26
Flag Holder Set		07-35
FLEX-EX Power Periotome		05-49
Flohr Root Elevator		05-56
Forceps 06-02	- 06-05,	
Forceps Anatomic	03-36,	
Forceps Atraumatic	06-03 -	06-04
Forceps Micro Cooley		08-09
Forceps Surgical	06-02 -	06-05
Fracture Splint		06-44
Frazier Suction Cannula		06-41
Freer Elevator		06-19
Furcation Probe		03-09
G		
Gärtner Root Elevator	05-52,	05-58
Gerald Forceps		06-05
Giesenhagen One Step Augmentation & Im		
	07-18 -	
Gillies Forceps		06-05
Gingiva Retractor		06-30
Gingivectomy Knife	03-28 -	03-29
Glickmann Raspatory		06-23
Gluckman Bone Holding Forceps		06-46
Goldman-Fox Gingivectomy Knife	03-28 -	03-29
Goldman-Fox Scissors		06-33
Gracey Curette bionik	03-16 -	
Gracey Curette stainless steel	03-24 -	
Gracey M5	03-06 -	
Gracey M5 Prophylaxis Set	03-06 -	
Gracey M5 Titanium Curette		03-21
Gross Dressing Forceps		06-06
<u></u>		
Н		
Haemostatic Forceps	06-06 -	06-07
Halstead Micro Haemostatic Forceps		06-07
Halstead-Mosquito Haemostatic Forceps		06-07
Hammer	06-47,	
Handle bionik M2.5	02-02 -	
Handle bionik M4 x 0.5	J_ J_	02-02
Handle Comparison M2.5		02-02
i idiidib Oompanson iviz.o		02-00

Handle Comparison M4 x 0.5			03-04
Handle Universal M2.5			02-05
Handle Universal M4 x 0.5			03-02
Hartmann Haemostatic Forceps			06-07
Heidbrink Root-Splinter Elevator			05-54
Heidemann Spatula			04-11
Hemingway Sharp Spoon		05-50 -	
Hildebrand H-Tool Set		05-46 -	
Hildebrand Luxation Elevator	05.41		
	05-41	- 05-45,	
Hilger Retractor		02-05,	
Hirschfeld Periodontic Files			03-28
Hohl Hildebrand Bone Fitting Set			07-11
Hold'n'Cut Micro Needle Holder		08-08,	
Hollow Cylinder Osteotome			07-12
H-Tool Set		05-46 -	
Hygienist Scaler bionik		03-15,	03-22
Hygienist Scaler stainless steel			03-27
Hylin Root Elevator			05-58
ID Plug			03-02
Impac Tray acc. to PD Dr. Weng		08-11 -	08-13
Implant Guide		00 11	07-39
ImplaTool Set		07-01 -	
Impression Tray		04-14 -	
		04-14 -	09-03
Inlay Forceps			
Instrument Rack universal			07-31
Inter-Implantory Wedges			07-10
Iris Scissors			06-32
lvory			04-08
Ivory Rubber Dam Set			04-21
J			
Jones Towel Clamp			06-07
Joseph Scissors			06-32
Junior Matrix Retainer			04-23
K			
Kaplan Mini Scaler			03-22
Kapogianni Vestibulum Retractor			06-18
Kelly Haemostatic Forceps			06-06
Kelly Scissors			06-34
Kim Retractor			06-11
Kirkland Gingivectomy Knife			03-28
Kirsch Micro Needle Holder			08-06
Kirsch Plugger	07-23	3, 07-29,	
Kirsch Sinus Lift Set		07-30 -	
Kirsch Spoon	07-23	3, 07-29,	07-31
Klingex Safety Blade Remover			06-29
Knife, Palatal			07-38
Kocher Haemostatic Forceps			06-07
Kocher-Langenbeck Retractor			06-14
Krastl CompoSMOOTH	04-01	04-04 -	
Krekeler Sliding Caliper	0101	0101	07-36
rteteler eliding earliper			01 00
L			
_			06.20
La Grange Scissors			06-32
Langenbeck Finger Protector			06-08
Langenbeck Retractor			06-15
Langer Universal Curette			03-19
Langer Universal Curette stainless	steel		03-26
Laster Special Retractor			06-18
Lichtenberg-Ryder Needle Holder			06-37
Ligature Scissors			06-35
Lindo-Levien Root Elevator			05-55
Lipcare Mouth Mirror			02-04
Locklin Scissors			06-34



09-08 - 09-09 05-43 - 05-45

London College Tweezers 02-08 - 02-09	03-36	N	
	3, 06-20	Nabers Furcation Probe	03-09
Luer Bone Rongeur Forceps	06-24	Nanopal® coating	03-06 - 03-07
Luer Connector	03-36	Needle Holder	06-37 - 06-39
Luniatschek Cotton Plugger	06-42	Needle Holder Lichtenberg	06-37
		Needle Holder Micro	08-06 - 08-08
M		Needle Holder Swedish Model	06-38
M5 Deep Scaling Set	03-13	Nerve-Canal Pliers	03-36
M5 Titanium Curette	03-21	New Osteotome Kit	07-06 - 07-07
Macro Needle Holder	08-07	Norm-Tray Cassette	10-08
Magnetic Stick	03-32		
Mathieu Needle Holder	06-37	0	
Matrix Band	04-23	Obwegeser Retractor	06-12, 06-17
Matrix Retainer	04-23	Obwegeser Soft Tissue Hook	06-16
Maty Cheek and Lip Rectractor	06-10	Ochsenbein Periodontal Chisel	03-30 - 03-31
Maty Suction Tube	07-29	One Step Augmentation & Implantation	on Set 07-18 - 07-19
Mayo-Hegar Needle Holder	06-38	Onyx RoBa Extracting Forceps	05-29 - 05-31
McCall Universal Curette	03-18	Onyx Scissors	06-31 , 08-05
Mead Hammer	06-47	Onyx Xtool	05-42 - 05-45
Medical White Oil	10-09	Osteotome	07-12 - 07-13
Medicine Cup 06-41	, 10-09	Osteotome angulated, VGO	07-17
Meiselbach Sinus Elevator	07-23	Osteotome Kit	07-06 - 07-07
Meriam Tweezers	02-08	Osteotome Set	07-12 - 07-13
Merrifield Gingivectomy Knife	03-29		
Metzenbaum Preparation Scissors	06-34	P	
Metzenbaum-Fino Scissors	06-35	PA Probe	03-01, 03-08 - 03-11
Micro Aspirator	06-40	Palatal Knife	07-38
Micro Blade Holder	08-14	Papilla Elevator	06-30, 08-14
Micro Bone Rongeur Forceps	06-24	Papillex	06-30
Micro Forceps 08-04, 08-09		Pear-shaped Plugger	04-08
Micro Friedmann Bone Rongeur Forceps	06-24	Pedodontic Extracting Forceps	05-26, 05-32
Micro Instrument Set	08-15	Peet Splinter Forceps	03-37, 04-27
Micro Needle Holder 08-04, 08-06 - 08-08		Perforation Raspatory	07-33
Micro Scalpel Blade	08-14	Periodontal Chisel	03-30 - 03-31
Micro Scalpel Handle	08-14	Periodontal Probe	03-01, 03-10
Micro Scissors	08-05	Periodontal Probe exchangeable	03-08 - 03-11
Micro Sinus Plugger	07-27	Periodontal Set	03-15
Micro Sinus Spoon	07-27	Periodontic Files	03-28
Micro Tissue Forceps	08-09	Periosteal Elevator	06-21, 06-23
Micro-Adson Forceps	06-04	Periotome	05-49 - 05-51
Micro-composite Spatula	04-07	Periotome, exchangeable inserts	05-50
Micro-Halstead Haemostatic Forceps	06-07	Photography Mirror	06-45
Micro Mirror	03-37	Photography Retractor	02-07
Middeldorpf Retractor	06-13	Photography Retractor Onyx	02-07
Miller Bone- & Alveolotomy File	06-43	Pi Series	07-06
Miller Crown Ring Remover	09-04	Pin Applicator	07-07, 07-33, 10-10
Miller Root Elevator	05-57	Pin Box	10-11
Milling Part for Bone Mill	07-22	Pin Membrane Probe	07-33
Mini Friedmann Bone Rongeur Forceps	06-25	Plain Milling Cutter	07-19
Mini-Kaplan Scaler	03-22	Plate Forceps	03-36
Mirror for Photography	06-45		07-23, 07-29 , 07-31
Mirror Handle M2.5	02-03	Posterior VGO Ost-Set	07-17
Mirror Micro	03-37	Potts Smith Forceps	06-05
Mixing Cup		Power Periotome	05-49
07-19, 07-27, 07-29, 07-31, 07-33, 08-12	. 10-09	Preparation Scissors	06-33 - 06-34
Mizani Palatal Knife	07-38	Press Pad	10-05
Mobilization Hook	06-13	Prichard Retractor	06-22
Modeling Instrument	09-07	Probe	02-10, 03-01, 06-42
Modeling Knife	04-15	Probe Tip interchangeable	02-05
Molt Mouth Prop	06-11	Profile	10-02 - 10-03
Mouth Gag	06-08	Profile, individual	10-02 - 10-03
Mouth Mirror	02-04	Prophylaxis Set	03-06 - 03-07
Mouth Prop	06-11	Prophylaxis Set 'Bionik'	03-00 - 03-07
Mucosa Membrane Punch	07-20	Prophylaxis Set 'M5 Deep Scaling'	03-13
Müller Retractor	06-08	Prophylaxis Set 'Wo Deep Scaling Prophylaxis Set 'Universal'	03-13
Müller Vestibulum Retractor	06-09	Prophylaxis-Set 'Gracey'	03-14
THAILOF VOOLINGIGHT FIOUROUT	00 00	Prosthetic Kit	09-08 - 09-09

Prosthetic Kit

Proximator Xtool Elevator



Q QuickFix		03-02
R		
Ragnell-Davis Retractor		06-13
Rake Retractor		06-12
Ramus Retractor		06-16
Raspatory	06-19 -	
Raspatory / Periosteal Elevator		06-21
Ratchet for Prosthetic Kit		09-09
Removing Pliers		09-05
Rescue-Line		05-15
Retraction-Thread Plugger	04-24.	
Retractor 02-05, 06-08 Retractor 30°	- 00-10,	06-22
Retractor acc. to Kim		06-11
Retractor and Mouth Mirror		02-06
Retractor double-ended		06-22
Revolving Chisel Vienna Pattern		05-60
Rhodes Back Action Chisel		03-31
Ring Applicator		07-19
Ring Breaker		07-19
RoBa Extracting Forceps	05-27 -	05-32
RoBa Pedodontic Extracting Forceps		05-32
Rochester-Pean Haemostatic Forceps		06-07
Rongeur	06-24 -	06-26
Root- and Splinter Forceps		05-17
Root Canal Explorer		03-38
Root Canal Plugger	03-38 -	
	03-30 -	03-38
Root Canal Spreader	05.50	
	- 05-59,	
Root Elevator No. 195		05-55
Root-Splinter Elevator		05-54
Rubber Dam Forceps		04-21
Rubber Dam Frame		04-21
Rubber Dam Punch Forceps		04-21
Ruler		07-37
Ruskin-Liston Bone Cutting Forceps		06-26
Ryder Needle Holder		06-39
S		
Safety Blade Remover		06-28
Safety Key		03-05
Scaler bionik	03-22 -	
Scaler stainless steel	00 22	03-27
Scalpel Handle		08-14
Scalpel Handle / Blade	06-28 -	
Scalpel Handle with scale	00 20	06-29
Scalpel Micro		06-29
Schäfer Retractor	00.01	06-15
Scissors	06-31 -	
Screw Box		10-11
Screw Osteotome straight, VGO		07-16
Screw Inserts		07-07
Screw Rack		10-10
Screwdriver Handle		07-07
Secure-Line		05-14
Seldin Root Elevator		05-56
Semken Forceps		06-03
Semken-Taylor Forceps		06-02
Senior Matrix Retainer		04-23
		06-13
		07-10
Separating Disc		07 0-
Separating Disc Shakibaie-M. Micro Sinus Aspirator	07.5-	07-27
Separating Disc Shakibaie-M. Micro Sinus Aspirator Shakibaie-M. Sinus Lift Set	07-25 -	07-27
Senn-Miller Retractor Separating Disc Shakibaie-M. Micro Sinus Aspirator Shakibaie-M. Sinus Lift Set Shank Inserts	07-25 - 05-50,	07-27 07-07

Sharpening Stone 03-33 Sickle Scaler bionik 03-22 - 03-23 Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spint Cock 08-04 Splint 06-44 Splint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07	Sharpening Stone 03-33 Sickle Scaler bionik 03-22 - 03-23 Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus Line Aspirator 06-40, 07-27, 07-29 Silding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 98-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spina-Nasalis Retractor 06-17 Spinit Gerber Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container <th>0</th> <th></th>	0	
Sickle Scaler bionik 03-22 - 03-23 Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Bilding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinlLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-07, 07-33 </td <td>Sickle Scaler bionik 03-22 - 03-23 Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spiculum Raspatory 06-23 Spint-Lock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Sternberg Lip Retractor 06-11 <td>Sharpening Oil</td><td>03-32</td></td>	Sickle Scaler bionik 03-22 - 03-23 Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spiculum Raspatory 06-23 Spint-Lock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Sternberg Lip Retractor 06-11 <td>Sharpening Oil</td> <td>03-32</td>	Sharpening Oil	03-32
Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-25 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus Lift Set 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spint Ock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Set or Octainer 07-07, 07-33	Sickle Scaler stainless steel 03-27 Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Instrument 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spina-Nasalis Retractor 06-17 Spinit 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07		
Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spina-Nasalis Retractor 06-17 Spina-Nasalis Retractor 06-17 Spint Ock 08-04 Splint 06-44 Splint Ock 08-04 Splint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 10-07 <	Silicone Mouth Gag 06-08 Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Siding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stliller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07-30 Suction Cannula 06-41 Supercut 06-32		
Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Siliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Spint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Surgical Aspirator 03-36, 06-40 <t< td=""><td>Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spiculum Raspatory 06-23 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Sternberg Lip Retractor 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Suppring Lip Retractor 03-36, 06-40</td><td></td><td></td></t<>	Sinus Elevator 07-23 - 07-31 Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spiculum Raspatory 06-23 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Sternberg Lip Retractor 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Suppring Lip Retractor 03-36, 06-40		
Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Extractor 06-11 Stiller Sinus Lift Set 07-23, 07-29, 07-31 Sterilization Container 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40	Sinus Instrument 07-23 - 07-31 Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Special Curette stainless steel 03-24 - 03-25 Speiculum Raspatory 06-23 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterrilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32		
Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Silding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Suture Applicator 04-24	Sinus Lift Set 07-25 - 07-31 Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spcon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10		
Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Splint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Ap	Sinus-Line Aspirator 06-40, 07-27, 07-29 Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spina-Nasalis Retractor 06-44 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-00		
Sliding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Splint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Suture Applicator 04-24 Suture Forceps 06-02 Suture Removal Scissors	Silding Caliper 07-36 Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 Spina-Nasalis Retractor 06-17 Spinit 06-44 06-44 Splint 06-44 06-44 Splint 06-44 06-44 Splint 07-29, 07-31 07-29, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Surgical Aspirator 03-36, 06-40 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-02 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10		
Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Splint Ochtainer 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Suture Applicator 04-24 Suture Forceps 06-02 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06	Small Extracting Forceps 05-26, 05-32 Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 10-07 Sterilberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Aspirator 03-36, 06-40 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10		
Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon P	Soft Application Insert 04-04 Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatulla 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 07-23, 07-29, 07-31 Sterilization Container 07-23, 07-29, 07-31 Sterilization Container 07-07 Sterilization Container 07-07, 07-33 Suction Cannula 06-41 Supercut 03-36, 06-40		
Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Splint 06-44 Splint 06-44 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 -	Soft Tissue Hook 06-16 Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10 Syfrig Benex Extraction System<		
Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Surgical Aspirator 03-36, 06-40	Soft Tissue Micro Instrument Basic Set 08-15 Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Aspirator 03-36, 06-40 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10 Syring Benex Extraction System 05-01 - 05-06 Syring Benex Extraction System 05-01 - 05-06 Syring Benex Extraction System 05		
Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System <td>Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Sternberg Lip Retractor 06-11 Suction Canuala 06-41</td> <td></td> <td></td>	Spatula 04-10 Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Sternberg Lip Retractor 06-11 Suction Canuala 06-41		
Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23	Special Curette bionik 03-12 - 03-17 Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint 06-44 Splint Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 09-05 Tele-Grip 09-06		
Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Special Curette stainless steel 03-24 - 03-25 Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Container 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Taylor Scaler 03-23 Telecrown-Grip 09-05 Telecscope Crown Pliers 09-05 - 09-06 Teleplate, drilling 07-39 Tessier		
Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Spencer Scissors 06-35 Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39		
Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splint Proceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sterilization Explication Container 10-07 Sterilization Container 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23	Spiculum Raspatory 06-23 Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 09-05 Telecrown-Grip 09-06 Telec-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39		
Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23	Spina-Nasalis Retractor 06-17 SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13		
SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	SpinLock 08-04 Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps Micro 08-10 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger <		
Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23	Splint 06-44 Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04		06-17
Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Splinter Forceps 03-36 Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps Atraumatic<		08-04
Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23	Spoon 07-23, 07-29, 07-31 Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps Atraumatic 06-02 - 06-06, 08-09		06-44
Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23	Sterilization Container 10-07 Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-06 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps Atraumatic 08-10	Splinter Forceps	
Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Sternberg Lip Retractor 06-11 Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Ferceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps Atraumatic 08-10		07-23, 07-29, 07-31
Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Stiller Sinus Lift Set 07-28 - 07-29 Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps Atraumatic 06-02 - 06-06, 08-09	Sterilization Container	10-07
Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Storage Box for Pins 07-07, 07-33 Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Sternberg Lip Retractor	06-11
Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Suction Cannula 06-41 Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Stiller Sinus Lift Set	07-28 - 07-29
Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger Taylor Scaler 03-23	Supercut 06-32 Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Storage Box for Pins	07-07, 07-33
Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Surgical Aspirator 03-36, 06-40 Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Suction Cannula	06-41
Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Surgical Scissors 06-36 Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Supercut	06-32
Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Suture Applicator 04-24 Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Surgical Aspirator	03-36, 06-40
Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Suture Forceps 06-02 Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Surgical Scissors	06-36
Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Suture Forceps Micro 08-10 Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-05 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Suture Applicator	04-24
Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Suture Removal Scissors 08-06 Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 Tampon Plugger Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Suture Forceps	06-02
Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23	Syfrig Benex Extraction System 05-01 - 05-06 Syringe 06-41 T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Suture Forceps Micro	08-10
Syringe 06-41 T Tampon Plugger Taylor Scaler 03-23	T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Suture Removal Scissors	08-06
Syringe 06-41 T Tampon Plugger Taylor Scaler 03-23	T Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Syfrig Benex Extraction System	05-01 - 05-06
Tampon Plugger06-42Taylor Scaler03-23	Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Syringe	06-41
Tampon Plugger06-42Taylor Scaler03-23	Tampon Plugger 06-42 Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10		
Taylor Scaler 03-23	Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	T	
Taylor Scaler 03-23	Taylor Scaler 03-23 Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10	Tampon Plugger	06-42
	Telecrown-Grip 09-06 Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10		03-23
Telecrown-Grip 09-06	Tele-Grip 09-02 Telescope Crown Pliers 09-05 - 09-06 Template, drilling 07-39 Tessier Mobilization Hook 06-13 Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10		09-06
	Telescope Crown Pliers09-05 - 09-06Template, drilling07-39Tessier Mobilization Hook06-13Test Probe, Acryl03-32Thread Plugger04-24Tissue Forceps06-02 - 06-06, 08-09Tissue Forceps Atraumatic08-10		
	Template, drilling07-39Tessier Mobilization Hook06-13Test Probe, Acryl03-32Thread Plugger04-24Tissue Forceps06-02 - 06-06, 08-09Tissue Forceps Atraumatic08-10		
	Tessier Mobilization Hook06-13Test Probe, Acryl03-32Thread Plugger04-24Tissue Forceps06-02 - 06-06, 08-09Tissue Forceps Atraumatic08-10		
	Test Probe, Acryl 03-32 Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10		
	Thread Plugger 04-24 Tissue Forceps 06-02 - 06-06, 08-09 Tissue Forceps Atraumatic 08-10		
	Tissue Forceps06-02 - 06-06, 08-09Tissue Forceps Atraumatic08-10		
	Tissue Forceps Atraumatic 08-10		
	Hanium Curette 03-20 - 03-21	Titanium Curette	03-20 - 03-21



07-19 - 07-20

02-08 - 02-09

06-32 08-01 - 08-03

03-36 05-18 - 05-19

Torx

Trephine

Tweezers

Tungsten Carbide

Tunneling Instrument

Tweezers anatomical

Twist-Ex Extracting Forceps Kit



U	
Universal Crown Scissors	06-36
Universal Curette bionik	03-18 - 03-19
Universal Curette stainless steel	03-26
Universal Forceps	04-27 , 09-02
Universal Prophylaxis Set	03-14
Universal Titanium Curette	03-20
Universal Tweezers	04-27
V	
Vestibulum Retractor	06-09, 06-18
VGO Ost-Set	07-14 - 07-17
Vienna Revolving Chisel	05-60
Vise	03-32
Vollmer Hammer	06-47 , 07-10
Vollmer Valentin Bone Splitting System	07-08 - 07-09
volime valoritin Borio opiitting dyotoini	07 00 07 00
W	
Washbasket	10-03
Washtray	10-02
Wax Carver	09-07
Wedge Applicator	07-10
Wedges	07-10
Weng Impac Tray	08-11 - 08-13
Weng Needle Holder	08-12
Weng Papilla Elevator	08-14
WHO Probe	03-10
Wieder Tongue Depressor	06-12
Williger Raspatories	06-19
Winter Root Elevator	05-61
Wire and Ligature Pliers	06-44
Wire Cutting Pliers	06-43 - 06-44
Wire Sizing / Ligature Pliers	06-44
Witzel Root-Splinter Forceps	05-16
WILZELT TOOL OPHITICAL TOTOCPS	00 10
X	
Xcision Extracting Forceps	05-07 - 05-19
Xtool Luxation Elevator	05-41 - 05-48
Xtool Set	05-48
7.1001.001	00 10
Z	
Zaufal-Jansen Bone Rongeur Forceps	06-25
ZEPF-Care System	10-01 - 10-07
Zepf-Line Periotome	05-51
Z-Shape Gracey M5 Prophylaxis Set	03-06 - 03-07
Z-Shape Handle	02-01
Z-Shape Sickle Curette	03-06 - 03-07
Z-Shape Sickle Scaler	03-06 - 03-07
Z-01 lape Olonie Odalei	00-00 - 00-01



Numerical Index

Pages 11-07 to 11-19

All medical devices according to the Medical Device Directive 93/42/EEC are marked with CE in the numerical index. All CE marked medical devices that have to be provided with the notified body are marked with * next to the CE mark, in the numerical index. The notified body is available through our latest valid certificates. These are available per request or download from **zepf-dental.com**.





















¹¹⁻⁰⁸ Numerical Index

08.902.031HF	07-29	€*
08.906.014C	07-27	€*
08.906.016C	07-27	€*
08.906.018C	07-27	€*
08.906.023C	07-29	€*
08.906.029C	07-29	€*
08.910.01	07-20	€*
08.910.02	07-20	C €*
08.910.03	07-20	€*
08.910.04	07-20	€*
08.910.05	07-20	€*
08.910.06	07-20	€*
08.910.07	07-20	€*
08.910.08	07-20	€*
08.910.08F	07-19	€*
08.910.08S	07-19	€*
08.910.09	07-20	€*
08.910.09F	07-19	C €*
08.910.09S	07-19	€*
08.910.10	07-20	€*
08.910.10F	07-19	€*
08.910.10S	07-19	€*
08.910.11	07-20	€*
08.910.11F	07-19	€*
08.910.11S	07-19	€*
08.910.12	07-20	C €*
08.910.13	07-20	€*
08.910.13F	07-19	€*
08.910.13S	07-19	€*
08.910.22	07-19	€*
08.911.30	07-20	€*
08.912.10	07-20	€*
08.912.50	07-20	€*
08.912.75	07-20	€*
08.917.00	07-35	C€
08.917.05	07-35	C€
08.917.07	07-35	C€
08.917.13	07-35	C€
08.917.20	07-35	C€
08.920.03	07-20	€*
08.920.04	07-20	€*
08.920.05	07-20	€*
08.920.06	07-20	€*
08.920.13	07-20	€*
08.920.16	07-20	€*
10.681.07	05-26	C€
10.681.13	05-26	C€
10.681.22	05-26	C€
10.681.29	05-26	C€
10.681.33	05-26	C€
10.681.51	05-26	C€
10 001 50	05.00	

10.681.52

05-26 €

10.685.07	05-32	C€
10.685.13	05-32	C€
10.685.22	05-32	C€
10.685.29	05-32	C€
10.685.33	05-32	C€
10.685.51	05-32	C€
10.685.52	05-32	CE
101.24526B	06-30	CE
12.002.00Z	05-09	CE
12.007.00Z	05-09	CE
12.013.00Z	05-10	CE
12.017.00Z	05-09	CE
12.018.00Z	05-09	CE
12.021.90Z	05-12	CE
12.022.00Z	05-11	CE
12.033.01Z	05-10	CE
12.034.00Z	05-10	CE
12.034.00Z	05-12	CE
- 		
12.034.01Z	05-12	(€
12.034.07Z	05-14	€
12.034.08Z	05-14	CE
12.035.00Z	05-12	CE
12.035.00Z	05-18	CE
12.035.01Z	05-12	C€
12.035.07Z	05-14	CE
12.035.08Z	05-14	C€
12.036.00Z	05-13	C€
12.036.00Z	05-19	C€
12.036.01Z	05-13	C€
12.036.01Z	05-19	C€
12.036.07Z	05-14	C€
12.036.08Z	05-14	C€
12.044.15 Z	05-15	C€
12.045.15 Z	05-15	C€
12.045.15 Z S	05-15	C€
12.045.15 Z S	05-31	C€
12.045.15ZSTI	05-31	CE
12.051.01Z	05-10	CE
12.051.15Z	05-15	CE
12.051.15 Z S	05-15	C€
12.051.15 Z S	05-31	C€
12.051.15ZSTI	05-31	C€
12.059.00Z	05-17	CE
12.067.01Z	05-10	CE
12.067.17Z	05-09	C€
12.067.18Z	05-09	C€
12.067.90Z	05-15	C€
12.067.95Z	05-13	CE
12.067.95Z	05-19	C€
12.073.01Z	05-10	C€
12.079.00Z	05-11	
12.079.95Z	05-13	C€

05-19	C€
05-11	C€
05-30	C€
05-30	C€
05-30	C€
05-31	C€
05-30	C€
05-31	C€
05-31	C€
05-31	C€
05-30	C€
05-31	C€
05-31	C€
05-31	C€
	CE
	CE
	CE
	(€
	(€
	(€
	(€
	(€
	€
	(€
	(€
	(€
	(E
03-03	C€
	05-11 05-30 05-30 05-31 05-31 05-31 05-31 05-31 05-31 05-31 05-31 05-31 05-31 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30 05-30



12.300.45	05-05	CE
12.300.47	05-05	C€
12.300.60	05-05	C€
12.300.65	05-05	CE
12.300.70	05-05	C€
12.300.75	05-05	C€
12.300.80	05-05	C€
12.302.00	05-02	C€
12.302.00	05-03	C€
12.302.00	05-04	C€
12.302.01	05-04	C€
12.303.00	05-02	C€
12.303.00	05-03	C€
12.303.00	05-04	C€
12.701.00Z	05-18	C€
14.001.00	05-20	C€
14.001.01	05-20	C€
14.010.09	05-20	C€
14.010.11	05-25	C€
14.017.00	05-21	C€
14.018.15	05-21	C€
14.018.16	05-20	C€
14.023.00	05-20	C€
14.053.15	05-21	C€
14.053.16	05-21	C€
14.065.00	05-22	C€
14.069.00	05-22	C€
14.088.15	05-22	C€
14.088.16	05-22	C€
14.101.00	05-22	C€
14.150.00	05-23	C€
14.150.00D	05-23	C€
14.150.05	05-23	C€
14.150.10	05-24	C€
14.150.11	05-24	C€
14.151.00	05-23	C€
14.151.00D	05-23	C€
14.151.01	05-23	C€
14.151.05	05-23	C€
14.151.10	05-25	C€
14.151.11	05-24	C€
14.210.05	05-24	C€
14.217.00	05-24	C€
14.222.00	05-25	(E
14.222.11	05-25	€
14.700.01	05-16	€
14.700.01Z	05-16	€
14.700.10Z	05-17	((
14.701.10Z	05-17	((
15.034.00	05-34	(E
15.034.01	05-34	(€

15.035.01

05-34 €€

17.007.04

15.036.01	05-35	CE
15.045.15	05-35	CE
15.051.15	05-35	CE
15.079.90	05-35	CE
15.213.00	05-39	CE
15.213.00D	05-39	CE
15.217.00	05-39	C€
15.217.00D	05-39	C€
15.218.00	05-39	C€
15.218.00D	05-39	C€
15.222.00	05-39	C€
15.222.00D	05-39	C€
15.234.07	05-38	C€
15.234.07D	05-38	C€
15.234.08	05-38	C€
15.234.08D	05-38	C€
15.235.07	05-38	C€
15.235.07D	05-38	C€
15.235.08	05-38	C€
15.235.08D	05-38	C€
15.236.07	05-39	C€
15.236.07D	05-39	C€
15.236.08	05-39	C€
15.236.08D	05-39	C€
15.267.01	05-39	C€
15.267.01D	05-39	C€
15.279.90	05-39	C€
15.279.90D	05-39	C€
17.001.00	05-52	C€
17.001.01	05-52	C€
17.001.02	05-52	C€
17.001.03	05-52	C€
17.001.10	05-52	C€
17.001.11	05-52	C€
17.001.12	05-52	C€
17.001.13	05-52	C€
17.006.01	05-57	C€
17.006.02	05-57	C€
17.006.03	05-57	C€
17.006.04	05-57	C€
17.007.00	05-48	C€
17.007.01	05-42	C€
17.007.01	05-48	C€
17.007.01TI	05-42	C€
17.007.02	05-42	C€
17.007.02	05-48	C€
17.007.02TI	05-42	C€
17.007.03	05-42	C€
17.007.03	05-48	C€
17.007.03TI	05-42	C€
17.007.04	05-43	C€

05-48 €€

17.007.04TI	05-43	C€
17.007.05	05-43	C€
17.007.05	05-48	C€
17.007.05TI	05-43	C€
17.007.06	05-43	C€
17.007.06TI	05-43	C€
17.007.07	05-43	C€
17.007.07TI	05-43	C€
17.008.01	05-43	C€
17.008.01TI	05-43	C€
17.008.02	05-44	C€
17.008.02TI	05-44	C€
17.008.03	05-44	C€
17.008.03TI	05-44	C€
17.008.04	05-44	C€
17.008.04TI	05-44	C€
17.008.05	05-44	C€
17.008.05TI	05-44	C€
17.008.06	05-44	C€
17.008.06TI	05-44	C€
17.008.08	05-45	C€
17.008.08TI	05-45	C€
17.008.09	05-45	C€
17.008.09TI	05-45	C€
17.008.10	05-45	C€
17.008.10TI	05-45	C€
17.008.11	05-45	C€
17.008.11TI	05-45	C€
17.008.90	05-45	C€
17.008.90TI	05-45	C€
17.009.01	05-47	C€
17.009.02	05-47	C€
17.009.05	05-47	C€
17.010.02	05-56	C€
17.010.03	05-56	C€
17.013.00	05-52	C€
17.013.01	05-52	C€
17.013.02	05-52	C€
17.014.00	05-58	C€
17.014.01	05-58	C€
17.014.02	05-58	C€
17.020.01	05-58	C€
17.020.02	05-58	C€
17.045.00	05-50	C€
17.045.04	05-50	C€
17.045.05	05-50	C€
17.051.01	05-54	C€
17.051.02	05-54	C€
17.051.03	05-54	C€
17.052.01	05-54	C€
17.052.02	05-54	C€
17.052.03	05-54	C€



17.053.02

05-54 €€

17.055.02	00-04	
17.053.03	05-54	C€
17.055.01	05-54	C€
17.055.02	05-54	CE
17.055.03	05-54	C€
17.056.01	05-54	C€
17.056.02	05-54	C€
17.056.03	05-54	C€
17.100.08	05-57	C€
17.100.09	05-57	C€
17.100.10	05-57	C€
17.100.11	05-57	C€
17.100.35	05-56	C€
17.100.39	05-61	C€
17.100.40	05-61	C€
17.100.46	05-56	C€
17.100.57	05-56	C€
17.100.60	05-56	C€
17.100.61	05-56	C€
17.100.62	05-56	C€
17.101.60	05-56	C€
17.101.61	05-56	C€
17.101.62	05-56	C€
17.195.00	05-55	C€
17.200.01	05-53	C€
17.200.02	05-53	C€
17.200.03	05-53	C€
17.201.01	05-53	C€
17.201.02	05-53	C€
17.301.00	05-59	C€
17.302.00	05-59	C€
17.303.00	05-59	C€
17.304.00	05-59	C€
17.336.15	05-61	C€
17.336.16	05-61	C€
17.337.15	05-61	C€
17.337.16	05-61	C€
17.395.01	05-55	C€
17.395.02	05-55	C€
17.395.03	05-55	C€
17.396.01	05-55	C€
17.396.02	05-55	C€
17.396.03	05-55	C€
17.410.03	05-58	C€
17.677.16	05-59	C€
17.677.17	05-59	C€
17.700.00	07-12	C€
17.700.40	07-12	C€
17.700.45	07-12	C€
17.710.00	07-16	C€
10.010.00	04.04	

19.010.00

19.015.00

04-21 €

04-21 €

19.015.50	04-21	C€
19.037.01	04-21	C€
19.060.00	04-23	C€
19.061.01	04-23	C€
19.061.02	04-23	C€
19.061.03	04-23	C€
19.061.13	04-23	C€
19.062.00	04-23	C€
19.063.01	04-23	C€
19.125.00	04-21	C€
19.199.00	04-22	C€
19.200.00	04-04	CE
19.200.30	04-05	C€
19.201.11	04-04	C€
19.201.21	04-04	C€
19.201.31	04-04	C€
19.202.00	04-01	C€
19.202.00	04-04	CE
19.270.50	06-11	C€
19.272.00	09-04	C€
19.272.01	09-04	C€
19.272.02	09-04	C€
19.272.03	09-04	C€
19.272.10	09-04	C€
19.273.00	09-04	C€
19.274.00	09-03	C€
19.274.13	09-03	C€
19.274.15	09-03	C€
19.274.50	09-03	C€
19.274.60	09-03	C€
19.275.00	09-04	C€
19.275.01	09-04	C€
19.275.02	09-04	C€
19.275.04	09-04	C€
19.277.01Z	09-01	C€
19.279.00	09-05	C€
19.281.15TC	04-27	C€
19.281.15TC	09-02	C€
19.281.16	09-05	C€
19.509.10	03-37	C€
19.509.20	03-37	C€
19.512.03	03-39	C€
19.512.04	03-39	C€
19.512.06	03-39	C€
19.512.09	03-39	C€
19.512.13	03-39	C€
19.512.14	03-39	C€
19.512.16	03-39	C€
19.512.19	03-39	C€
19.513.03	03-38	C€
19.513.04	03-38	C€
19.513.05	03-38	C€

03-38	C€
03-38	C€
03-36	C€
06-42	C€
06-41	C€
06-41	C€
06-40	C€
06-40	C€
06-40	C€
03-36	C€
06-40	C€
07-29	C€
06-40	C€
07-29	C€
06-40	C€
06-40	C€
07-27	C€
06-40	C€
06-41	C€
06-41	C€
07-34	C€
07-34	C€
02-08	C€
02-08	C€
02-09	C€
02-09	C€
07-04	C€
08-13	C€
02-09	C€
03-36	C€
02-08	C€
04-23	C€
06-02	C€
03-36	C€
06-02	CE
	CE
	C€
	C€
	C€
	C€
06-02	CE
06-05	C€
06-04	C€
06-02	C€
06-02	C€
06-02	C€
	03-38 03-36 06-42 06-42 06-42 06-42 06-42 06-42 06-41 06-40 06-40 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-29 06-40 07-34 02-08 02-09 07-04 08-13 02-09 07-04 08-13 02-09 03-36 04-02 06-02 06-02 06-02 06-02 </th



22.281.15TC	04-27	C€
22.310.12	06-05	C€
22.310.15	06-05	C€
22.400.13	06-03	CE
22.400.14	06-03	C€
22.408.11	06-03	C€
22.408.13	06-03	C€
22.408.14	06-03	C€
22.408.16	06-03	C€
22.408.20	06-03	CE
22.416.15	06-05	CE
22.430.17	06-05	CE
22.450.18	06-05	CE
22.480.12	06-03	CE
22.480.15	06-03	CE
22.481.12	06-03	CE
22.481.15	06-03	CE
22.486.12	06-05	C€
22.486.15	06-05	C€
22.488.12	06-04	CE
22.488.15	06-04	CE
22.488.20	06-05	CE
22.489.00	06-03	CE
22.489.00	07-04	CE
22.489.00M	06-04	CE
22.489.00M	08-13	CE
22.489.01	06-04	CE
22.523.13	03-37	C€
22.523.13	04-27	CE
22.523.90D	03-37	C€
22.523.90D	04-27	C€
22.810.17	08-09	C€
22.810.17	08-13	C€
22.810.17	08-15	CE
22.810.17D	08-09	C€
22.811.17	08-09	C€
22.811.17D	08-09	C€
22.812.17	08-10	C€
22.814.17	08-10	CE
22.815.17		CE
22.815.17	08-09	C€
22.820.17	08-10	CE
	08-10	
22.820.17D 22.820.17TC		(€
	08-10	C€
22.821.17 22.821.17D	08-10	(€
	08-10	C€
22.824.17	06-03	
22.830.17	08-04	C €
23.050.10	06-07	C €
23.051.10	06-07	(€
23.054.12	06-07	C €
23.055.12	06-07	C€

23.058.12	06-07	C€
23.059.12	06-07	C€
23.060.12	06-07	C€
23.061.12	06-07	C€
23.062.12	06-07	C€
23.063.12	06-07	C€
23.098.14	06-06	C€
23.099.14	06-06	C€
23.104.14	06-07	C€
23.105.14	06-07	C€
23.105.50	06-46	CE
23.106.14	06-07	C€
23.106.16	06-07	CE
23.106.18		
	06-07	CE
23.107.14	06-07	
23.107.16	06-07	(€
23.107.18 23.120.12	06-07	C€
23.705.09		C€
23.709.11	06-07 06-06	
		CE
23.740.20 23.741.20	06-06	C€
23.781.15	06-06	CE
23.782.15	06-06	
24.058.01	06-45	C€
24.058.02	06-45	C€
24.058.03	06-45	C€
24.058.04	06-45	C€
24.058.10	06-45	C€
24.061.22	02-04	
24.061.24	02-04	C€
24.062.24	02-04	C€
24.062.24.	02-04	C€
24.062.30	02-06	C€
24.062.31	02-06	C€
24.067.22	02-04	C€
24.067.24	02-04	C€
24.070.22	02-04	CE
24.070.24	02-04	C€
24.071.22	02-04	C€
24.071.24	02-04	C€
24.072.22	02-04	C€
24.072.22.	07-03	CE
24.072.24	02-04	C€
24.074.13	03-37	C€
24.074.15	03-37	C€
24.074.16	03-37	C€
24.075.22	02-04	C€
24.075.24	02-04	C€
24.080.01	02-03	C€
24.086.01	02-03	C€
24.087.00	02-03	C€

24.087.02	08-13	C€
24.089.02	02-03	C€
24.089.02	06-08	C€
24.098.03A	07-03	C€
24.099.08	02-05	C€
24.099.09	02-05	C€
24.099.17	02-05	CE
24.099.23	02-05	C€
24.099.25	02-05	C€
24.101.08	02-10	C€
24.101.09	02-10	C€
24.101.17	02-10	C€
24.101.23	02-10	C€
24.102.03A	02-10	C€
24.102.08	02-10	C€
24.102.09	02-10	C€
24.102.17	02-10	C€
24.102.23	02-10	C€
24.112.05	02-10	CE
24.114.00	08-13	CE
24.124.06	02-10	CE
24.201.01G	03-16	CE
24.201.01GM5	03-13	C€
24.201.01GM5OX	03-06	C€
24.201.01GM5-TI	03-21	C€
24.201.05L	03-14	C€
24.201.05L	03-19	C€
24.201.05L	08-12	C€
24.201.05L-TI	03-20	C€
24.202.03G	03-16	C€
24.203.05G	03-12	C€
24.203.05G	03-15	C€
24.203.05G	03-16	C€
24.204.11G	03-12	C€
24.204.11G	03-15	CE
24.204.11G	03-17	C€
24.204.11GM5	03-13	C€
24.204.11GM5OX	03-06	C€
24.204.11GM5-TI	03-21	CE
24.204.15G	03-17	C€
24.205.06HF	07-03	CE
24.205.07G	03-12	CE
24.205.07G	03-15	CE
24.205.07G	03-16	CE
24.205.07GM5	03-13	CE
24.205.07GM5OX	03-13	CE
24.205.07GM5-TI	03-00	CE
24.206.09G	03-21	CE
24.207.02C	03-10	CE
24.207.04C	03-18	C€
24.207.04C-TI	03-18	C€
24.207.06HF	07-03	C€
27.201.00HF	07-03	~ ~



•	^	<u> </u>	\	1
1	_			,
	<i>7</i>	Z	<u> </u>	ı
Ī				

24.207.13C	03-18	C€
24.207.13G	03-12	CE
24.207.13G	03-15	CE
24.207.13G	03-17	CE
24.207.13GM5	03-13	CE
24.207.13GM5OX	03-06	CE
24.207.13GM5-TI	03-21	C€
24.207.13MC	03-18	C€
24.207.17G	03-17	CE
24.207.17L	03-19	CE
24.207.17MC	03-18	CE
24.207.23	03-14	CE
24.207.23	03-19	CE
24.208.02CI	03-22	CE
24.208.02T	03-23	CE
24.208.03L	03-14	CE
24.208.03L	03-19	CE
24.208.03L	08-12	CE
24.208.03L-TI	03-20	CE
24.208.04S	03-12	CE
24.208.04S	03-13	CE
24.208.04S	03-14	CE
24.208.04S	03-15	CE
24.208.04S	03-23	CE
24.208.04SD	03-23	CE
24.208.04SDOX	03-07	CE
24.208.04SOX	03-07	C€
24.208.06H	03-15	CE
24.208.06H	03-22	CE
24.208.06HF	03-22	C€
24.208.23A	03-23	CE
24.208.23AOX	03-07	C€
24.208.30S	03-22	CE
24.208.35U	03-22	CE
24.209.04GX	03-23	CE
24.210.01L	03-14	CE
24.210.01L	03-19	CE
24.210.01L	08-12	CE
24.210.01L-TI	03-20	CE
24.221.01GM5OX	03-06	CE
24.224.11GM5OX	03-06	CE
24.225.07GM5OX	03-06	CE
24.227.13GM5OX	03-06	CE
24.228.04SOX	03-06	CE
24.228.04SOX	03-07	CE
24.228.23AOX	03-07	CE
24.353.02	09-07	CE
24.437.01	03-28	CE
24.437.02	03-28	CE
24.437.03	03-29	CE
24.437.04	03-29	C€
24.437.07	03-29	C€
	1	

24.451.00	03-08	C€
24.451.01	03-08	C€
24.451.02	03-08	C€
24.451.02	03-09	C€
24.451.03	03-08	C€
24.451.06	03-08	C€
24.453.03	03-10	C€
24.453.12	03-10	C€
24.453.15	03-09	C€
24.453.22	03-10	C€
24.453.23	03-10	C€
24.454.01	03-11	C€
24.454.01	03-15	C€
24.454.02	03-11	CE
24.454.03	03-09	CE
24.454.03	03-11	CE
24.454.05	03-11	CE
24.454.06	03-11	C€
24.454.06TI	03-11	CE
24.455.06	03-11	C€
24.455.06	07-03	C€
24.488.01	07-03	CE
24.488.02	03-28	C€
24.490.01		
	03-30	(€
24.490.02	03-30	€
24.491.01	03-31	C€
24.491.02	03-31	€
24.493.01	03-30	CE
24.493.02	03-30	€
24.493.03	03-30	€
24.494.00	03-31	(€
24.495.01	03-31	CE
24.495.01	07-11	CE
24.495.02	03-31	CE
24.495.02	07-11	CE
24.495.03	03-31	CE
24.495.03	07-11	CE
24.548.01	04-24	CE
24.548.01	06-42	CE
24.548.02	04-24	CE
24.548.03	04-24	C€
24.548.04	04-24	C€
24.551.01	03-24	C€
24.551.03	03-24	C€
24.551.05	03-24	C€
24.551.07	03-24	C€
24.551.09	03-25	C€
24.551.11	03-25	C€
24.551.13	03-25	C€
24.551.15	03-25	C€
24.551.17	03-25	C€
24.551.24S	03-27	C€
	1	

24.553.01	03-26	C€
24.553.03	03-26	C€
24.553.05	03-26	C€
24.561.67	03-27	C€
24.565.33	03-27	C€
24.708.25	04-12	C€
24.708.27	04-12	C€
24.708.29	04-12	C€
24.708.31	04-12	C€
24.709.35	04-13	C€
24.709.39	04-13	C€
24.709.41	04-13	CE
24.709.45	04-13	C€
24.710.01OX	04-06	CE
24.710.02OX	04-06	CE
24.711.43	04-12	C€
24.711.44	04-12	C€
24.711.45	04-12	C€
24.725.00	03-34	C€
24.725.05	03-34	C€
24.725.07	03-34	C€
24.725.08	03-34	CE
24.725.09	03-34	C€
24.725.20	03-34	C€
24.725.21	03-35	C€
24.725.58	03-35	C€
24.725.70	03-35	C€
24.725.71	03-35	C€
24.725.72	03-35	C€
24.725.73	03-35	C€
24.725.74	03-35	C€
24.725.86	03-35	C€
24.733.18	04-13	C€
24.733.19	04-13	C€
24.733.20	04-13	C€
24.747.03	07-31	C€
24.747.04	08-13	C€
24.747.06	08-13	C€
24.751.101G	03-16	C€
24.751.101GM5	03-13	C€
24.751.101GM5OX	03-06	C€
24.751.101GM5-TI	03-21	C€
24.751.101L	03-14	C€
24.751.101L	03-19	C€
24.751.101L-TI	03-20	C€
24.751.102CI	03-22	C€
24.751.102G	03-16	C€
24.751.102GM5	03-13	C€
24.751.102GM5OX	03-06	C€
24.751.102GM5-TI	03-21	C€
24.751.102L	03-14	C€
24.751.102L	03-19	C€

zepf-	-der	ital	com

24.751.102LC	03-18	C€
24.751.102L-TI	03-20	C€
24.751.102RC	03-18	C€
24.751.102TA	03-23	C€
24.751.103CI	03-22	C€
24.751.103G	03-16	C€
24.751.103L	03-14	C€
24.751.103L	03-19	C€
24.751.103L-TI	03-20	CE
24.751.103TA	03-23	CE
24.751.104	03-34	CE
24.751.104G	03-16	CE
24.751.104L	03-14	CE
24.751.104L	03-19	C€
24.751.104LC	03-18	C€
24.751.104LC-TI	03-20	C€
24.751.104L-TI	03-20	C€
24.751.104RC	03-18	C€
24.751.104RC-TI	03-20	CE
24.751.104XL	03-23	CE
24.751.104XR	03-23	CE
24.751.105	03-34	CE
24.751.105G	03-12	C€
24.751.105G	03-15	CE
24.751.105G	03-16	CE
24.751.105L	03-14	CE
24.751.105L	03-19	CE
24.751.105L-TI	03-20	C€
24.751.106G	03-12	
24.751.106G	03-15	CE
24.751.106G	03-16	C€
24.751.106H	03-15	CE
24.751.106H	03-22	C€
24.751.106HF	03-22	CE
24.751.106HF	07-03	CE
24.751.106L	03-14	C€
24.751.106L	03-19	C€
24.751.106L-TI	03-20	CE
24.751.107G	03-12	CE
24.751.107G	03-15	CE
24.751.107G	03-16	C€
24.751.107GM5	03-13	C€
24.751.107GM5OX	03-06	C€
24.751.107GM5-TI	03-21	C€
24.751.107H	03-15	C€
24.751.107H	03-22	C€
24.751.107HF	03-22	C€
24.751.107HF	07-03	C€
24.751.108	03-35	CE
24.751.108G	03-12	CE
24.751.108G	03-15	C€
24.751.108G	03-16	C€

24.751.108GM5	03-13	CE
24.751.108GM5OX	03-06	CE
24.751.108GM5-TI	03-21	CE
24.751.109	03-35	C€
24.751.109G	03-16	CE
24.751.110	03-34	CE
24.751.110G	03-16	CE
24.751.111	03-34	CE
24.751.111G	03-12	CE
24.751.111G	03-15	CE
24.751.111G	03-17	CE
24.751.111GM5	03-13	CE
24.751.111GM5OX	03-06	CE
24.751.112G	03-12	CE
24.751.112G	03-15	CE
24.751.112G	03-17	CE
24.751.112GM5	03-13	CE
24.751.112GM5OX	03-06	CE
24.751.112L	03-34	CE
24.751.112R	03-34	CE
24.751.113C	03-18	CE
24.751.113C	03-34	CE
24.751.113G	03-12	CE
24.751.113G	03-15	CE
24.751.113G	03-17	CE
24.751.113GM5	03-13	CE
24.751.113GM5OX	03-06	CE
24.751.113GM5-TI	03-21	CE
24.751.113L	03-34	C€
24.751.113MC	03-18	C€
24.751.113R	03-34	C€
24.751.114C	03-18	C€
24.751.114C	03-34	C€
24.751.114G	03-12	C€
24.751.114G	03-15	C€
24.751.114G	03-17	C€
24.751.114GM5	03-13	CE
24.751.114GM5OX	03-06	CE
24.751.114GM5-TI	03-21	CE
24.751.114MC	03-18	C€
24.751.115G	03-17	CE
24.751.116G	03-17	CE
24.751.117MC	03-19	CE
24.751.118G	03-17	CE
24.751.118MC	03-19	CE
24.751.123AL	03-23	C€
24.751.123ALOX	03-07	CE
24.751.123AR	03-23	CE
24.751.123AROX	03-07	CE
24.751.123L	03-14	C€
24.751.123L	03-19	C€
24.751.123R	03-14	C€

24.751.123R	03-19	C€
24.751.126	07-02	C€
24.751.130	03-22	C€
24.751.131	03-22	C€
24.751.135UL	03-22	C€
24.751.135UR	03-22	C€
24.751.148	03-35	C€
24.751.149	03-35	C€
24.751.150	07-02	C€
24.751.153	03-35	C€
24.751.155	07-03	C€
24.751.156	07-03	C€
24.751.167	03-35	C€
24.751.168	03-35	C€
24.751.169	03-35	C€
24.751.169	03-35	CE
24.751.170	03-35	CE
24.751.171	03-35	CE
24.751.172	03-35	CE
24.751.172	03-35	CE
24.751.172	03-35	CE
24.751.173	03-35	CE
24.751.176 S	07-02	CE
24.751.177	07-02	CE
24.751.178	07-02	CE
24.751.179	03-35	C€
24.751.179	07-02	CE
24.751.204L	03-12	C€
24.751.204L	03-13	C€
24.751.204L	03-14	CE
24.751.204L	03-15	CE
24.751.204L	03-23	CE
24.751.204LD	03-23	CE
24.751.204LOX	03-06	C€
24.751.204LDOX	03-07	C€
24.751.204R	03-12	CE
24.751.204R	03-13	C€
24.751.204R	03-14	C€
24.751.204R	03-15	CE
24.751.204R	03-23	C€
24.751.204RD	03-23	CE
24.751.204ROX	03-06	CE
24.751.204RDOX	03-07	C€
24.751.318Ti	04-02	C€
24.751.319Ti	04-03	CE
24.751.319Ti	04-05	C€
24.751.320Ti	04-03	CE
24.751.320Ti	04-05	C€
24.751.321Ti	04-02	C€
24.751.322Ti	04-02	C€
24.751.323Ti	04-02	C€
24.751.323Ti	04-02	CE



1	^	^	1
1	=		7
	7	7	
4	Z	4	

24.751.323Ti	04-05	CE
24.751.324Ti	04-02	CE
24.751.325Ti	04-02	CE
24.751.325Ti	04-02	CE
24.751.325Ti	04-05	CE
24.751.326Ti	04-02	CE
24.751.327Ti	04-02	CE
24.751.328Ti	04-03	CE
24.751.329Ti	04-03	CE
24.751.330Ti	04-03	CE
24.751.331Ti	04-03	CE
24.751.332Ti	04-03	CE
24.751.333Ti	04-03	CE
24.751.401Ti	04-03	CE
24.751.402Ti	04-03	CE
24.751.403Ti	04-03	CE
24.751.404Ti	04-03	CE
24.751.512	07-02	CE
24.751.520W	07-02	CE
24.755.02	03-05	CE
24.755.03	03-05	CE
24.853.14	07-03	CE
24.853.24	07-03	CE
24.914.10	03-33	CE
24.914.25	03-33	CE
24.916.10	03-33	CE
24.918.15	03-33	CE
24.919.15	03-33	C€
24.923.10	03-33	C€
24.923.10	05-56	CE
24.926.10	03-32	CE
24.926.75	03-32	CE
24.950.00	03-32	CE
24.950.10	10-09	CE
24.950.12	10-09	CE
24.951.01	03-32	CE
24.961.05	07-01	CE
24.961.05	07-02	CE
24.961.06	07-01	C€
24.961.06	07-02	C€
24.967.05	08-15	CE
24.971.00	08-11	CE
24.971.00	08-12	CE
24.989.55OX	03-07	CE
24.990.35	03-15	CE
24.990.50	03-12	C€
24.990.55	03-13	C€
24.990.55OX	03-07	C€
24.990.60	03-14	C€
24.995.00	07-30	C€
24.995.01	07-28	C€
26.010.01OX	02-01	C€

26.010.02OX	02-01	C€
26.010.03OX	02-01	C€
26.010.04OX	02-01	C€
26.010.05OX	02-01	C€
26.010.06OX	02-01	C€
26.010.07OX	02-01	C€
26.010.08OX	02-01	C€
26.010.09OX	02-01	C€
26.010.10OX	02-01	CE
26.010.10OX	03-04	CE
26.120.00Ti	04-01	CE
26.120.01Ti	04-01	C€
26.120.10Ti	04-03	CE
26.120.10Ti	04-05	CE
26.120.11Ti	04-02	CE
26.120.121Ti	04-02	CE
26.120.121Ti	04-05	CE
26.120.122Ti	04-02	CE
26.120.122Ti	04-05	CE
26.120.12Ti	04-02	CE
26.120.12Ti	04-02	C€
26.120.13Ti	04-03	CE
26.120.13Ti		C€
26.120.1411 26.120.20Ti	04-07	
	04-02	(€
26.120.21Ti	04-02	€
26.120.25Ti	04-02	CE
26.120.25Ti	04-05	CE
26.120.30Ti	04-02	CE
26.120.31Ti	04-03	CE
26.120.321Ti	04-03	C€
26.120.321Ti	04-05	C€
26.120.322Ti	04-03	C€
26.120.322Ti	04-05	C€
26.120.32Ti	04-03	C€
26.120.32Ti	04-05	C€
26.120.34Ti	04-03	C€
26.120.40Ti	04-03	C€
26.120.50Ti	04-03	C€
26.120.60Ti	04-03	C€
26.120.70Ti	04-03	C€
26.122.00	04-25	C€
26.122.10	04-25	C€
26.123.01	04-25	C€
26.123.02	04-25	C€
26.130.01	04-11	C€
26.130.02	04-11	C€
26.130.03	04-11	C€
26.180.06	02-03	C€
26.180.07	03-09	C€
26.180.13	03-04	C€
26.181.01	03-04	C€
26.181.03	03-04	CE
	00 04	

26.181.04	02-03	C€
26.182.00	05-50	C€
26.182.01	05-50	C€
26.182.02	05-50	C€
26.182.03	05-50	C€
26.182.04	05-50	CE
26.182.11	05-51	C€
26.182.12	05-51	C€
26.182.13	05-51	C€
26.182.23	05-51	C€
26.182.24	05-51	C€
26.183.00	08-12	C€
26.191.01	02-03	C€
26.191.01	02-05	C€
26.191.02		CE
	02-03	
26.191.02	02-05	(€
26.191.03	02-03	C€
26.191.03	02-05	
26.191.04	02-03	(€
26.191.04	02-05	C€
26.193.01	03-02	CE
26.193.02	03-02	CE
26.193.03	03-02	CE
26.193.04	03-02	C€
26.193.05	03-02	C€
26.193.06	03-02	C€
26.193.07	03-02	C€
26.193.08	03-02	C€
26.193.09	03-02	C€
26.193.10	02-02	C€
26.193.10	03-02	C€
26.193.10	03-04	C€
26.193.11	03-03	C€
26.193.12	03-03	C€
26.193.13	03-03	C€
26.193.14	03-03	C€
26.193.15	03-03	C€
26.193.15	03-09	C€
26.193.16	03-03	CE
26.193.17	03-03	CE
26.193.18	03-03	C€
26.193.19	03-03	C€
26.193.20	02-02	C€
26.193.20	03-03	C€
26.193.20	03-09	C€
26.194.01	03-03	C€
26.194.02	03-03	C€
26.194.03	03-03	C€
26.194.04	03-03	C€
26.194.05	03-03	C€
26.194.05	07-03	C€
26.194.06	03-03	C€

zepf-dental.com

26.194.06	03-15	C€
26.194.07	03-03	C€
26.194.07	07-03	CE
26.194.08	03-03	C€
26.194.09	03-03	CE
26.194.10	02-02	C€
26.194.10	03-03	CE
26.194.11	03-03	CE
26.194.12	03-03	CE
26.194.13	03-03	CE
26.194.14	03-03	C€
26.194.15	03-03	CE
26.194.16	03-03	CE
26.194.17	03-03	C€
26.194.18		C€
26.194.19	03-03	C€
26.194.20 26.194.20	02-02	CE
	03-03	€
26.195.01	03-02	(€
26.195.02	03-02	€
26.195.03	03-02	C€
26.195.04	03-02	C€
26.195.05	03-02	C€
26.195.06	03-02	C€
26.195.07	03-02	C€
26.195.08	03-02	C€
26.195.09	03-02	C€
26.195.10	03-02	C€
26.200.00	04-09	C€
26.200.01	04-09	C€
26.200.02	04-09	C€
26.200.03	04-09	C€
26.200.04	04-09	C€
26.200.13	04-10	C€
26.200.17	04-08	C€
26.200.18	04-08	C€
26.200.19	04-08	C€
26.200.35	04-10	C€
26.200.36	04-10	C€
26.200.37	04-10	C€
26.260.00	04-11	C€
26.260.01	04-11	C€
26.260.02	04-11	C€
26.426.45	04-08	C€
26.428.01	04-09	C€
26.428.02	04-09	C€
26.428.03	04-09	C€
26.428.04	04-09	C€
26.430.21	04-08	C€
26.690.01	05-49	C€
26.690.02	05-49	C€
26.690.03	05-49	C€

26.690.10	05-49	CE
28.110.01	09-07	CE
28.111.01	09-07	C€
28.114.00	09-07	CE
28.116.00	09-07	CE
28.121.00	04-15	CE
28.130.00	09-07	C€
28.161.13	09-07	CE
28.161.17	09-07	CE
28.601.00	04-16	C€
28.601.01	04-16	CE
28.601.02	04-16	C€
28.601.03	04-16	CE
28.601.04	04-16	CE
28.602.01	04-16	
28.602.02	04-16	C€
28.602.03	04-16	CE
28.603.01	04-16	CE
28.603.02	04-16	CE
28.603.03	04-16	C€
28.604.01	04-16	C€
28.604.02	04-16	CE
28.604.03	04-16	CE
28.606.00	04-17	C€
28.606.01	04-17	C€
28.606.02	04-17	C€
28.606.03	04-17	C€
28.606.04	04-17	C€
28.607.01	04-17	C€
28.607.02	04-17	C€
28.607.03	04-17	C€
28.608.01	04-17	C€
28.608.02	04-17	CE
28.608.03	04-17	C€
28.631.00	04-14	CE
28.631.01	04-14	CE
28.631.02	04-14	C€
28.631.03	04-14	C€
28.631.04	04-14	C€
28.632.01	04-14	CE
28.632.02	04-14	CE
28.632.03	04-14	CE
28.633.01	04-14	CE
28.633.02	04-14	CE
28.633.03	04-14	C€
28.634.01	04-14	C€
28.634.02	04-14	C€
28.634.03	04-14	C€
28.636.00	04-15	C€
28.636.01	04-15	C€
28.636.02	04-15	C€
28.636.03	04-15	C€

28.636.04	04-15	C€
28.637.01	04-15	C€
28.637.02	04-15	C€
28.637.03	04-15	C€
28.638.01	04-15	C€
28.638.02	04-15	C€
28.638.03	04-15	C€
28.640.01	04-18	C€
28.640.02	04-18	C€
28.640.03	04-18	C€
28.640.04	04-18	C€
28.640.10	04-19	C€
28.645.01	04-19	C€
28.645.02	04-19	C€
28.645.03	04-19	C€
28.645.04	04-19	C€
28.661.01	04-20	C€
28.661.02	04-20	C€
28.661.03	04-20	C€
28.662.01	04-20	C€
28.662.02	04-20	C€
28.662.03	04-20	CE
28.663.02	04-20	C€
28.663.03	04-20	C€
28.664.02	04-20	C€
28.664.03	04-20	CE
28.671.00	04-20	C€
28.672.00	04-20	C€
28.681.00	04-20	C€
28.682.00	04-20	C€
31.182.01	09-02	C€
31.184.01	09-06	C€
31.184.13	09-05	C€
31.185.00	09-06	C€
31.185.01	09-06	C€
31.185.02	09-05	C€
31.185.04	09-06	C€
31.185.10	09-06	C€
31.185.12	09-06	C€
31.683.00	07-39	C€
31.691.13	07-37	C€
31.693.10	07-36	C€
31.760.11	06-43	C€
37.258.40	06-08	C€
37.258.43	06-08	CE
37.261.11	06-11	C€
37.261.14	06-11	CE
37.271.00	06-11	C€
37.351.02	06-08	C€
37.426.01	06-12	C€
37.426.02	06-12	C€
37.429.12	06-11	C€



11-16 Numerical Index

37.429.14	06-11	C€
37.429.16	06-11	C€
37.437.15	06-09	C€
37.437.17	06-09	C€
37.438.15	06-18	C€
37.440.00	06-15	C€
37.441.01	06-13	C€
37.441.02	06-13	C€
37.443.00	06-08	C€
37.444.01	06-09	C€
37.445.01	02-05	C€
37.445.01	06-08	C€
37.446.04	06-11	C€
37.448.10	02-06	C€
37.448.20	02-06	C€
37.454.00	06-10	C€
37.454.02	06-10	C€
38.074.14	06-13	C€
38.076.16	06-13	C€
38.078.16	06-13	C€
38.426.01	06-14	C€
38.426.02	06-14	C€
38.426.03	06-14	C€
38.426.04	06-14	C€
38.426.05	06-14	C€
38.426.06	06-14	C€
38.426.07	06-14	C€
38.426.08	06-14	C€
38.426.09	06-14	C€
38.427.22	06-17	C€
38.428.02	06-16	C€
38.428.03	06-16	C€
38.428.04	06-16	C€
38.428.05	06-16	C€
38.428.06	06-16	C€
38.428.22	06-16	C€
38.430.03	06-15	C€
38.430.04	06-15	C€
38.430.05	06-15	C€
38.430.06	06-15	CE
38.438.04	06-17	CE
38.438.05	06-17	C€
38.438.06	06-17	CE
38.448.50	06-18	CE
38.452.00	06-12	CE
38.465.15	06-12	CE
38.467.08	06-12	C€
38.467.10	06-12	C€
38.471.15	06-12	C€
38.473.15	06-13	CE
41.010.17TC	08-08	C€

08-07 €€

41.011.17TC	08-08	C€
41.015.17	08-08	C€
41.015.17	08-12	C€
41.017.17	08-04	C€
41.200.15TC	08-07	C€
41.200.17TC	07-04	C€
41.200.17TC	08-07	CE
41.200.17TC	08-07	CE
41.200.17TC-K	08-06	CE
41.200.17TC-K	08-15	CE
41.201.15TC	08-07	CE
41.201.15TC	08-07	CE
41.201.17TC	08-07	CE
41.201.17TC-K	08-06	CE
41.240.12	06-39	CE
41.246.15TC	06-38	CE
41.250.15	06-39	CE
41.252.15TC	06-39	CE
41.252.15TC	08-13	CE
41.252.18TC	06-13	CE
41.256.14		CE
	06-38	
41.256.16	06-38	€
41.256.18	06-38	(€
41.258.14TC	06-38	€
41.258.16TC	06-38	€
41.258.18TC	06-38	CE
41.262.14	06-37	C€
41.262.17	06-37	CE
41.264.14	06-37	C€
41.264.17	06-37	C€
41.310.14TC	06-37	C€
41.310.17TC	06-37	C€
41.317.17TC	06-37	C€
41.318.17TC	06-37	CE
41.352.15TC	06-39	C€
41.362.12	06-39	CE
41.500.17	06-47	C€
41.500.17M	06-47	C€
41.501.01	06-47	CE
41.501.01	07-10	CE
41.503.00	06-47	CE
41.503.01	05-47	C€
41.503.01	06-47	C€
41.506.17	06-47	C€
41.541.02WM	05-60	C€
41.541.03WM	05-60	C€
41.541.04WM	05-60	C€
41.541.05WM	05-60	C€
41.751.011LU	07-03	C€
41.751.012LU	07-03	C€
41.822.01	07-28	C€
41.822.02	07-28	C€

41.822.03	07-28	C€
41.822.04	07-28	C€
41.822.05	07-29	C€
41.822.11	07-29	C€
41.822.22	07-29	C€
41.822.33	07-29	C€
41.834.11	05-50	C€
41.845.11	06-20	C€
41.845.22	06-20	C€
41.845.33	06-20	C€
41.847.00	07-25	C€
41.847.00	07-26	C€
41.847.01	07-26	C€
41.847.02	07-26	C€
41.847.03	07-26	C€
41.847.05	07-26	C€
41.847.08	07-26	CE
41.847.09	07-26	C€
41.847.10	07-26	C€
41.848.01	07-24	C€
41.848.02	07-24	C€
41.848.03	07-24	C€
41.848.05	07-24	C€
41.848.08	07-24	CE
41.848.08	08-12	C€
41.848.51	07-23	C€
41.848.52	07-23	C€
41.848.53	07-23	C€
41.853.11	07-02	C€
41.853.21	07-02	C€
41.854.11	07-02	C€
41.854.12	07-02	C€
41.854.13	07-03	C€
41.854.21	07-02	C€
41.854.22	07-02	C€
41.854.23	07-03	C€
41.855.00 Z	06-20	C€
41.855.00 Z S	06-20	C€
41.855.01Z	05-48	C€
41.855.01Z	06-20	C€
41.855.01ZS	06-20	C€
41.855.02 Z	06-20	C€
41.855.02 Z S	06-20	C€
41.855.04 Z	06-20	C€
41.855.20	07-03	C€
41.855.22	07-03	C€
41.862.11	06-21	C€
41.862.12	06-21	C€
41.862.13	06-21	C€
41.862.14	06-23	C€
41.862.21	06-23	C€
41.864.01	06-19	C€



41.864.02	06-19	C€
41.864.13	06-21	C€
41.864.13	08-15	CE
41.864.20	06-30	C€
41.864.30	06-23	C€
41.864.40	06-23	C€
41.864.50	06-23	C€
41.864.60	06-21	C€
41.868.01	07-30	C€
41.868.02	07-30	CE
41.868.03	07-30	CE
41.868.04	07-30	CE
41.868.05	07-31	CE
41.868.06	07-31	CE
41.868.07	07-23	CE
41.868.07	07-29	C€
41.868.07	07-31	CE
41.868.08	07-31	CE
41.868.08M	07-31	C€
41.868.09	07-27	CE
41.874.04	06-19	€*
41.874.16	06-19	€*
41.877.23	06-19	€*
41.878.11	06-22	(€*
41.878.12	06-22	€*
41.878.13	06-22	€*
41.878.14	06-22	CE*
41.881.01	06-43	(€*
41.881.02	06-43	(€*
41.905.00	06-44	(€*
41.914.16	06-44	(€*
41.916.15	06-44	CE*
41.917.15	06-44	(€*
42.315.16	06-24	(€*
42.315.16S	06-24	CE
42.316.15	06-24	C€
42.320.14	06-25	CE
42.320.15	06-25	C€
42.321.90	06-25	CE
42.324.15	06-24	CE
42.326.15	06-24	CE
42.328.15	06-24	C€
42.332.14	06-25	CE
42.334.17	06-25	CE
42.358.15	06-23	C€
42.360.15	06-24	C€
42.362.15	06-24	CE
42.404.16	06-26	(€
42.406.14	06-26	(€
42.620.18	06-26	(€
42.621.18	06-26	(€
42.646.15	06-26	C€

42.647.15	06-26	C€
42.650.18	06-25	CE
42.652.18	06-25	CE
46.005.65	06-28	CE
46.005.70	06-29	
46.007.00	06-28	CE
46.007.00	08-13	CE
46.007.01	06-28	
46.007.02	06-27	CE
46.007.05	06-30	CE
46.007.08	06-27	CE
46.007.10	06-30	
46.007.18	07-04	
46.007.20	06-30	CE
46.007.30	06-30	CE
46.007.31	06-30	
46.007.40	06-28	C€
46.007.45	06-28	C€
46.007.50	06-30	
46.010.03	06-29	
46.010.04	06-29	
46.013.00Z	06-29	CE
46.013.00Z	08-13	CE
46.013.00Z	08-14	
46.013.00Z	08-15	CE
46.013.05	06-29	CE
46.013.05	08-14	C€
46.013.05Z	06-29	C€
46.014.10*	06-28	CE
46.014.11*	06-28	CE
46.014.12*	06-28	C€
46.014.12D*	06-28	CE
46.014.15*	06-28	C€
46.014.15C*	06-28	C€
46.016.03	08-14	C€
46.016.03*	06-29	C€
46.016.04	08-14	C€
46.016.04*	06-29	C€
46.016.07	08-14	C€
46.016.07*	06-29	C€
46.016.09	08-14	C€
46.016.09*	06-29	C€
46.035.00	06-30	C€
46.035.00	08-14	C€
46.035.05	06-30	C€
46.035.05	08-12	C€
46.035.05	08-14	C€
46.035.20	08-03	C€
46.036.11	07-02	C€
46.036.21	07-02	C€
46.040.00	08-02	C€
46.040.01	08-03	C€*

46.040.02	08-03	€*
46.040.03	08-02	C€
46.040.04	08-02	C€
46.040.07	08-03	C€
46.040.08	08-03	C€
46.040.09	08-03	C€
46.040.15	07-38	C€
46.040.30	08-03	C€
46.050.11	06-32	C€
46.050.11SC	06-32	C€
46.050.11TC	06-32	C€
46.050.11TISC	06-32	C€
46.051.11	06-32	C€
46.051.11SC	06-32	€*
46.051.11TC	06-32	C€
46.051.11TISC	06-31	C€
46.051.11TISC	06-32	C€
46.057.11	06-32	C€
46.057.11SC	06-32	C€
46.057.11TISC	06-31	C€
46.057.11TISC	06-32	C€
46.069.11	06-33	C€
46.077.16	06-34	€*
46.077.16SC	06-34	€*
46.077.16TC	06-34	C€
46.077.16TISC	06-34	C€
46.081.16	06-32	C€
46.081.16SC	06-32	C€
46.081.16SC	07-04	C€
46.081.16SC	08-13	C€
46.081.16TISC	06-31	C€
46.081.16TISC	06-32	C€
46.111.16	06-34	C€
46.111.16SC	06-34	C€
46.121.17	06-35	C€
46.123.17	06-35	C€
46.123.17SC	06-35	C€
46.123.17TC	06-35	C€
46.123.17TISC	06-35	C€
46.200.13	06-33	C€
46.200.13SC	06-33	C€
46.200.13TC	06-33	C€
46.200.13TISC	06-33	CE
46.201.13	06-33	CE
46.201.13SC	06-33	CE
46.201.13TC	06-33	CE
46.201.13TISC	06-31	C€
46.201.13TISC	06-33	CE
46.207.13	06-33	CE
46.207.13SC	06-33	CE
46.221.12	06-35	CE
46.319.17	08-05	C€



08-15 | €

C€

C€

C€

C€

C€

C€

C€

C€

08-06

08-05

08-05

08-05

06-36

06-36

06-36

06-36

06-34

10-11

10-11

07-33

07-33

07-33

07-33

07-19

07-19

07-19

05-03

05-05

09-09

05-03

05-05

C€

C€

C€

C€

(€*

C€

C€

C€

C€

C€

C€

C€

C€

C€

46.319.17

46.319.17N

46.321.16

46.402.13

46.402.14


46.404.13

46.404.14

46.431.14

46.319.17TISC

46.321.16TISC



47.503.50

47.503.53

47.520.00

47.520.01

47.520.02

47.520.03

47.520.22

47.520.23

47.520.25

47.525.51

47.525.51

47.525.51

47.525.55

47.525.55

47.525.55	09-09	C€
47.530.00	07-23	CE*
		CE*
47.560.03	07-33	
47.560.05	07-33	€
47.750.03	07-12	(€
47.750.04	07-12	C€
47.750.13	07-12	C€
47.750.14	07-12	C€
47.803.02	09-09	€*
47.830.00	09-08	C€
47.830.00	09-09	C€
47.830.01	09-09	C€
47.832.01	09-09	C€
47.832.02	09-09	C€
47.832.04	09-09	CE
47.832.05	09-09	CE
47.832.06	09-09	C€
47.832.07	09-09	CE
47.832.08	09-09	CE
47.832.09	09-09	CE
47.833.01	09-09	CE
47.833.02	09-09	C€
47.833.03	09-09	C€
47.833.04	09-09	C€
47.833.05	09-09	€
47.833.06	09-09	€
47.833.07	09-09	(€
47.833.08	09-09	CE
47.833.09	09-09	CE
47.847.12	07-33	C€
47.937.00	07-06	C€
47.937.01	07-07	C€
47.937.05	07-07	C€
47.937.10	07-07	C€
47.937.11	07-07	C€
47.937.12	07-07	C€
47.937.13	07-07	C€
47.937.14	07-07	C€
47.940.00	07-13	C€
47.940.01	07-13	C€
47.942.20	07-13	C€
47.942.28	07-13	C€
47.942.33	07-13	CE
47.942.38	07-13	CE
47.942.43	07-13	C€
47.943.20	07-13	C€
47.943.28	07-13	C€
47.943.33	07-13	CE
47.943.38	07-13	
		C E
47.943.43	07-13	C€
47.944.20	07-13	€
47.944.28	07-13	C€

47.944.33	07-13	C€
47.944.38	07-13	C€
47.944.43	07-13	C€
47.945.20	07-13	C€
47.945.28	07-13	C€
47.945.33	07-13	C€
47.945.38	07-13	C€
47.945.43	07-13	C€
47.949.11	07-09	C€
47.949.11	07-11	C€
47.949.12	07-09	CE
47.949.12	07-11	CE
47.949.13	07-09	CE
47.949.13	07-11	CE
47.949.21	07-11	C€
47.949.22	07-11	C€
47.949.23	07-11	CE
47.949.95	07-11	C€
47.950.02	10-10	C€
47.950.03	07-07	C€
47.954.01	07-22	C€
47.954.35	07-22	C€
47.954.55	07-22	C€
47.955.00	07-21	C€
47.955.10	07-21	C€
47.957.00	07-05	C€
47.957.01	07-05	C€
47.957.10	07-05	C€
47.957.15	07-05	C€
47.958.00	07-21	C€
47.958.01	07-21	C€
47.958.03	07-21	C€
47.958.04	07-21	C€
47.961.00	07-12	C€
47.961.20	07-12	CE
47.961.20	07-12	CE
47.961.28	07-12	C€
47.961.33	07-12	CE
47.961.38	07-12	C€
47.961.43	07-12	C€
47.962.20	07-12	C€
47.962.28	07-12	CE
47.962.33	07-12	C€
47.962.38	07-12	C€
47.962.43	07-12	CE
47.962.50	07-12	CE
47.963.50	07-12	C€
47.963.60	07-12	C€
47.966.00	07-33	C€
47.990.00	07-16	C€
47.990.06	07-16	C€
47.990.08	07-16	C€
	31 10	



47.990.10	07-16	C€
47.990.20	07-16	C€
47.990.30	07-16	CE
47.990.40	07-16	CE
47.990.50	07-16	C€
47.990.60	07-16	CE
47.990.70	07-16	CE
47.991.00	07-17	CE
47.991.10	07-17	CE
47.991.20	07-17	CE
47.991.30	07-17	CE
47.991.40	07-17	CE
47.991.50	07-17	CE
47.991.60	07-17	CE
47.991.70	07-17	C€
47.991.80	07-17	CE
48.286.08	07-17	CE
48.666.20		
	07-37	C E
50.226.16	06-02	€
50.229.16	06-02	(€
53.034.19	06-06	CE
53.034.25	06-06	CE
60.150.24	06-11	CE
60.151.24	06-11	CE
85.070.01	07-20	C€
85.070.05	07-20	C€
85.140.00	10-08	C€
85.142.10	10-08	C€
85.142.20	10-08	C€
85.145.00	10-08	C€
85.150.00	10-08	C€
85.180.00	07-13	C€
85.180.00	08-15	C€
85.180.00	10-02	C€
85.180.03	10-02	C€
85.180.04	10-02	C€
85.180.05	10-02	C€
85.180.10	10-02	C€
85.181.00	10-02	C€
85.181.03	10-03	C€
85.181.04	05-47	C€
85.181.04	10-03	C€
85.181.05	05-47	C€
85.181.05	10-03	C€
85.181.09	10-05	C€
85.182.00	10-02	C€
85.182.03	10-05	C€
85.182.04	10-05	C€
85.182.05	10-05	C€
85.182.08	10-05	C€
85.182.50	07-07	C€
85.190.10	10-11	C€

85.192.50	09-09	C€
85.192.50	10-03	C€
85.194.00	10-03	C€
85.194.10	05-04	C€
85.194.50	10-03	C€
85.195.00	05-47	C€
85.195.00	10-03	C€
85.195.10	05-04	C€
85.251.03	07-27	C€
85.251.03	10-09	C€
85.251.04	07-19	C€
85.251.04	07-29	C€
85.251.04	07-31	CE
85.251.04	07-33	CE
85.251.04	08-13	C€
85.251.04	10-09	C€
85.251.04	10-11	C€
85.251.14	07-29	C€
85.251.14	07-31	C€
85.252.140	06-41	C€
85,252,25	10-09	C€
85.255.02	07-07	C€
85.255.02	07-33	C€
85.256.00	07-33	C€
85.264.350	06-41	C€
85.312.00	10-07	C€
85.312.01	10-07	C€
85.312.02	10-07	C€
85.312.03	10-07	C€
85.312.04	10-07	C€
85.312.05	10-07	C€
85.312.06	10-07	C€
85.312.07	10-07	C€
85.312.08	10-07	C€
85.312.09	10-07	C€
85.327.00	10-07	C€
85.327.10	10-07	C€
85.327.15	10-07	C€
85.327.20	10-07	C€
85.327.30	10-07	C€
85.327.50	10-07	C€
85.327.60	10-07	C€
85.327.70	10-07	CE
85.540.60	10-07	C€
85.540.65	10-10	CE
85.703.00	10-10	CE
85.903.01	10-08	C€
85.903.03	10-08	C€
85.903.04	10-08	C€
	10-00	

-	



Terms of Delivery and Payment

Helmut Zepf Medizintechnik GmbH

1. Offers and order acceptance

Our offers are always subject to confirmation and without obligation. Telephone and verbal agreements and arrangements with our agents shall become legally valid only after they have been confirmed by us in writing. Deviations in the orders of the buyers relative to our terms of delivery and payment shall not be binding for us, if we have not declared our approval in writing. The subsequent correction of potential errors in offers and invoices shall be permitted for us explicitly and in every case.

2. Delivery

All our data on delivery times shall be approximate only and non-binding.

3. Calculation

The prices agreed upon are net prices plus the respective legally applicable value-added tax.

4. Warranty

Within a period of one year we shall grant warranty for defects, which are caused by manufacturing or material faults. Potential defects shall have to be indicated to the supplier in writing immediately, at the latest, however, within eight days after receipt of the delivery. In case of justified notification of defects, the supplier shall be obligated to rework or replace as chosen. Any exceeding warranty claims, in particular for damage which has not been caused to the supplied goods themselves shall be ruled out, provided no intent or gross negligence can be substantiated. Our obligation of warranty shall not apply, if the defect or modification of the goods supplied is caused by incorrect intervention of the ordering or third parties. Moreover the warranty obligation shall not apply in case of incorrect handling or excessive wear of the goods by the ordering or third parties.

5. Packaging

If the order does not define the packaging, we shall choose the packaging at our discretion.

6. Delivery / shipment

The delivery is made ex works. The goods shall be transported to the place of destination always at the costs and risk of the buyer, no matter by which route and which means of transportation is chosen. The road tolls, provided they are not paid by us in case of freight-paid fob or cif deliveries, shall be borne by the buyer. Neither do we assume any obligation for delivery in time nor for the full utilization of loading capacity of the means of transportation. Moreover, the buyer shall bear the costs of the transport insurance.

7. Payment

Our invoices shall be due for payment without deduction within thirty days after invoicing. In case of payment within eight days we grant a discount of two per cent. Repairs and interest shall be payable immediately and without deduction. Cheques and bills of exchange shall be accepted only in lieu of payment, the latter only after previous arrangement. Costs for bills of exchange and discount charges shall be borne by the ordering party.

Payments shall be considered made as from the day, at which the supplier can avail himself of the invoiced amount in cash without any loss. In case of default in payment of the ordering parts we shall be permitted to charge default interest of 5 per cent above the respective basic interest rate of the European Central Bank as from the occurrence of default, and to declare due any amounts potentially deferred. Before complete payment of all invoices due including default interest, the supplier shall not be obligated to any further deliveries from a current contract. A complaint, even when justified, shall not permit the buyer to delay payment or to change the terms of payment.

8. Retention of title

Until complete redemption of all obligations from the business relationship, also of others and future businesses of the buyer with us, the goods supplied shall remain our property. For the duration of the retention of title of the seller, the buyer obligates himself to handle the goods correctly and with care. Within the framework of his normal standard business operation, the buyer may sell and process the goods. The claims of the buyer from the sales of the goods subject to retention of title shall be assigned to us now already until our claims from good delivery are paid off completely, irrespective of whether the goods subject to retention of title have been sold without or after processing or whether they have been sold to one or several buyers. The assigned claims serve as our security, however only to the value of the respectively sold goods subject to retention of title. The buyer is entitled to sell the goods subject to retention of title only in keeping with the agreement hereinbefore on the assignment of the purchase price claim. In case of seizure of the goods or the transfer of the purchase price claim to a third party in their place, the buyer is obligated to inform us immediately. We obligate ourselves to return or to transfer back the securities assigned to us at our discretion in keeping with the conditions mentioned hereinbefore, provided the value exceeds the claims to be secured by 20 per cent.

9. Place of performance and venue

The place of performance and venue shall be D-78532 Tuttlingen in Germany for all rights and obligations arising from the business relationship with us. The law of the Federal Republic of Germany shall apply exclusively for all legal matters under exclusion of the conflict of laws and the agreement of the United Nations on Contracts of the International Sale of Goods (CISG).

10. Data storage

We are permitted to save and process personal data of the ordering party.

11. Final clauses

The potential ineffectiveness of individual stipulations of these terms of business shall not affect the validity of the other stipulations.





